

17.A.102-090  
Sticacium marmorum Pan. in litt. ad Schell, fig.

Caule  $\frac{1}{2}$  - 2 ped. folioso a medio in pedunculos monocephalos aut plur.  
catus diviso 2-15 cephalo, pili plurimii tuberculati insidentib. plus minus  
lanatis, foliis inferiorib. obovatis in petiolum alatum decurrentib. superiorib.  
ovatis basi cordata caulem amplexantib., supremis ad squamas reductis;  
pedunculis pube stellata pilisque longiorib. obtusis; antheris breviusculis ba.  
si lanatis, squamis involucri linearis lanceolatis dorso fuscatis stellis  
pilis. setisque margine scabro glabris, tubi corollae pilosis, ligulis  
glabris, styli flavis, acheniis pallide fuscis.

Hab. In montib. marmoris ad Ravenna, Menasija

~~a Gornjak~~ C. Capriensis, a Gornjak C. Požarevacensis, M.  
Starica C. Krajinska, M. Stol C. Crnatska. M. Rtanj C.  
Meksinac.

Flor. Jun.

Indumento triplici: tuberculis in denudato tandem caule albidis,  
villo in imo caule ac foliorum margine copiosiore et pedunculis  
anthodisque pilosis ac stellatis. insignis, foliis quoque consistentia  
potius chartacea quam pannosa superioribus basi imprimis dilatata  
ab omnibus Andryaloides diversum.

(Sic dictum propter substructionem, si lubet aptiore nomine specifico  
insignientem!)