

Elenchus
plantarum in circulo
Ladertino huc usque
inventarum ab A. A.
Prof. Lic. Lad.
(alsinger)

Ladern Anno 1831.

Acer monospermum - ^{Forst.} Aprili - ^{Invenitur} In sylvis.
 - - *campestre* - - - In sylvis. & pascuis.
 - - *Quercus platanus* - Majo - In sylvis. montanis.
Achillea *Clavenensis* - Junio - In Veleb.
 - - - *macrophylla* - Julio - - -
 - - - *Millefolium* - Aestate - Ad marg. agrorum.
Adiantum *Capillus* - - - Ad aquas.
Adonis *estivalis* - - Aprili - Inter fagos.
Aegilops *ovata* - Vere - In herbidijs.
 - - - *Truncatilis* - - - - -
Aethionema *lanceolatum* - Martio - In sylvaticis.
Asculus *Hippocastanum* - Aestate - Ad pagos.
Agave *americana* - Augusto - - Ad litt. maris.
Agrimonia *Eupatoria* - Majo - Ad marg. agrorum.
Agrostis *hispida*?
 - - - *stolonifera* { Aestate - In humidiusculis.
Aira *agrostica* - Majo - - In aquis.
 - - - *carophylla* - Aprili - Ad agros.
Ajuga *Chamaejasme* - Aestate - In aquis.
 - - - *genevensis* - Aprili - In herbidijs humis.
Alisma *Plantago* - Majo - In aquis.
 - - - *renunculoidea* - - - - - Non inveniatur.
Alchemilla *Aphanes* - Aestate - In pascuis.
Allium *Ampeloprasum* - Majo - In vineis.

	^{Flor.} Flos.	^{Inven.} Invenit
Allium capillare?	Julio	In pascuis
Chamaemoly	Februarius	Ad fessos
Cepa	Aestate	Colitur
Lorum		
+ oleraceum		
ascalonicum		
Clavum	Junio	In aridis
pubisputum	Charis	In fessibus
vincale	Julio	In vineis
sphaerocephalum	Majo	In herbis
rofum	Aprili	Inter fessos
Alopecurus aequalis	Majo	In arvis
piticulatus		In pratis
Althaea cannabina	Junio	In vineis
hirpita		In fessibus
officinalis		In pratis
Alyssum calycinum	Majo	In fessibus
montanum	Martio	In marg. agror.
mutabile	Autumno	In humidis
myagroides	Junio	In Veleb.
Amaranthus blitum	Autumno	In ruderalibus
viridis		
Ammi majus	Aestate	In vineis
Amygdalus communis	Februarius	Colitur
Persea	Charis	
Anagallis caerulea	Vere	In arvis
phoenicea		

	^{Flor.} Flos.	^{Inven.} Invenit
Anchusa paniculata	Aestate	In arvis
variegata	Charis	Ad fessos
Andrachne selyphoides	Aestate	In vineis
Andropogon Fithenium		In humidis
Andropace villosa		In Veleb.
Anemone stellata	Februarius	Ad fessos
alpina?	Aestate	In Veleb.
Anthemis arvensis	Majo	In arvis
austriaca		In montanis
Cota		In ruderalibus
Anthriscum Liliago		In collibus humidis
Anthracanthum dorsum		In pascuis
Anthyllis Vulneraria	Aestate	
montana		In montibus
Antirrhinum majus	Majo	Ad muros, rupes
crontium		In campis
Apargia hirta	Majo	In pascuis
tuberosa	Autumno	
Asium graveolens	Aestate	Ad fessos
Petroelinum		Colitur
Arabis alpina		In Veleb.
verna	Charis	In humidis
Thaliana		Ad fessos
Arbutus Unedo	Hieme	In silvaticis
Arenaria denticulata	Majo	In arenosis
Antium Lappia	Aestate	In ruderalibus
Arenaria papiculata	Majo	Ad muros

<i>Asplenium rotundifolium</i>	Fl.	In arvis
----- <i>juncum</i>	----- Aestate	----- Ad vias
----- <i>Asplenium</i>	----- Augustus	----- In vineis
----- <i>aspidatum</i>	----- Junio	----- In campis
<i>Quercus sempervirens</i>	Chajo	In hortis
<i>Carthagenia</i>	Junio	Ad muros
<i>Cakile maritima</i>	Aestate	Ad mare
<i>Calendula asperifolia</i>	Totocano	In arvis
<i>Callitriche flulata</i>	Junio	Ad vias
----- <i>autumnalis</i>	Augustus	-----
<i>Campanula trachelium</i>	Chajo	Ad vias
----- <i>pyramidalis</i>	Augustus	Ad muros
----- <i>heptaphylla</i>	Chajo	In sylvestribus
----- <i>mutabilis</i>	Chajo	Ad muros
----- <i>cordata</i>	-----	In arvis
----- <i>perfoliata</i>	Junio	In sylvestribus
----- <i>graminifolia</i>	Chajo	In pratis
<i>Caryophyllus mongolicus</i>	Augustus	In pratis
<i>Cadaveris patula</i>	Junio	Colibus
<i>Capparis spinosa</i>	Julio	Ad muros
<i>Cypripedium annuum</i>	Junio	Colibus
<i>Candarus lucographus</i>	Junio	Ad vineas
----- <i>tenuiflorus</i>	-----	Ad vias
----- <i>nubans</i>	-----	In pratis
<i>Carex diandra</i>	Charis	Ad vias
----- <i>vulgaris</i>	Chajo	In pratis
----- <i>rigida</i>	-----	Ad vias
----- <i>flava</i>	Aprili	In pratis
-----	Junio	In paludibus

<i>Carex proserpin</i>	Fl.	In arvis
----- <i>hondifolia</i>	Charis	Ad vias
----- <i>diffusa</i>	Chajo	In pratis
----- <i>capitata</i>	Aestate	In humidis
----- <i>colicaria</i>	Charis	In herbis
----- <i>colicaria</i>	Aprili	In sylvestribus
<i>Castanea vesca</i>	Chajo	In sylvestribus
<i>Cardamine hirsuta</i>	Februarius	In humidis
<i>Carlina vulgaris</i>	Augustus	Ad vias
<i>Carpinus Betula</i>	Chajo	In sylvestribus
<i>Cantharus timonius</i>	Junio	Colibus
<i>Caucalis daucoides</i>	Chajo	In arvis
----- <i>grandiflora</i>	-----	-----
----- <i>califolia</i>	-----	-----
<i>Celtis australis</i>	Aprili	Ad vias
<i>Cenchrus racemosus</i>	Aestate	-----
<i>Celcia orientalis</i>	Chajo	In sylvestribus
<i>Centaurea Cyrena</i>	Aprili	In pratis
----- <i>paniculata</i>	Aestate	In pratis
----- <i>amaris</i>	-----	In humidis
----- <i>montana</i>	Chajo	In montibus
----- <i>Cyanus</i>	-----	In pratis
----- <i>hyssopifolia</i>	Julio	In pratis
----- <i>calceolaria</i>	-----	Ad vias
----- <i>holandica</i>	-----	In pratis
----- <i>canada</i>	-----	In pratis
<i>Cratonia filiginea</i>	autumno	In insulis
<i>Crastium vulgatum</i>	vere aestate	In arvis
----- <i>maritimum</i>	Chajo	In veldis

	Flos.	Inven.
<i>Cerastium grandiflorum</i>	Chajo	In Valeb.
- <i>pedicellatum</i>	Affate	In arvis
<i>Cerintho minor</i>	Chajo	Ad sepe
<i>Chera vulgaris</i>		In aquis
<i>Cheilanthes caccany</i>	Aprilis	Ad montes
<i>Oelidonium majus</i>	Affate	In rudibus
<i>Chenopodium hybridum</i>	Tunis	In rudibus
- - - <i>glaucum</i>		
- - - <i>album</i>		
- - - <i>olidum</i>		
<i>Clematis vitalba</i>	Majo	In sepe
- - - <i>Viticella</i>	Tunis	
- - - <i>Flammula</i>		
<i>Chlora persfoliata</i>	Tunis	In pratis
<i>Chondrilla juncea</i>	Tunis	In campis
<i>Chrysanthemum leucanthemum</i>	Majo	In pratis
- - - <i>pygidium</i>		In sepe
- - - <i>filicinum</i>		In silvaticis
<i>Chrysocoma Linopryi</i>	Septembri	In pratis
<i>Cichorium Intybus</i>	Affate	Ad vias
<i>Cnicus luteolus</i>	Majo	Ad sepe
<i>Cistus creticus</i>	Chajo	In silvaticis
- - - <i>monspeliensis</i>		
- - - <i>selvifolius</i>		
<i>Cladium germanicum</i>	Chajo	In paludibus

	Flos.	Inven.
<i>Cirsium lanceolatum</i>	Tunis	Ad sepe
- - - <i>acarne</i>		In pratis
- - - <i>palustre</i>		Ad sepe
- - - <i>eriospermum?</i>		In montibus
<i>Clinopodium vulgare</i>	Tunis	In pratis
<i>Cochlearia saxatilis</i>	Chajo	In arduis montibus
<i>Codium bursa</i>		In mari
<i>Colchicum autumnale</i>	Sept.	In pratis
- - - <i>montanum</i>	Februari.	
<i>Colubea arvensis</i>	Tunis	In silvaticis
<i>Corinum maculatum</i>	Chajo	In rudibus
<i>Convallaria majalis</i>		In pratis
- - - <i>multiflora</i>		
<i>Corvolvulus arvensis</i>	Chajo	In arvis
- - - <i>germinum</i>	Tunis	In sepe
- - - <i>albidoides</i>	Chajo	In pratis
- - - <i>cantabrica</i>	Tunis	Ad vias
- - - <i>serotinum?</i>		In vineis
<i>Conyza squarrosa</i>	Affate	In pratis
- - - <i>erecta</i>	Tunis	In pratis
<i>Conyza Ruellii</i>	Tunis	Ad vias
<i>Coronilla mascula</i>	Februari.	In sepe
- - - <i>fragrans</i>	Chajo	
<i>Coronilla Emerus</i>	Chajo	In pratis
- - - <i>cretica</i>		In pratis
- - - <i>varia</i>		

Dryas spinosa - Sept. - Ad litt. maris
Echinops Ritro - Augusto - In apertis
Echinopsnum Lycopodium - Maio - In arvis
Echinum vulgare - Maio - In rudibus
Eriolobium resupitum - In humidis sylvis
Equisetum arvense - In arvis hum.
Erica arborea - Aprili - In sylvis
 - herbacea - Autumno - In pasc. commun.
 - vulgari - In pasc. commun.
Erigeron canadensis - Octob. - In campis
 - graveolens - Augusto - In arvis
Erodium pinnatifidum - Martio - In herbis
 - malacoides - Aprili - In rudibus
 - ciconium - Maio -
Eryngium amethystinum - Octob. - In apricis
 - canescens -
Erythraea Centaureum - Maio - Ad agros
 - maritima ^{spicata} - Martio - Ad mare
Erythronium uniflorum - Maio - In pasc. nigr.
 - nigricans - In prati albidis
Eupatorium cannabium - Julio - Ad fopas
Eupatorium Alliarum - Maio - Ad fopas
Euphorbia Characias - In sylvis hum.
 - spinosa - Aprili - In apertis
 - fragifera - Maio - In rudibus
 - Helioscopia - In campis
 - Deplis - Octob. - In arvis hum.

Euphorbia Poly-Chrys - In hortis decur.
 - falcata - Aprili - In arvis
 - Loralis - Octob. - Ad mare
 - Chrysanthi - In apricis
Euphorbia Lutea - Augusto - In pascuis
 - zosterina - In campis
 - Calistolia - Aprili - In pascuis
Euonymus europaeus - In sylvis
Fagus sylvatica -
Fedia microcarpa - Aprili - Ad agros
 - olitoria -
Fenula nodiflora - Junio - In sylvis
Festuca ovina - Aprili - In pascuis
 - rubra -
 - protina - Sept. - Ad vici
 - uniglumis ^{romana} - Maio - Ad fopas
Ficus carica - Vere - Colitur
Filago germanica - In agris
Forsythia mutabilis - Octob. - In australi Timia
Fragaria vesca - Vere - In sylvis
Fragaria exculptis - Aprili -
 -
Fumaria capreolata - Maio - Ad muros in via
 - parviflora - In agris
 - offe. - In arvis
Hippocrepis comosa - Ad vici

Galium aparine - Chajo - In papiis
 - - - *verum* - - - Tunio - Ad murg. apr.
 - - - *lucidum* - - - Chajo - In papiis
 - - - *Chollugo* - - - - - Ad papi
 - - - *unicorne* - - - - - In arvis
 - - - *poliastre* - - - - - In prati
 - - - *rugiatum* - - - April - Ad papi
 - - - *verum* - - - Chajo - In prati alps.
 - - - *negestre V.* - - - - - In apricis
Gentia pancea - Chajo - In papiis
 - - - *fulvestris* - - - - - In prati
 - - - *hemispha* - Tunio - In Vales.
 - - - *Dalmatica* - - - In apricis Weger.
Gentiana verna - Tunio - In Vales.
Geranium tuberosum - Chartis - Inter papias
 - - - *lucidum* - Chajo - In prati pabato
 - - - *sanguineum* - - - - - In umbrosi
 - - - *molle* - April - Ad papi
 - - - *Robertianum* - Altek - Ad murg.
 - - - *dissectum* - Chajo - In prati
Glaucium luteum - Altek - Ad Alb. mar.
Globularia vulg. - - - In prati mont.
 - - - *cordifolia* - - - - - alpinis
Geum urbanum - - - In papiis. unio.
Gladiolus communis - Altek - Inter papias
 - - - *Helioscopia* - - - - - In campis
 - - - *Diplotis* - - - Altek - In arenosis mont.

Glycerhiza glabra - Altek - In murg. apr.
Gnaphalium angustifolium - - - In apricis
Gratiola offic. - Altek - Ad murg.
Gypsophila saxifraga - - - Ad murg.
 - - - *thecaria* - - - Inter papias
Gynanogramme cederach - - - Ad murg.
Hedysarum tuberosum - ^{mont. pabato} - In herbis
Hedera Helix - Audunno - Ad murg.
Hedysarum Onobrychis - April - In papiis
Helianthus thiodi - Augusto - In vineis
Herniaria glabra - Tunio - In apricis
 - - - *incana* - - - - -
 - - - *hirsuta* - - - - -
Helianthus tuberosus - Aug. - In arvis mont.
 - - - *annuus* - - - In hortis
Hesperis glutinosa - Altek - In arenosis mont.
Helianthemum vulgare - - - In apricis
 - - - *Samana* - - - - -
 - - - *Oelandicum alpinum* - In Vales.
Hibiscus syriacus - Tunio - In hortis
 - - - *Indicum* - Sept. - In arvis
Hieracium telopella - Chajo - In papiis
 - - - *polypodioides* - - - In sylvestris
 - - - *fabudum* - Julio - In papiis
Himantoglossum hircinum - Majo - In collib. apricis
Hippocrepis comop - - - Ad murg.

<i>Hippocrepis unifiligrana</i>	Chajs	Ad riv.
<i>Holcus lanatus</i>	Chajs	Ad riv.
<i>longum</i>	Afflate	Colitur
<i>Hordeum bulbosum</i>	—	In prat.
<i>murinum</i>	—	In rudib.
<i>diffusum</i>	Chajs	Colitur
<i>hexastichon</i>	—	—
<i>tetraastichon</i>	—	—
<i>Humulus Lupulus</i>	Afflate	Ad fep.
<i>Hyacinthus comosus</i>	April.	In arvis
<i>botryoides</i>	Chardis	In pratib.
<i>racemosus</i>	—	In apricis
<i>Hydrocotyle vulgaris</i>	Afflate	In palud.
<i>Hypochaeris varia</i> V.	—	In rudib.
<i>niger</i>	—	—
<i>Hypericum perforatum</i>	—	In apricis
<i>Hypochaeris radicata</i>	—	—
<i>Hyssopus officin.</i>	Autumno.	In pratib.
<i>Isaminum officinale</i>	Afflate	Ad fep.
<i>Iberis umbellata</i>	—	In hortis
<i>Illecebrum verticillatum</i>	Chajs	Arvensis mag.
<i>Imperatoria segetum</i>	Chajs	In pratib.
<i>Isula viscosa</i>	Afflate	Aug. In pratib.
<i>dyoscorica</i>	Afflate	In rivis
<i>orthosiphia</i>	—	Ad lib. mag.
<i>caulis</i> Chrifti	—	In pratib.
<i>labonum</i>	—	In pratib.
<i>guarota</i>	—	—

<i>Isis tuberosa</i>	Chardis	In pratib.
<i>pumila</i>	—	In pratib.
<i>germanica</i>	—	In hortis
<i>graminea</i>	Chajs	In pratib. alp.
<i>quidacorum</i>	Chardis	In paludib.
<i>Isatis tinctoria</i>	Afflate	Colitur
<i>Juglans regia</i>	April.	—
<i>Juncus acutus</i>	Chajs	In humidis
<i>maritimus</i>	—	In palud. maris
<i>glauco</i>	—	Ad lib. mag.
<i>lampocarpus</i>	Afflate	In rivis
<i>Juncus agrestis</i>	Chardis	In pratib.
<i>johannea</i>	—	—
<i>Koeleria cristata</i>	Chajs	—
<i>johannea</i>	—	—
<i>Lactuca perennis</i>	—	In collib. apricis
<i>lactuca</i>	Afflate	Colitur
<i>scariola</i>	—	In vineis
<i>lactuca</i>	—	—
<i>Lagurus ovatus</i>	Chajs	In insulis
<i>Laminia amphicarpa</i>	Chardis	In arvis
<i>pauciflorus</i>	Afflate	Ad fep.
<i>Lathyrus latifolius</i>	Junio	In vineis
<i>aphaca</i>	April.	Ad fep.
<i>pratensis</i>	Chajs	Ad riv.
<i>tuberosus</i>	April.	In pratib.

<i>Tachypogon pennis</i>	Aprili	Inter fegit
... <i>foliatus</i>	Junio	Colitur
... <i>foliolatus</i>	Charis	In pascuis
... <i>Ochromus</i>	Chajo	Ad fegit
<i>Laurus nobilis</i>	Charis	In hortis
<i>Leontodon Taraxacum</i>	Kre d. Aud.	Ad vici
... <i>foliatus</i>	Aprili	In pratibus
<i>Lepidium Fleris</i>	Junio	In nudatis
... <i>Draba</i>	Chajo	—
... <i>conspersa</i>	Aprili	In campis
<i>Lactuca arvensis</i>	Offate	In hortis
<i>Leucopium vernum</i>	Aprili	In pratibus
<i>Ligusticum Carvum</i>	Augusto	In pascuis
... <i>alpinum</i>	Chajo	In Veleb.
<i>Ligustrum vulgare</i>	Aprili	In fegit
<i>Lilium candidum</i>	Chajo	In pascuis
... <i>calcedonicum</i>	—	In Veleb.
... <i>Charitagon</i>	—	In Veleb.
<i>Linum nodiflorum</i>	—	In pratibus
... <i>gallicum</i>	—	In pascuis
... <i>stomatopneum</i>	—	In pascuis
... <i>semissifolium</i>	—	—
... <i>strictum</i>	—	—
... <i>alpinum</i>	—	In Veleb.
<i>Linaria vulgaris</i>	Chajo	Ad marg. agr.
... <i>minor</i>	—	In arboris
... <i>halimifolia</i>	Aprili	Inter frutices
... <i>Gymbalaria</i>	Offate	Ad muros

<i>Linaria arvensis</i>	Chajo	In arboris
... <i>laurina</i>	—	In nudatis
... <i>clatine</i>	—	—
<i>Lithospermum offic.</i>	Junio	Ad marg. agr.
... <i>perenne</i>	Chajo	Inter frutices
... <i>arvensis</i>	Charis	In arboris
... <i>incraspatum</i>	Chajo	In pascuis
<i>Lolium temulentum</i>	—	Inter fegit
... <i>perenne</i>	Offate	In herbis
<i>Lonicera alpigena</i>	Chajo	In pratibus
... <i>struosa</i>	Aprili	Ad fegit
<i>Lotus corniculatus</i>	Offate	In pascuis
... <i>ornithogaloides</i>	Chajo	Ad muros
... <i>trifolius</i>	Offate	In pascuis
... <i>cyathoides</i>	Chajo	In pascuis
<i>Lunaria annua</i>	—	In Veleb.
<i>Lupinus albus</i>	—	In campis
<i>Luzula campestris</i>	Chajo	Inter frutices
<i>Lychnis diocia</i>	Offate	In nudatis
... <i>flor. luculi</i>	Chajo	In pascuis
... <i>Githago</i>	—	Inter fegit
<i>Lycium europaeum</i>	Offate	Inter fegit
<i>Lysimachia vulg.</i>	Chajo	In pascuis
... <i>Linum Hellatum</i>	Aprili	In pascuis
... <i>nummularia</i>	Chajo	In nudatis
<i>Lythrum salicaria</i>	—	Ad vici
<i>Malva parviflora</i>	Offate	In herbis
... <i>fulva</i>	—	—

Chamaebium peregrinum. ^{fl.} ^{fr.} ^{ad vici}
 - - - *cedripimum*. - - -
Chetivaria Chamae. ^{Chajo} - ^{In rudibz}
Chedraeo lupulina. ^{Chajo} - ^{Ad fopis}
 - - - *prostrata*. ^{Aprilis} - ^{In pascuis}
 - - - *minima*. ^{Aprilis} - ^{In pascuis}
 - - - *Gerardi*. - - - ^{In campis}
 - - - *feliva*. - - - ^{In rudibz}
 - - - *orbicularis*. - - - ^{Ad vici}
 - - - *dysiformis*. - - -
Chelia Asterach. ^{Aprilis} - ^{In hortis}
Chelamgynum crispum. ^{Chajo} - ^{In pascuis}
 - - - *anversae*. - - - ^{In arvis}
Chelia ciliata. ^{Chajo} - ^{In arvis}
Chelipa officin. - ^{Astake} - ^{Ad nivos}
 - - - *Chelipa*. - - - ^{In herbis}
 - - - *grandiflora*. ^{Septemb.} - ^{In umbros}
Chelidonium officin. - ^{Astake} - ^{In rudibz}
 - - - *albus*. - - -
Chelidonium officin. - ^{Chajo} - ^{In pascuis}
Chenopodium aquaticum. ^{Astake} - ^{In aquis}
 - - - *subspicuum*. - - - ^{Ad fopis}
Cheremialis annua. ^{fr.} ^{solano} - ^{In rudibz}
 - - - *perennis*. ^{Chajo} - ^{In montibus}
Chieraphis erodius. ^{Astake} - ^{In campis}
Chium Foeniculum. ^{Junio} - ^{Ad marg. agr.}
Chionodoxa nuxifera. ^{Chajo} - ^{In umbros}

Chomondia elatium. ^{Chajo} - ^{In rudibz}
Chomys alba. ^{Aprilis} - ^{Ad vici}
Chyagnum persicatum. ^{Chajo} - ^{In pascuis}
Chyosotis agnata. - - - ^{In arvis}
 - - - *arvensis*. ^{Chardis} - ^{In arvis}
Chyrotis colorata. ^{Chajo} - ^{Ad fopis}
Chyrotus communis. ^{Augusto} - ^{In pascuis}
Chrysanthemum Tasseta. ^{Febr. et Mart.} - ^{In pascuis}
 - - - *poeticus*. ^{Chajo} - ^{In vici}
Chrysanthemum officin. ^{Aprilis} - ^{In aquis}
 - - - *galathea*. ^{Chajo} - ^{In pascuis}
 - - - *helvetia*. ^{Junio} - ^{In humis}
 - - - *lippigensis*. ^{Aprilis} - ^{In umbros}
Chrysanthemum cataractae. ^{Astake} - ^{Ad fopis}
Chrysanthemum. - - - ^{In hortis}
Chrysanthemum. ^{Chajo} - ^{In pascuis}
Chrysanthemum. ^{Julio} - ^{In rudibz}
Chrysanthemum. ^{Chajo} - ^{In pascuis}
 - - - *arvensis*. ^{Junio} - ^{In arvis}
Chrysanthemum alba. ^{Julio} - ^{In lacubus}
Chrysanthemum. ^{Chajo} - ^{In aquis}
 - - - *joind. pinellioide*. ^{Junio} - ^{In pascuis}
 - - - *perennans*? - - - ^{In pascuis}
Chrysanthemum. ^{Astake} - ^{In hortis}
Chrysanthemum. ^{Junio} - ^{Colitur}
Chrysanthemum. ^{Astake} - ^{In aquis}
 - - - *Chrysanthemum*. ^{Chajo} - ^{In pascuis}

<i>Ononis minutifolia</i> - Chajo -	In aprili	In aprili
<i>Onopordon allynium</i> - Offate -	In rudib.	In rudib.
<i>Onosmo echinoides</i> - Chajo -	In sylvestris	In sylvestris
<i>Ophrys lutea</i> - Aprili -	In pratis	In pratis
<i>O. - Chyodes</i> - — -	In pratis	In pratis
<i>O. - speculum</i> - — -	—	—
<i>O. - Anachnites?</i> - — -	—	—
<i>Ochis provincialis</i> - Chajo -	In pratis	In pratis
<i>O. - patens</i> - Aprili -	In pratis	In pratis
<i>O. - rubra</i> - — -	In pratis	In pratis
<i>O. - variegata</i> - Chajo -	In pratis	In pratis
<i>O. - conopsea</i> - — -	In pratis	In pratis
<i>O. - limbuina</i> - — -	—	—
<i>O. - coriophora</i> - Chajo -	Ad marg. ag.	Ad marg. ag.
<i>O. - limia</i> - Aprili -	—	—
<i>O. - lutea</i> - — -	—	—
<i>O. - pyramidalis</i> - Chajo -	—	—
<i>Origanum onychium</i> - Offate -	In pratis	In pratis
<i>Ornithogalum onychium?</i> - Februario -	In pratis	In pratis
<i>O. - andrea</i> - Martio -	In arvis	In arvis
<i>O. - umbellatum</i> - — -	Ad marg. ag.	Ad marg. ag.
<i>O. - caperum</i> - Junio -	In arvis	In arvis
<i>O. - pyrenaeum</i> - Chajo -	In arvis	In arvis
<i>Ornithogalum onychium</i> - — -	—	—
<i>Orobancha vernax</i> - Aprili -	In umbros.	In umbros.
<i>O. - tuberosa</i> - — -	—	—
<i>Orobancha caerulea</i> - Chajo -	Ad marg. ag.	Ad marg. ag.
<i>O. - canoschellana</i> - — -	—	—
<i>Orthopogon luteus</i> - Offate -	Ad fopas	Ad fopas

<i>Oxyris alba</i> - — -	Aprili -	In pratis
<i>Oxalis corniculata</i> - — -	—	Ad fopas
<i>Oxysa vulg.</i> - Vere -	In sylvis	In sylvis
<i>Oxonia ^{lutea} capitata</i> - Chajo -	In pratis	In pratis
<i>Oxymyrris australis</i> - — -	Junio -	In arvis
<i>Oxycoccus millianum</i> - Offate -	Colitur	Colitur
<i>Oxycoccus Rhodae</i> - Vere -	In pratis	In pratis
<i>O. - Argemone</i> - — -	In pratis	In pratis
<i>O. - formosum</i> - — -	In hortis	In hortis
<i>Oxycoccus officinalis</i> - Offate -	Ad marg.	Ad marg.
<i>Oxycoccus Bryoniae</i> - Chajo -	In pratis	In pratis
<i>O. - Anethum</i> - — -	Colitur	Colitur
<i>Oxycoccus hirsuta</i> - Offate -	In pratis	In pratis
<i>Oxycoccus alba</i> - Chajo -	In montanis	In montanis
<i>Oxycoccus canariensis</i> - — -	In arvis	In arvis
<i>Oxycoccus multiflorus</i> - Aprili -	Colitur	Colitur
<i>Oxycoccus echinatum</i> - Chajo -	Ad lit. maris	Ad lit. maris
<i>Oxycoccus medea</i> - Martio -	In pratis	In pratis
<i>Oxycoccus ^{lutea} capitata</i> - — -	—	—
<i>Oxycoccus Alkekengi</i> - Chajo -	In arvis	In arvis
<i>Oxycoccus orbicularis</i> - — -	In Veleb.	In Veleb.
<i>Oxycoccus decandra</i> - — -	In hortis	In hortis
<i>Oxycoccus ^{lutea} capitata</i> - — -	In vineis	In vineis
<i>Oxycoccus ^{lutea} capitata</i> - Vere -	In sylvis	In sylvis
<i>Oxycoccus ^{lutea} capitata</i> - — -	In pratis	In pratis
<i>Oxycoccus abies</i> - — -	In pratis	In pratis
<i>Oxycoccus ^{lutea} capitata</i> - Chajo -	In pratis	In pratis

<i>Dipsacia Lenticulifera</i>	Chartio	In pasc. f. p.
<i>Terebinthus</i>		
<i>Lipium arvense</i>	Chajo	In arvis
<i>Pentago major</i>	Junio	In herbis
<i>media</i>		Ad vias
<i>lanceolata</i>		
<i>Gyllium</i>	Julio	
<i>Coronopus</i>	Chajo	Ad lit. m.
<i>villosa</i>		Ad vias
<i>maritima</i>		
<i>pubulata?</i>		
<i>Plantanus orientalis</i>		Ad pasc.
<i>Pumbaris europaea</i>	Aug.	Ad f. p.
<i>Doa aquaticus</i>	Chajo	In rivis
<i>compressa</i>		In prat.
<i>rubens</i>		Ad marg. agr.
<i>rigida</i>		In ruderal.
<i>alpina</i>		In alpinis
<i>annua</i>	April.	In ruderal.
<i>Enagrostis</i>	Julio	Ad vias
<i>Pollinia Gryllus</i>	Aug.	In arvis
<i>Polygonum arvense</i>	April.	In pasc.
<i>Polygonum tetraphyllum</i>		Ad vias
<i>Polygonum vulgare</i>	Chajo	In pasc.
<i>amarum</i>		In herbis
<i>Polygonum vulgare</i>		In ruderal.
<i>Polygonum conv. gelli</i>	April.	Ad f. p.

<i>Polygonum arvense</i>	Chajo	In pasc.
<i>Despicaria</i>	April.	In pasc.
<i>aviculare</i>		Ad vias
<i>Polygonum</i>	Chajo	In rud. m.
<i>Convolvulus</i>		Ad vias
<i>Convolvulus</i>	April.	In campis
<i>Populus alba</i>	Februario	Ad vias
<i>Portulaca oleracea</i>	Junio	
<i>Potamogeton natans</i>	Chajo	In rivis
<i>crispus</i>		
<i>Potentilla verna</i>	Chartio	Ad marg. agr.
<i>rustica</i>	April.	In ruderal.
<i>recta</i>	Junio	In pasc.
<i>Potentilla sanguisorba</i>	Chajo	Ad agr.
<i>Prenanthes muralis</i>	Junio	Ad marg. agr.
<i>hieracifolia</i>		In collib. herb.
<i>Prasium majus</i>		In insulis
<i>Primula prostrata</i>	Chajo	In pasc. alp.
<i>Primula vulgaris</i>	April.	Ad vias
<i>Primula Chamaelea</i>	Chartio	In ruderal.
<i>primula</i>	April.	In pasc.
<i>domestica</i>		In herbis
<i>Cenopus</i>		Colibus
<i>Prunella granatana</i>	April.	In herbis
<i>Prunus salicifolia</i>		In marg. agr.
<i>Prunus communis</i>		Colibus
<i>Prunus</i>		
<i>Prunella arvensis</i>	Chajo	In pasc.

Fl.

In.

<i>Salicornia herbacea</i>	Afflate	Ad mare
fruticosa	—	—
<i>Sanicula europaea</i>	—	In Vell.
<i>Salix alba</i>	Chartis	Ad pagos
vitellina	—	In pascuis
caprea	Chartis	Ad rivos
<i>Salvia fragus</i>	Tulio	Prope mare
<i>Salvia officinalis</i>	Tunio	In myrsetis
multifida	Vere	In herbis
pratensis	—	In mag. agr.
elarea	Tunio	In pascuis
verticillata	Tulio et lug.	In nudatis
<i>Sambucus Ebulus</i>	Chajo et Tunio	In arvis
nigra	Chajo	Ad horta
<i>Lamulus Valerian</i>	Afflate	In pascuis
<i>Lapponaria officinalis</i>	—	In horti
<i>Largesium linifolium</i>	—	In mari
<i>Latureja hortensis</i>	Afflate	In horti
juliana	—	In pasc. agr.
pubescens V.	—	In pascuis
gorda	—	Ad mag. agr.
montana	autumnus	In pascuis
<i>Lacustris tri-dactylis</i>	Chartis	In pascuis
rotundifolia	Tunio	In pascuis
<i>Leysura noli</i>	Tunio	In pasc. agr.
<i>Labiata australis</i>	Afflate	In humidis
arvensis	Vere	In agris
maritima	Vere	In agris

Fl.

In.

<i>Scandix Belden</i>	Chartis	In arvis
<i>Schoenus nigricans</i>	April	In humidis
<i>Silla radix amethystina</i>	April	In pascuis
autumnalis	Sept.	In pascuis
bifolia	Simidich Chart.	In pascuis
<i>Scirpus maritimus</i>	Chartis	In mari
lacustris	Chajo	In pascuis
palustris	—	In pascuis
<i>Holopchoenus</i>	Afflate	In pascuis
<i>Sepali montanum</i>	—	In pascuis
glaucom	—	In pascuis
<i>Scolopendrium officinarum</i>	—	In pascuis
<i>Scolymus hispanicus</i>	Afflate	In pascuis
<i>Scorpinus subvillosus</i>	Chajo	In herbis
<i>Scorzonera humilis</i>	April	In humidis
hirpida	Chajo	Ad mag. agr.
laciniata	—	In arvis
ropa?	Tunio	In Vell.
<i>Scrophularia purpurea</i>	—	Ad vias
cinnam	—	—
laciniata	Afflate	Ad vineas
<i>Scabell villosum</i>	Tunio	In nudatis
cereale	Chajo	In horti
<i>Sedum acre</i>	Chajo Tunio	Ad mare
myrsine	Tunio	Ad mare
fixangulare	—	In arid.
<i>Telephium</i>	Afflate	In horti

	Florib.	Fruct.
<i>Impatiens nictitans</i>	afflate	In Veleb.
<i>Senecio vulgaris</i>	Toto anno	In vider.
<i>Jacobaea</i>	afflate	In humis
<i>Scenabula arvensis</i>	afflate	In arvis
<i>Linibon</i>	—	In p. l. d. r.
<i>Centaurio</i>	—	In p. l. d. r.
<i>Mercurialis arvensis</i>	Vere	In arvis
<i>Pidentis montana</i>	Chajo	In p. l. d. r.
<i>Silene conica</i>	—	In arvis
<i>Chilys</i>	afflate	In p. l. d. r.
<i>Chilys</i>	Chajo	In p. l. d. r.
<i>Gallica</i>	—	In herb. d. r.
<i>Spargifraga</i>	Tunis	In p. l. d. r.
<i>Setaria glauca</i>	afflate	In nudis
<i>Vericillata</i>	—	—
<i>Italica</i>	—	Calibus
<i>Sinapis arvensis</i>	Chajo	In arvis
<i>Lesleria elongata</i>	afflate	In p. l. d. r.
<i>Silybum marianum</i>	Chajo	In nudis
<i>Lysimachium murale</i>	afflate	—
<i>Polyceratum</i>	—	In in p. l. d. r.
<i>officinale</i>	—	In nudis
<i>Tum vericillatum</i>	—	—
<i>angustifolium</i>	—	In arvis
<i>Bulbocastanum</i>	Chajo	In arvis
<i>Smilax aspera</i>	autumno	In p. l. d. r.
<i>Cynidium perfoliatum</i>	afflate	In p. l. d. r.
<i>officinale</i>	—	—

	Florib.	Fruct.
<i>Solanum nigrum</i>	afflate	In nudis
<i>Dulcamara</i>	—	In hortis
<i>Exopispermum</i>	—	In nudis
<i>Fruticosa</i>	—	In nudis
<i>Suberosum</i>	afflate	Calibus
<i>Sorbus oleraceus</i>	Chajo	In arvis
<i>arvensis</i>	—	In arvis
<i>microris</i>	afflate	ad p. l. d. r.
<i>ferax</i>	—	ad vineas
<i>Sorbus domestica</i>	Chajo	In hortis
<i>aria</i>	—	In Veleb.
<i>Sparganium remotum</i>	—	In nivis
<i>Sparganium palustre</i>	—	In humid.
<i>Spinacia oleracea</i>	afflate	Calibus
<i>Spiraea filipendula</i>	Chajo	In p. l. d. r.
<i>Rachis foliolifolia</i>	afflate	In vineis
<i>maritima</i>	—	ad mare
<i>annua</i>	—	In arvis
<i>palustre</i>	—	In p. l. d. r.
<i>Stactis reticulata</i>	—	ad litt. mar.
<i>Linonum</i>	—	—
<i>Stellaria Holostemum</i>	Tunis	In p. l. d. r.
<i>Sellera papaverina</i>	afflate	In campis
<i>Riza pennata</i>	Chajo	In p. l. d. r.
<i>Anipella</i>	Tunis	In mont. p. l. d. r.
<i>Sinbergia calchidiflora</i>	Sept.	In p. l. d. r.
<i>Linsea</i>	afflate	In hortis

	Flor.	Inv.
<i>Succisa caucasiensis</i>	Offate	In pasc.
<i>Symphylum ^{supplet} suboffam</i>	Aprili	In nudis
- officinale	-	In pasc.
<i>Syringa vulgaris</i>	Chajo	In hortis
<i>Tamarix gallica</i>	Chartis	In litt. m.
<i>Tamus communis</i>	Aprili	In pasc. p.
<i>Teucrium Polium</i>	Offate	In apricis
- montanum	Junio	In collibus
- flavum	-	-
- Chamaedrys	Offate	In pasc.
- Scordiscifolia	-	In pasc.
Θ - Andrena	-	In alpinis
- Juncinum	-	-
<i>Tetragonolobus plicatus</i>	Junio	Ad rivas
<i>Thalictrum alatum</i>	-	In pasc.
<i>Thesium linophyllum</i>	-	In pasc.
<i>Thlaspi Bursa</i>	Vere	In herbis
- perfoliatum	Februario	In campis
- montanum	Chartis	In pasc.
<i>Thymus Asinas</i>	Junio	In apricis
- alpinus	-	In alpinis
- Serpyllum	-	In pasc.
<i>Tilia europaea</i>	Chajo	In pasc.
<i>Tonilis nodosa</i>	-	Ad pasc.
- Anthifera	Junio	-
<i>Tragopogon pratensis</i>	Chajo	Ad agros
- porrifolius	-	-

	Flor.	Inv.
<i>Trapa natans</i>	Offate	Nativ. In lacubus
<i>Tribulus terrestris</i>	-	In nudis
<i>Trifolium pratense</i>	-	In pasc.
- - - arvense	-	In arvis
- - - repens	-	In pasc. humis
- - - piceum	-	In pasc.
- - - Chervil	Vere	In pasc.
- - - incarnatum	-	In herbis
- - - Stellatum	-	-
- - - Fragiferum	Offate	In pasc. humis
- - - scabrum	Vere	In apricis
- - - lappaceum	-	In pasc.
- - - hybridum	Offate	In pasc.
† - - pubescens	Chartis	In herbis
- - - filiforme	Offate	Junio. Ad agros
- - - cristatum	Vere	In pasc.
- - - repens	-	In pasc.
- - - Juncinum	-	-
- - - procumbens	-	Ad agros
- - - angustifolium	-	Ad rivas
- - - rubens	Offate	In pasc.
- - - novicium ?	-	In pasc.
<i>Tondylium officinale</i>	Chajo	In herbis
- - - apulum	-	-
<i>Trichonema bulbocodium</i>	Chartis	In pasc.
<i>Triglochin maritimum</i>	Aprili	Ad litt. mar.
<i>Trigonella monspeliaca</i>	Chajo	In pasc.

	Flor.	Ins.
<i>Viola odorata</i>	Chartis	Ad fagos
... <i>canina</i>	Chajo	In praefungenda
... <i>tricolor</i>	—	In anois
<i>Vitis vinifera</i>	Chajo	Colitus
<i>Vitis ^{arvensis} agnus</i>	Affata	Ad litt. mar.
<i>Plantium prunarium</i>	—	In nudens
... <i>spinosum</i>	—	Ad via
<i>Zacyntha vernucosa</i>	Chajo	In herbis
<i>Zea Chajo</i>	Affata	Colitus
<i>Zizyphus vulgaris</i>	Chajo	Inis. In herbis
<i>Zostera marina</i>	Affata	In mari
<i>Zonaria Pavonia</i>		In mari

Federa 10 Calenday Martii 834.

Finis.

