

Campanula cordata

Diagnosis nostra et Descriptio hujusmodi speciei superius expressa (p. 5) e suis factis specimenibus
facta sunt in quibusdam casibus, uti vivam specimenum observatio nos postea docuit. Di-
agnosis itaque sic emendanda = C. pubescens, caulibus ^{hujusmodi} ~~diffundentibus~~ ^{invisibilibus} ramis, florum umbellatis
ventralibus regardis oblongis, superioribus cordatis angulosis reflexis, inferioribus spatulatis, cordatis
aliquo brevioribus. In descriptione five characteres naturali sequenti emendandi sunt. ~~Caulis~~ ~~et~~
~~quasi~~ ~~ventralibus~~ ~~ramis~~ ~~diffundentibus~~ ~~caulis~~ ~~inferioribus~~ ~~ramis~~ ~~cordatis~~ ~~et~~ ~~ramis~~ ~~et~~
~~ramis~~ ~~diffundentibus~~, inferioribus spatulatis basi plus spatulatis prodris, superioribus petali-
bus plus cordatis-angulosis ~~pro~~ circumscriptis, omnes ~~stati~~ ~~ubi~~ ~~caulis~~ ~~strik~~ ~~angulati~~,
ut quibus tenuiter alatis, scabris, alternis apice subtrifidis. ^{florum} ⁱⁿ ^{visibilibus} ^{caulis} ^{et} ^{albidis} ^{etc.} Calyx superioribus brevibus
lanatis marginibus subulatis, cordatis ~~pro~~ longioribus - uti in icona repre-
sent. II^o sub lit. a.

Datur etiam varietas hujusmodi plantae florum albo, quam legimus prope Sibiriam loco dicto

Uvulla inaequalis

In icona sic sub a. ~~caulis~~ ~~caulis~~ ~~lanatis~~ ~~caulis~~ ~~longioribus~~