

Uff. delle piante Salmate

112
 1-5 2
 112 20 560 60
 9 540 9

Medicina, Chirurgia, Farmacia, etc.

<i>Salicornia herbacea</i>	<i>Sida abutilon</i>	<i>Achras zapota</i>
— frutescens	<i>Acanthopanax vulgare</i>	— abutilon
<i>Olea europaea</i>	<i>Achillea millefolium</i>	— ruscifolium
<i>Castilleja officinalis</i>	<i>Aster spicata</i>	— vulgaris
<i>Ligustrum vulgare</i>	<i>Agave americana</i>	— confusus
<i>Lycopus europaeus</i>	<i>Aconitum napellus</i>	<i>Atriplex pubescens</i>
<i>Salvia officinalis</i>	<i>Agrimonia eupatoria</i>	— holosericea
— Sclarea	<i>Allium sativum</i>	<i>Cynara scolymus</i>
— patula	— cepa	<i>Asperula cynosuroides</i>
— Horminum	<i>Alcea rosea</i>	— officinalis
— frutescens	<i>Alchemilla vulgaris</i>	<i>Asperula cynosuroides</i>
<i>Galium officinale</i>	— alba	— cymulifera
<i>Veronica spicata</i>	<i>Styrax officinalis</i>	<i>Raphanistrum officinale</i>
— officinale	<i>Amygdalus persica</i>	<i>Rhus toxicaria</i>
— Anagallis	— communis	<i>Rhus glabra</i>
— Beccabunga	<i>Commersonia bartramia</i>	<i>Rhus typhina</i>
— scutellifolia	— penicillata	<i>Rhus typhina</i>
— Chamaedrys	<i>Ambrosia artemisiifolia</i>	<i>Rhus typhina</i>
<i>Valeriana officinalis</i>	<i>Ammi majus</i>	<i>Rhus typhina</i>
— tuberosa	<i>Amorpha fruticosa</i>	<i>Rhus typhina</i>
<i>Urtica dioica</i>	<i>Angelica vulgaris</i>	<i>Rhus typhina</i>
<i>Crocus Pallasi</i>	<i>Anemone pulsatilla</i>	<i>Rhus typhina</i>
<i>Silybium tuberosum</i>	— coronaria	<i>Rhus typhina</i>
— germanica	<i>Antennaria dioica</i>	<i>Rhus typhina</i>
<i>Siphocampylus sanguinalis</i>	<i>Chenopodium ambrosioides</i>	<i>Rhus typhina</i>
<i>Hordium vulgare</i>	— foliosum Tournef.	<i>Rhus typhina</i>
<i>Panicum mitissimum</i>	<i>Anthyllus vulneraria</i>	<i>Rhus typhina</i>
<i>Secale cereale</i>	<i>Antirrhinum majus</i>	<i>Rhus typhina</i>
<i>Inula vulgaris</i>	<i>Artemisia vulgaris</i>	<i>Rhus typhina</i>
— repens	— Absinthium	<i>Rhus typhina</i>
	<i>Aspidistra filix</i>	<i>Rhus typhina</i>
	— Chemodan	<i>Rhus typhina</i>

