





a medulla abbrte
Geophilus Zonail
quello nostro Solea
Blenius Ulu uu
Julis Umbrina



catalogo speciale Degli Avari ----- pag. 11.

Zona pelagica
Zona pelagica
Zona pelagica
Zona pelagica

Catalogo degli Acari

conservati in alcool.

es. Raccolta del Prof. Giovanni Canestrini.

Numero del votello.	Numero d'ordine	Nome.	Luogo di ritrov.	Patria	Data	Osservazioni.
1.	1.	<i>Ixodes redurivius</i> Charl.	Sul cane			rec. G. Canestrini
	2.	<i>Cheiletus eruditus</i> Sch.		Padova	1881	" " "
	3.	<i>Belba Dugessii</i> Co. & Fuz.		Padova	1876	" " "
	4.	<i>Gamasus coleoptratorum</i> Linn.	Letanias	Padova	1881	" " "
	5.	<i>Gamasus thelorarius</i> Kramer	Sulla Mosca domestica			" " "
2.	6.	<i>Ixodes hexagonus</i> Leach.	Sulla pecora	Perugia		" " "
	7.	<i>Cheiletus casalis</i> C. K.		Padova	1881	" " "
	8.	<i>Acarus spinipes</i> C. K.		Padova	1881	" " "
	9.	<i>Belba denticulata</i> Glin.		Padova	1881	" " "
3.	10.	<i>Gamasus stercorarius</i> Kramer	Letanias	Padova	1881	" " "
	11.	<i>Histiogastera fumentarium</i> Glin.	Letanias	Padova	1881	" " "
	12.	<i>Acarus spinipes</i> C. K.			1881	" " "
"	13.	<i>Oribates latipes</i> K.		Trentino	1876	" " "
	14.	<i>Stigmaeus finii</i>			1881	" " "
"	15.	<i>Copkeus vulgaris</i> M.		Trentino	1876	" " "
4.	16.	<i>Ixodes hexagonus</i> Leach.	Sulla volpe	Toscana		
	17.	<i>Nothrus bicarinatus</i> K.			1876	rec. G. Canestrini
	18.	<i>Disopoma dypeata</i> Glin.		Firenze	1882	" " "

Anari. Raccolta fatta dal Prof. Glaeserling

- N. 1 *Trachos rudens* Charl. Sul cars.
- 2 *Chelaty eruditus* Lich. Padova.
- 3 *Belba Dugesii* Canestrini = *Tangara*. Padova.
- 4 *Gamasus coleoptratorum* Lin. Padova. Lelama.
- 5 " *stercorarius* Kramer. Sulla *Musca domestica*.
- 6 ~~*Chelaty venustissimus* C. K. Padova. Trachos heptagonus~~ Ricc. Perugia.
7. " *casalis* C. K. Padova.
8. *Acarus spinipes* C. K. "
9. *Belba* ~~*geminata* Gt.~~ "
10. *Gamasus stercorarius* Kr. " Lelama.
11. *Histiogaster finetianus* Canestrini = *Berle*. Padova. Lelama.
12. *Acarus spinipes* C. K.
13. *Oribates latipes* K. Trentino.
14. *Caligonum* P. ? *Hymenocera pini* 1881
15. ~~*Caligonum* *vulgaris* Nic.~~ *Hymenocera pini* Trentino.
16. *Thodes sexpunctatus* K. Sulla volpe
17. *Nothrus biarinatus* K.
18. ~~*Calaty orbicularis* K. Trentino~~ *Disopoma dyptero* Gt. Xuyge.
19. ~~*Calaty orbicularis* K. Berl.~~ Padova, 1895. L. *Blaps mortifera*.
20. *Nicotia cornuta* Canestr. = *Tang.* Trentino
21. *Belops acromios* Herm. Padova
22. *Trombidium trigonum* Herm. Trentino
23. *Cyphus* ~~*latus*~~ *ovatus* K. Padova
24. *Nothrus dorsatus* Canestr. et *Tang.* Trentino
25. *Cyphus vulgaris* Nic. "
26. *Nothrus virosus* Canestr. et *Tang.* "
27. *Oribates ovalis* K. "
28. *Nothrus pallens* K. "
29. *Caligonum clavatus* Canestr. et *Tang.* Padova
30. *Nothrus angulatus* K. Trentino
31. *Argas reflexus* Latr. Venezia
32. *Belba aurita* Nic. Calabria = *Agemulata* Lin.
33. *Oribates alatus* Herm. Trentino.
34. " *setosus* K. " e Padova.
35. *Trombidium hookeri* K. "
36. *Tetranychus latus* Canestr. et *Tang.* Padova.
37. *Hylegus spinipes* Duf. Trentino.
38. " " " "

in alcool

Stato misfatto

39. *Trombidium holosericeum* Lini. Trentino.
 40. *Phoropus vespertilionis* Dug. sui pupillatelli. (Padova a Padova 8/189)
 41. *Gamasus similis* Kr. Padova
 42. " " " " Individuo in muta.
 43. " " " " "
 44. *Notaspis marginatus* K. Trentino.
 45. *Noturus signis* K. "
 46. *Scius echinatus* K. Veneto
 47. *Trombidium fuliginosum* Herm. Padova
 48. *Caligonus coronatus* Canestr. & Fanz. Solagna.
 49. *Oribates punctum* K. Trentino.
 50. *Eremaeus oblongulus* Nic. "
 51. *Noturus ananensis* Canestr. & Fanz. Trentino.
 52. *Trachynotus piriiformis* Kr. "
 53. ~~*Uropoda hexagonus* Leach. sui rugio. Venezia, 1890. (Digno di P. (fingit))~~
 54. Larva di *Lachnus pini*. (Muso in quista raulotta p. ovipositorum)
 55. *Gamasus* sp? *Sul Pentodon punctatus*. Nicardus Canestrini deprim.
 56. *Trombidium trimaculatum* Herm. Staggano.
 57. *Astiroidea cornigera* Herm. Padova = *Astiroidea vitis* L.
 58. ~~*Astiroidea vitis* K. Trentino. Albi.~~
 59. " *nigerrima* Canestr. & Fanz. Padova
 60. *Pentathleus haematopus* K. "
 61. *Arthropia latirostris* Herm. Treviso.
 62. *Trombidium holosericeum* Lini. Modena. Da rividerosi.
 63. *Notaspis cassidus* Herm. Trentino.
 64. *Arans farinae* De J. Padova.
 65. *Oryctes nobilis* K. "
 66. *Noturus biciliatus* K. Trentino.
 67. *Troglyphus* Wro Geoffr. Padova. Nel formaggio.
 68. *Gamasus tardus* K. Padova. Nel letame.
 69. *Rhyarolophus electoralis* K. Trentino.
 70. *Gamasus tardus* K. Padova. Juvenis, f. marginatus Herm.
 71. *Tetranychus usticaria* K. Padova.
 72. *Spis ciliatus* K.? " Nel letame
 73. *Gamasus similis* Kr. " f. furvus De J.
 74. " *memorensis* K. "
 75. " *marginellus* K. p. " Nel letame
 76. *Uropoda veylanae* De Juss.? Sulla *Cetonia hirta*. Padova. Niposi
 77. ~~*Tetranychus elongatus* Kr. Padova. letame~~ *Uropoda Kramerii* Gfr. tipo. Trentino 1864
 78. *Tylenchus velox* K. Padova.

79. *Gamasus stercorarius* Kr. *Zama pastinogenetura* Padova. 1844.
 80. " *coleopterorum* K. *Giovane*. Padova. *Letamai*. f. *fuorum* Dej.
 81. *Alysi rotundus* K. Padova.
 82. *Lites climatus* K. Trentino.
 83. *Gygnethorus mesembrinae* Ricardo Cuneff. Trentino. *Sulla Mesemb. myphina*
 84. *Gamasus marginatus* K. Padova.
 85. *Rhyncholophus* ~~opilionoides~~ ^{opilionoides} Koch. Trentino.
 86. *Gamasus coleopterorum* Latr. Padova.
 87. " *stabularis* Koch, priv., Trentino.
 88. ~~*Notaspis orbicularis* Koch, Trentino, stalle, 1844.~~ *Cephus vulgaris* N. Hoffm. 1843.
 89. *Gamasus similis* Kramer, *piscenis*, Trentino, Padovano.
 90. " " " *mas*, Padovano. (f. *L'abitante* die Trentino, arion)
 91. " *humidulus* K. Padova.
 92. " *similis* Kramer, Trentino.
 93. " *limbatus* K. Padova.
 94. " *viliatus* K. "
 95. *Notaspis orbicularis* K. "
 96. *Gamasus stabularis* K. Trentino, stalle.
 97. " *venocensis* K. Padova.
 98. " *humidulus* K. " *Nel terriccio*.
 99. " *crassipes* L. t. & f. Trentino. *Nel terriccio*.
 100. *Stigmaeus kerresinus* K. Padova. *Nel muschio*.
 101. *Gamasus kerresus* C. et F. Padova. *Nel muschio*.
 102. *Nothrus kaliger* K. Trentino. *Nel muschio*.
 103. *Lophius bipartitus* K. " *Nel muschio*.
 104. *Trombidium* ^{mollisculum} ~~cryptocellum~~ K.? Trentino. *Nel muschio*.
 105. *Odella* ^{opria} ~~opria~~ ^{Koch} ~~Koch~~ Trentino. *Nel muschio*.
 106. *Gamasus coleopterorum* Latr. *Stippe*. Padova. *Nel letame*.
 107. *Xercon obtusus* K. & *comore*. Padova. *Nel terriccio*.
 108. *Archineba conygea* Herm. Padova. *Nel orti*.
 109. *Gamasus tardus* K. Padova. *Nel letame*. f. *marginatus* Herm.
 110. " *similis* Kramer. *Muschio*. Padova. *Nel letame* f. *fuorum* Dej.
 111. " " " Padova. *Nel letame*.
 112. *Trombidium fuliginosum* Herm. Padova. *Nel muschio*.
 113. *Hoplophora dasygus* Dej. Padova. " "
 114. *Oribate femoralis* (f. *flatipes* K.) " "
 115. *Gamasus crassipes* Latr. " *Nel terriccio*.
 116. *Alloptes blaptis* Cuneffini & Berlese. *Sulla Blaps* sp. *diversa*.
 117. *Gamasus stercorarius* Kr. *Sopra Oribatigenus* sp. *Nau. Ricardo Cuneffini*.
 118. *Gamasus similis* Kr. *In Gasteropis stercorarius* " " "
 119. " " " *Bombus hortorum* " " "

120. *Gamasus coleophoratorum* d. Lull. *Geotrupes stercorarius*. Nau. Riccardo Canestrini.
 121. " *humidulus* K. Padova. Nil mureliis.
 122. " *stercorarius* K. In *Silpha obscura*. Nau. Riccardo Canestrini.
 123. *Neopoda veytans* Dej. In *Cyrtoneura stabularis*. " " "
 124. *Gamasus stercorarius* K. " " " " "
 125. " *gib.* Descrip. Riccardo Canestrini, Atti. Soc. Ven. Trent. h. nat. 1881, t. 22, pl.
 126. " *stercorarius* K. In *Geotrupes stercorarius*. Nau. Riccardo Canestrini.
 127. " *similis* K. In *Aphodius foetens*. J. fucina Dej. " "
 128. " *stercorarius* K. In *Musca domestica*. " " " "
 129. *Sejus muricatus* K. Padova. Nil mureliis.
 130. *Hypopus* sp.? In *Formica*. Descrip. Riccardo Canestrini, 1881.
 131. *Gamasus similis* K. ♀ adulta. Padova.
 132. " *stercorarius* K. ♀ adulta. "
 133. *Caligonus signis* Kosh. Padova.
 134. *Gamasus laevis* K. ♀ "
 135. " *stercorarius* K. In *Geotrupes stercorarius*. Trentino.
 136. " *similis* K. " " " "
 137. " *halicaris* Kosh. Padova. Syn. *G. complanatus* K.; *G. similis* Mignin.
 138. *Histiogona rostrata* Mignin. ^{Pad.} Nella famiglia di *viridis* mureliis di regno.
 139. *Chirocephalus chinopus* J. et K. ~~*Chirocephalus chinopus* Mignin. Padova.~~ " " " " "
 140. *Notaspis cassidens* Herm. Nil abnorme. Padova.
 141. ~~*Chirocephalus chinopus* Mignin. Padova.~~ ? *Hephephora carinata* K. Trentino. ~~Padova.~~
 142. *Gamasus laevis* Kosh. ♀ ad. " " "
 143. *Notaspis marginatus* K. Nella *perce* equina. Padova.
 144. *Phorolichus* Mchlerg. Canestrini. = *Phorolichus* Fena. Lull. *Othalegus haematopus*.
 145. *Oribata* *lutea* K. Trentino. Autunno 1880. Sotto la scorza delle viti a Rosso W. Favon.
 146. " *humilis* Kerm. Trentino. 1876.
 147. *Histiogona rostrata* Mignin. Trentino. Sopra foglie marcite.
 148. *Todes ruficornis* Charb.? In *Rhinolophus ferrum equinum*.
 149. " *rufus* K. " *Cornu* Janna.
 150. *Haemaphysalis punctata* Canestrini. = *Targ.* In *Sarais*.
 151. *Todes punctulatus* " " " *Sul capriolo*.
 152. " *lutea* K. In *Lacerta vivipara*.
 153. *Rhipicephalus sanguineus* Lkt. In *vulpes*.
 154. *Todes flavipes* K. In *Rhinolophus ferrum equinum*.
 155. *Haemaphysalis rhinolophi* Canestrini. = *Targ.* In *Rhinol.* *ferrum equinum*.
 156. *Todes punctulatus* K. *Sul bosso*.
 157. *Hyalomma dentatum* Canestrini. = *Targ.* *Sul ugnale*.
 158. *Gamasus similis* K. ♀ adulta. 24 marzo 1881. Nil abnorme. Padova. = *G. fucina* Dej.
 159. *Rhipicephalus bursa* " " " "
 160. *Haemaphysalis sulcata* " " " *Sulla Lacerta vivipara*.

- 202 *Rhyndolophus papillosus* Herm. Trentino. 1881. Nil murex. *ho lamella*
- 203 ~~*Scaphisoma* *troglodytes* Gerv. & murex~~ *troglodytes* Gerv. & murex. *ho lamella*
- 204 *Hoplophora nitens* Vie. " " " " "
- 205 *Oribata globula* Vie. " " " " "
- 206 *Nothrus scabius* K. " " " " "
- 207 *Gamasus nemorensis* Kramer. " " " " "
- 208 ~~*Scaphisoma* *troglodytes* Gerv. & murex~~ *troglodytes* Gerv. & murex. *ho lamella*
- 209 *Trachynotus troglodytes* Gerv. Gfr. = *troglodytes* *lamella* (Bn) " " "
- 210 *Pymphorus spinosus* Kramer. Padova. Sulla *Talpa europaea*.
- 211 *Gamasus cecus* Kramer. Trentino. 1881. Sotto la pietra.
- 212 Larve di *Trombidium*. Padova. Aprile, 1881. Sulla *Talpa europaea*.
- 213 ~~*Scaphisoma* *troglodytes* Gerv. & murex~~ *troglodytes* Gerv. & murex. Trentino. " 1884. Sotto la pietra.
- 214 *Scaphisoma troglodytes* Gerv. & murex. Sotto la pietra. 7 maggio 1881.
- 215 *Scaphisoma troglodytes* K. Bassano, 7 maggio 81. Sotto la pietra.
- 216 *Oribata climatus* K. " " " " "
- 217 *Cephus latus* Vie. " " " " "
- 218 *Oribata longius* Hm. *Gamasus* *quadratus* Gfr. Firenze 1885.
- 219 *Scaphisoma* sp. Trentino. 1881. Sulle patate guaste. *Discopoma cassidea* Herm. nina
- 220 *Dermatichus myosomatus* K. Trentino. 1880. Sulla lettonia aurata.
- 221 *Analgus pascuinus* Defer. Sulla lettonia aurata. Trentino. 1880.
- 222 *Hoplophora humana* K. Padova. Sotto la roccia di castagno. 7 maggio, 81.
- 223 *Nothrus scabius* K. " " " " "
- 224 *Gamasus* ~~*longius*~~ *longius* Kramer. Nil ligno fruido. Padova.
- 225 " ~~*sp. dubia*~~ *sp. dubia* " Nil terrino. Padova. 12/5 81.
- 226 " *perkinsi* " " " 14/5 81.
- 227 " *longius* Kramer. Nil ligno fruido. Padova.
- 228 " *cecus* Rr. Trentino. " " "
- 229 " *trispinosus* K. Padova. " " " *sp. dubia* *glauca*
- 230 *Fragaria anatina* Haller. Sull'anitra silvatica. Credo, 1881.
- 231 *Phoridius Nisi* Cresson. Sul *Merops apiaster*. Padova, "
- 232 " *Rickardi* " Sul *Merops apiaster*. " " , maggio, 17.
- 233 ~~*Scaphisoma* *troglodytes* Gerv. & murex~~ *troglodytes* Gerv. & murex. *ho lamella*
- 234 *Hoplophora variegata* Dug. = *H. nitens* Vie. Venezia, dido. Tronchi fruidi.
- 235 *Typhus auranti* Targui. Targui. Sul limbo. Padova. Orte botanico.
- 236 *Gamasus littoralis* Cresson. Venezia, dido. Sotto i sassi colla alghe marine. 15/5 1881.
- 237 " ~~*longius*~~ *longius* Kramer. Cresson. Padova. Sull'acqua. Credo. 15/5 1881.
- 238 " *cecus* K. Su *Abies* sp. Venezia. 15/5 81. Sull'acqua. Credo.
- 239 " *trispinosus* K. 2. Padova.
- 240 " *Tardus* K. " Femmina.
- 241 " *Tardus* K. maschio " }
- 242 " " femmina " } *f. marginatus* Herm.

scatto fine qui.
per 1881
24.80

- 284 *Juncus nemorosus* K. Trentino, 1881.
 285 " *furcatus* Lamfr. f. et h. Trentino, 1881
 286 " *similis* Kr. (f. *fruticosus* Del.) " "
 287 " *cervus* Kr. " "
 288 " *altissimus* Kerk (f. *trispindus* Kr.) " " 31 ottobre. S. d. Taron.
 289 " *similis* Kr. in *Geotropis* Sherw. " " 14/10 81. f. *fruticosus*.
 290 *Scilla* ~~thymifolia~~ *thymifolia* Lamfr. f. et h. in *Harpephy*. " "
 291 *Juncus* *monachus* Kr. Sotto le foglie. 17/9 81 " "
 292 *Scilla* ~~thymifolia~~ *thymifolia* Lamfr. f. et h. in *Carabus*. " "
 293 *Juncus* *monachus* Kr. " e Veneto. 1881.
 294 " *altissimus* Kr. (calcaratus, Kr.) " 1881. Val d. Non.
 295 " *comatus* Gt. f. et h. " "
 296 " *horridus* Kr. Settembre 1881. " " Val d. Non. f. *fruticosus*.
 297 " *nemorosus* Kr. " "
 298 *Scilla* *comata* L. et h. 10 ottobre 1881. Sotto foglie. S. d. Taron.
 299 *Juncus* *trispindus* Kr. (altissimus Kr.) 12 ottobre 1881. " "
 300 *Epilobium* *gemmatum* C. et T. S. d. Taron, agosto 1881.
 301 *Scilla* ~~thymifolia~~ *thymifolia* Lamfr. f. et h. Monte Revenna, Trentino, 1881, nel margine.
 302 *Juncus* *furcatus* " " " Trentino, 1881. (frammento)
 303 " *epimorpha* " " " " (Val d. Non), agosto.
 304 " *comatus* " " " " "
 305 " *furcatus* " " " " "
 306 *Rhynchospora* *in munda*. Val murelia. " "
 307 *Juncus* *monachus* Kr. S. d. Taron, " "
 308 *Scilla* ~~thymifolia~~ *thymifolia* Lamfr. f. et h. in *Harpephy*. " "
 309 *Juncus* *pectinifolius* Gt. Trentino 1881.
 310 " *monachus* Kr. Padova. Sotto le foglie. 1881.
 311 " *Kramerii* Gt. f. et h. Padova, 1881.
 312 " *nemorosus* Kr. - Veneto. " "
 313 " *cervus* Kr. Borgo d. Carosio. " "
 314 " *altissimus* Kr. (trispindus Kr.) Padova. Sotto foglie. 1881.
 315 " *Halleri* Gt. Padova, 1881.
 316 *Hippocrepis* *fimbrifera* Gt. Bert. Padova, 22 gto 81. Ledame.
 317 " " " " " " " "
 318 *Polypogon* *patavinus* Desf. Temisio. " Sotto botanico. Nov. 81.
 319 *Juncus* *triangularis* Kr. Trentino, 1881.
 320 " *nemorosus* Kr. " "
 321 " *furcatus* Gt. f. et h. " "
 322 *Helopsis* *obliquifolia* Kr. " " *Tranibidum phlogium* Kr. Bologna. 1884.
 323 " *fridlandii* Gt. et f. Trento, 1881.

- 324 *Notaspis obtusum* K. Padova. Letame. 1881.
 325 *Epieris geometricus* Lauff. sp. foglie grasse. Trentino, 1881.
 326 *Trachynotus pyriformis* Kr. Dots. Tavor, 1881.
 327 *Gamasus nemorensis* Kr. Dots. Tavor (Trentino), 1881.
 328 *Notaspis castidens* Herm. " " "
 329 " *obtusum* a. n. n. " " "
 330 *Tphis (Notaspis) ostrinus* Ksch. " " " *Gamasus, ang. Lulops.*
 331 *Gamasus similis* Kr. (fucorum Dejeu) lim. fovea. Padova, 1881.
 332 " *latus*, forma *parva* in valle elveorum, al. latus. Padova, 3/11 81. Ligne grasse.
 333 " *lunulatus* K. & Padova, 1881.
 334 " *monachus* K. Lauff. " "
 335 " *lunulatus* K. & " "
 336 " " *juv. Allevata in expluvio.* Padova, 1881.
 337 *Lysis ochinatus* K. Lotta le foglie grasse. Padova.
 338 " *hispidus* K. " "
 339 *Xerion obtusum* K. Padova 1881.
 340 *Gamasus lunulatus* (Lulops) K. n. n. Padova, 14/11 81.
 341 ~~*Chrysolus venosus* K. & Padova, 1881. Xeno. Padova. 6 giugno 1881.~~
 342 *Gamasus rufescens* Gfr. Dots. Tavor, Letame, 1881.
 343 ~~*Urocyon* *parvulus* L. & B. " " " " *Urocyon* *parvulus* L. & B.~~
 344 ~~*Urocyon* *parvulus* L. & B. " " " " *Urocyon* *parvulus* L. & B.~~
 345 *Gamasus Halbi* Gfr. foglie grasse. Padova, 16/12 81.
 346 " *agilis* K. (Lulops) sul mus. Krumm. Pad. 81.
 347 " *longipinnosus* Kram. Muschio. Dots. Tavor, 81.
 348 " *attenuatus* K. & L. Albo. Halbi. 81.
 349 " *nannus* Mign. Ligne grasse, Padova, 81.
 350 " *marginatus* Herm. Letame. Fovea pastuigena, Padova 82.
 351 " *psoroptoides* Mign.? sulla Ligna. Pad. 81.
 352 " *wormitus* Gfrim. Trentino, 81.
 353 ~~*Notaspis castidens* Herm. Lauff. " " " *Urocyon* *parvulus* L. & B.~~
 354 *Gamasus fucorum* Dejeu. Ligne grasse, Pad. 1882.
 355 " *nemorensis* K. Trentino, 82.
 356 " *marginatus* Herm. Pad. 82.
 357 " *fucorum* Dejeu, Pad. 1881.
 358 " *nemorensis* K. & pastuog. Corvance, 1881.
 359 " *attenuatus* K. Halbi, 1882.
 360 " *triangularis* K. Pad. 82.
 361 " *crassipes* K.? Verona, 1882.
 362 " (Lulops) *agilis* K. Lotta le foglie, libere. Corvance, 1882.
 363 " *marginatus* Herm. Ligne grasse. Var.? Pad. 82.
 364 " " Kr. Mas. Padova, 1882.

- 365 *Gamasus fuscicornis* Dupes. Vimpf. Lhamas, 14/1, 1842. Padova.
 366 " *marginatus* Herm. Mat. Pad. 82.
 367 " *calcaratus* K. var. *Matera*. Muschi. 1882.
 368 " *agilis* K. *Silvris tra le fosse* - Cervasp. 1852.
 369 *Neopoda obscura* K. Lhamas. Pad. 82.
 370 *Gamasus fuscicornis* Dup. Vimpf. Pad. 82.
 371 " *marginatus* Herm. F. " "
 372 " *obliquus* K. Muschi, " "
 373 " (*Holostaspis*) *tridentatus* Caniff. Trentino 1882.
 374 *Oribaba globata* M. " "
 375 *Asiella longera* Herm. " "
 376 *Della gemiculata* L. " "
 377 *Claena setosa* K. = *Trachynotus elongatus* Kr. " "
 378 *Della Dryesi* Caniff. et F. " "
 379 *Imaris oppalpis* Herm. " "
 380 *Phytoseius rubicatus* K. " "
 381 ~~*Phytoseius* *sp. novus*~~ *Phytoseius* (*Phytoseius*) *sp. novus* (3681) *Phytoseius* *combicollens* La Bombas. Nov. 1885.
 382 ~~*Phytoseius* *sp. novus*~~ *Phytoseius* *combicollens* La Bombas. Nov. 1885.
 383 *Gamasus nemorensis* K. " "
 384 " (*Holostaspis*) *tridentatus* Caniff. " "
 385 " *furcatus* Caniff. " "
 386 *Nothrus palustris* K. ? " "
 387 *Gamasus calcaratus* K. " "
 388 *Epicorus geometricus* Caniff. Fung. " "
 389 *Gamasus cornutus* Caniff. " "
 390 *Della Dryesi* Caniff. Fung. " "
 391 *Gamasus longipinnatus* Kr. " "
 392 *Nothrus pallens* K. juv. et ad. " "
 393 *Gamasus horridus* Kr. Trentino, 1882. Sotto la scorza del gelso.
 394 *Miceliella (Miceliella) cornuta* Caniff. F. Trentino, 1882.
 395 *Gamasus (Holostaspis) marginatus* Herm. *Matera*, " "
 396 *Holostaspis (Neopoda) obscura* K. " "
 397 *Trox redivivus* Charb. Trentino. La casa domus (Selva), 1882.
 398 *Rhyncholophus pilosus* Caniff. F. Trentino, 1882. *Vel muschi*.
 399 *Tridentium fuliginum* Herm. " " "
 400 *Nothrus bicarinatus* K. " " *juv. pueri*.
 401 *Silops avomif* Herm. " " " "
 402 *Eremaeus ymba* M. " " "
 403 *Nothrus palustris* K. " " "

Graph. a. B. 1885

404. *Pelops acromios* K. Trentino. Ingl. alberti. 1882.
 405 *Hypochthonius pallidulus* W. Trentino, 1882. Larva s. Leiotoma.
 406 *Oribates nitens* Nic. " "
 407 " *punctata* Nic. = *ovalis* K. Trentino, 1882.
 408 *Chave* s. *Trombidium*. In *Erythralgia*. Trentino. 1882
 409 *Kides gibbulus* K. " "
 410 *Gamasus fuscicornis* Lf. Spiaggia s. Civitavecchia. 1872 " *in nipa* s. f. *liberati*?
 411 ~~*Bella* *graja* K. Civitavecchia, 1872. *Chelytus eruditus* Sch. Padova. Fina~~
 412 *Dryobia praecipua* K. " " "
 413 *Erythraeus ruficola* A.L. " " "
 414 *Cyphus ovalis* K. " " "
 415 *Pelops glaber* Canestr. " " "
 416 *Actinia* ~~*cornigera*~~ *ker.*? " " "
 417 *Gamasus quisquiliarius* Ott. Roma, 12 febr. 1882.
 418 *Bella Dugesii* Ott. et F. " " "
 419 *Rhyncholophus opilionoides* K. Trentino, 1882.
 420 *Oribates humeralis* Kern. " " *Ingl. alberti*.
 421 *Bella* ~~*capitata*~~ *capitata* ~~Kraus~~ *Civitavecchia*, 1882.
 422 *Holostaspis marginatus* Kern. Roma, 1882.
 423 *Gamasus fuscicornis* Lf. " "
 424 " *minimus* K. Makara "
 425 *Cyphus latus* Nic. Trentino, 1882.
 426 *Trombidium* ~~*tricolor*~~ *tricolor* K. " " *linealis* K.
 427 *Rhyncholophus* ~~*quadratus*~~ *quadratus* Kern. Trentino, 1882.
 428 *Hymenus Hermesius* K. Padova, 1882
 429 *Uropoda obscura* K. Roma, 1882.
 430 *Gamasus nemorensis* K. Sicilia, "
 431 " *attematus* K. Trentino, 1882.
 432 *Oribates climatus* K. Sicilia, "
 433 *Bella Dugesii* C. et F. Messina, "
 434 *Holostaspis marginatus* Ker. Sicilia, " (var. *Trenti*).
 435 *Pelops meridionalis* Ott. Sicilia, 1882.
 436 " *rufipes* " Trentino, "
 437 *Holostaspis longispinus* K. " "
 438 " *horvathi* C. et F. Messina, 1882.
 439 *Gamasus nemorensis* K. " "
 440 " *calceatus* K. " "
 441 *Quirius geometricus* C. F. Messina "
 442 *Oribates alata* K. Trentino "
 443 *Leiotoma nitens* Nic. Sicilia 1882
 444 *Gamasus calceatus* K. Trentino "

- 445 *Gamasus fuscatus* Gb. Trentino, 1882
 446 *Polygus palavicus* Desf. Padova "
 447 *Opisus bipilis* Bern. Sicilia "
 448 *Laelaps nemorosus* K. Trentino "
 449 *Tricopoma romana* Gb. Roma, 1882
 450 " *clipeata* C.C. Firenze " (C.C. = Canestrini Giovanni e Quarto)
 451 *Gamasus horridus* Kr. " "
 452 " *brachiosus* C.C. " "
 453 *Tricopoma clipeata* C.C. Messina, Meschio, 1882
 454 *Hoplophora ferruginea* K. Monte Baldo, Meschio, 1882
 455 *Gamasus attenuatus* K. " " " "
 456 *Laelaps falcinellus* C.C. Messina, 1882.
 457 *Hoplophora* sp. Larva. Montebello, "
 458 *Laelaps Halleri* C.C. " "
 459 " *meridionalis* C.C. Messina, "
 460 *Tricopoma clipeata* C.C. Firenze, "
 461 *Epiurus geometricus* C.F. Messina, "
 462 *Smaris impressa* K. Trentino, Zoppi pub. 1882
 463 *Cybeus vulgaris* N. Messina, 1882.
 464 *Trombidium planum* K. " "
 465 *Gamasus cornutus* C.C. Messina, "
 466 *Laelaps ostrinus* Kr. " "
 467 *Hoplophora magna* N. ? " " *Tritia anomala* Balg.
 468 *Oribata mucronata* C.C. " "
 469 " *alata* K. Trentino, "
 470 *Laelaps triangularis* K. Porretta, "
 471 *Holothrips tridentatus* C.C. Firenze, 1882.
 472 *Violaella lukei* Kr. Messina, "
 473 " *cornuta* C.F. " "
 474 *Hypopus scipio* Zoug. In ala di Coleottero. Padova. 1883.
 475 *Laelaps pectinifer* Canestrini Sicilia. 1882.
 476 *Gamasus monachus* Kark. Moschice. "
 477 *Oribata* ~~hypocnemis~~ ^{hypocnemis} Canestrini. Porretta. "
 478 *Tricopoma clipeata* Canestrini. Messina e Porretta. 1882.
 479 *Myriopholus* ~~hypocnemis~~ ^{hypocnemis} Canestrini. Porretta. 1882.
 480 *Pelba denticulata* Canestrini. Sicilia. Murco. 1883
 481 *Gamasus fuscus* Desf. = *crassus* Kr. Porretta. 1883.
 482 *Oribata mucronata* Gb. Porretta. 1882
 483 *Gamasus calcaratus* K. ? " "
 484 *Hoplophora globosa* K. " "

- 485 *Hoplophora decumana* Kork. Porretta. 1882
 486 *Hoplopus echinops* Dyf. Mißl. et Mein. (Tunisia). 1882
 487 *Xercon pallens* Kork. Gallipia (Tunisia). 1882
 488 *Gamasus fuscicornis* Dyf. Mißl. et Mein. "
 489 *Holopsus marginatus* Herm. " " "
 490 *Laelaps triangularis* Kork. Porretta. 1883
 491 *Uropoda ovalis* Kork (Rv.) ^{gemmae} ~~abundant~~ 1884. Gunglari. Tyne. 82, auch. det. prof. Krauer
 492 *Gamasus attenuatus* Kork. Porretta & Missina. 1883.
 493 *Delops acromios* Herm. Sicilia. 1883
 494 *Gamasus marginatus* Herm. var. *Ryentii* Berl. Messina. 1883
 495 " *quiquiliarum* Canestr. Messina. Musc.
 496 *Dixopoma cassidea* Herm. J. Trentino. 1883
 497 *Belba denticulata* Canestr. Porretta. "
 498 *Dixopoma cassidea* Herm. (clavus Haller). Porretta. 1883.
 499 " *clipeata* Canestr. Trentino. 1883
 500 *Microbiella lutea* Kr. Porretta. 1883
 501 *Dixopoma clipeata* Canestr. Trentino. 1883
 502 *Hermannia arrecta* Mi. Monte Paldo. Sicilia. 1883
 503 Come 501. Firenze. 1883.
 504 *Holostephis marginatus* Herm. Porretta. 1883.
 505 *Rhyncholophus pinnatus* Canestr. Sicaria. "
 506 " *quiquiliarum* Herm. Porretta. "
 507 " *quadratus* Herm. " "
 508 " ~~*quadratus* Herm. Sicilia~~ Trentino
 509 *Bobocinum sagax* Delap. Padova Porretta
 510 *Gamasus brachiofys* Canestr. Porretta "
 511 *Uropoda cyclostoma* Canestr. Trentino " *E. pinnata* N. G. Siedl. Krauer.
 512 *Laelaps holostephis* Canestr. Porretta "
 513 *Belba aurata* Kork " "
 514 *Laelaps aurifer* Canestr. Padova "
 515 *Erythraeus ignipes* Dyf. " " (*sabulosus* Berl.)
 516 *Oribaty ovalis* K. Sicilia "
 517 *Prothony thelyproctus* K.? Sicilia "
 518 *Hyalomma leptodermis* Canestr. Bella Tappa marginata di Grecia. 1883.
 519 *Eremaeus oblongus* K. Sassari. 1883
 520 *Rhyncholophus phalangoides* Herm. Sordagna. C. F. Jan. 1883
 521 " ~~*quadratus* Herm. Sicilia~~ Trentino
 522 *Leiosoma coralinum* K. Napoli. Porretta "
 523 *Cheyletus ornatus* Canestr. Padova "
 524 *Celaeno spinosa* Kork (lone d. Delap. acromios) "
 525 *Holopsus bidarkinus* Canestr. "

- 526 *Notrus theleporatus* K. Firenze. 1883
 527 *Helia dentilabata* Canestr. Firenze
 528 *Trombidium foliosum* Canestr. " "
 529 *Hypostentus capogagazae* Sarali. " "
 530 *Oribates flavipes* K. & Cristovuchia " "
 531 *Helia pulchra* Canestr. " "
 532 *Gamasus tibialis* K. Modena " *G. calcaratus* K.
 533 *Gamasus tibialis* Canestr. Roma " (Conte Molle)
 534 *Oribates humilis* Roth Trentino " "
 535 *Laelaps lignicola* Canestr. Roma " "
 536 *Trombidium molliculum* K. Trentino " (Doss Taron, Museo)
 537 *Caculus echinipes* Dug. " " "
 538 *Trombidium coratium* K. " " "
 539 " *horkuse* K.? Roma " "
 540 *Notrus biancatus* K. " " "
 541 ~~*Psittacus fuscus* Canestr. Padova, nel fine. 3/2 86.~~
 542 *Arctidea viridis* Lin. " " "
 543 *Erythroneura muricola* Lat. Sw. " " "
 544 *Gamasus crispus* Lin. Padova. Museo. " "
 545 *Acarus plumiger* K. " " "
 546 " *domesticus* K. " Nel fine. " "
 547 *Chelytus eruditus* Ehr. " " " " "
 548 *Lysus aranthus* Canestr. Australia " "
 549 *Celaeno agrotis* K. Portetta " "
 550 *Ludwigia gonifera* Canestr. Australia " (Sopra infetto aff. al *Geothrips*)
 551 ~~*Helia dentilabata* Canestr.~~ " " " " alla *Thripsomela*
 552 *Mezithernus doreianus* Thor. " " "
 553 *Laelaps confusus* Canestr. " " "
 554 *Celaenopsis australiana* Canestr. " " "
 555 *Laelaps dotiacanthus* Canestr. " " "
 556 " " " " "
 557 *Hydrachna trochanthera* " " "
 558 *Dixopoma* sp. (Mufa) Portetta " "
 559 *Notrus marginatus* Roth Modena " "
 560 *Gamasus brachiopterus* Canestr. Firenze " "
 561 " *monachus* K. Moselice " "
 562 *Dixopoma cap. Lea* Hem. = *clavus* Latb. Firenze " "
 563 *Laelaps meridionalis* Qpr. Sicilia " "
 564 *Haemaphysalis papuanus* Thor. Australia 1884 Queensland.
 565 *Trombidium papuanum* Qpr. " " (La Cerambycina)

- 566 *Lidippia laevis* Gfr. Australia - 1884.
 567 *Uropoda spinulipes* Gfr. " "
 568 *Cladonia australiana* Gfr. " "
 569 *Scyris acanthurus* Gfr. " "
 570 *Hydarchna odontogaster* Gfr. " "
 571 *Scyris acanthurus* Gfr. " "
 572 *Gamasus tibialis* Gfr. " "
 573 *Perlepis rapax* Gfr. " "
 574 *Uropoda scabra* Kr. Trentino " An H. veylensis Def.?
 575 *Gamasus quisquiliarum* Gfr. Disenys " "
 576 *Leilaps triangularis* Roth Taron " Vel mupo.
 577 *Hoplophora carinata* " " " " "
 578 *Gamasus calcaratus* K. " " " " "
 579 *Uropoda* sp. Torino " "
 580 *Hoplophora globosa* K. Trentino "
 581 *Oribates, nixa* Liava 19 Aug 1882.
 582 " *latipes* K. Torino 1884
 583 ~~Fungulus~~ *Oribates latipes* K. Wezia 1890
 584 *Tripha latula* Koth Torino 1882
 585 *Gamasus calcaratus* Koth Sessu Taron 1884 kull-foglia gaster
 586 *Oribates, rimatus* Koth Torino "
 587 " *orbicularis* Koth " "
 588 *Rhynholophus phalangoides* Def. Rimonta "
 589 *Psella virgulata* Gfr. Torino " (Sim. St. longirostris K.)
 590 *Microthella lutea* Kr. " "
 591 *Leiosoma coracinum* K. Memphis "
 592 *Hoplophora globosa* K. " "
 593 *Psella clathrata* Gfr. Novigo "
 594 *Oribates punctatus* K. " "
 595 " *subotus* K. Liava 1882
 596 *Rhynholophus similis* Gfr. " "
 597 *Cephus vulgaris* Mii. Italia f. b. 1884
 598 *Nothrus pallens* Gfr. Trentino " (Mii. f.)
 599 *Hermannia arrecta* Mii. ? " "
 600 *Cephus latus* Mii. Roma "
 601 *Hoplophora carinata* Koth Trentino "
 602 *Nothrus coracinus* L. f. " "
 603 *Disopoma clypeata* Gfr. Portella "
 604 " *infusa* Herm. " "
 605 *Uropoda obscura* Koth Mii. f. Padova " Mii. liban.
 606 *Disopoma veylensis* Def. f. & Trentino " (Sessu Taron)

Cypha discolor

- 607 *Discopoma clypeata* Gfr. Cassino 1884
 608 *Laelaps pschimis* Gfr. " "
 609 *Gamasus calcaratus* K. " "
 610 *Copoda lutea* Kr. Germania " *Spunglar. 2. g. pschimis* du Kramer
 611 *Holopaspis horus* Gfr. Genova " *del mureo*.
 612 *Eremaeus oblongus* Koch. " " " "
 613 *Oribateus ovalis* Koch " " " "
 614 " *limatus* Koch " " " "
 615 *Leopoma coracium* " " " " "
 616 *Neohyphessopus* Horn. " " " "
 617 *Urogaster* Kramerianus Cauter. Trentino "
 618 *Neohyphessopus* K. " "
 619 *Tritia Teumana* K. " "
 620 " " " " " "
 621 *Cyphus tigrorum* Horn. Corvaref "
 622 *Neohyphessopus cinereus* Gfr. jun. Mifel et Mein, Africa, 1882
 623 *Discopoma capitata* Horn. & Doss Taron, 1884
 624 " " " Trentino "
 625 *Cyphus tigrorum* Horn. Matera "
 626 ~~*Leopoma capitata* Horn. & Doss Taron, 1884~~ *Leopoma capitata* Horn. & Doss Taron, 1884
 627 *Tritia ostreus* K. Doss Taron "
 628 *Leopoma coracium* K. Corvaref, 14/6 1881.
 629 *Tritia bombylii* Gfr. in Bombus Padovae. 20/3 1884
 630 *Cecidomyia ephippium* Gfr. Liiana, 1882.
 631 *Laelaps (Syn.) triangularis* K. Trentino, 1884. *G. serratus* Kr.
 632 *Gamasus attenuatus* K. & Rome "
 633 " *marginellus* K. " "
 634 *Oribateus globatus* Nui. Doss Taron "
 635 *Holophaea globosa* K. " " "
 636 *Oryzia tripilis* Horn. Matera "
 637 *Holophaea marginatus* Horn. Doss Taron " = *G. lardus* K.
 638 *Cyphus tigrorum* Horn. Matera "
 639 *Gamasus fuscus* et *marginatus* supra *Strophosoma* - Trentino, 1884
 640 *Urogaster lutea* Kr. (U. v. Gfr.) Doss Taron "
 641 *Oribateus niger* Nui. " " "
 642 *Holophaea globosa* K. " " "
 643 *Cecidomyia troglodytes* Gfr. " " "
 644 *Eremaeus oblongus* K. " " "
 645 *Gamasus nemorosus* K. Corvaref, 12/6 1881.
 646 *Neohyphessopus* K. Doss Taron, 1884


- 647 *Holostegia florens* Ofr. Roma, 1884
 648 *Uropoda obscura* K. Porretta "
 649 *Nothrus* ^{*palustris*} ~~*laticornis*~~ K. Trentino "
 650 *Gamasus calcaratus* K. &azzo Taron "
 651 *Nothrus* ^{*palustris*} ~~*laticornis*~~ (*lanauini*) Genova " nargo, nel musco.
 652 *Uropoda cristiceps* Ofr. Trentino "
 653 *Cyphus latus* Nic. " "
 654 *Nothrus biverrucatus* K. Avio "
 655 *Oribates setosus* K. Carvarep "
 656 *Phygadeuonides trimaculatus* Lerm. Genova " musc.
 657 *Gamasus calcaratus* K. Genova " "
 658 *Nesbittella comita* Ofr. " "
 659 *Leigoma ovatum* K. Padova "
 660 *Gamasus attenuatus* K. Genova " " nargo
 661 *Leclaps festinus* K. Su. M. S. demmanus. Nja, 1884
 662 *Tribia dummana* Koch. Georgia. April, 1884. Tra le foglie quaste.
 663 *Erythraeus humilis* Red. Kiria. 1884.
 664 *Neolophos globosa* Koch. Georgia. April, 1884.
 665 *Leigoma coracium* K. " " "
 666 " *laticornis* Nic. " " "
 667 *Leigoma cassidea* Horn. f. " " "
 668 *Gamasus fuscicornis* Duf. f. " " "
 669 *Nesbittella globipes* Ofr. & Red. " " "
 670 *Nothrus palustris* K. Roma. 1884.
 671 *Hypopus* & *lar. opus*. Trentino "
 672 *Uropoda scita* Kr. " "
 673 " " " " " *azzo Taron*
 674 " *obscura* K. Padova " *lehmani* Knipf.
 675 *Celaeno incornis* K. & Trentino "
 676 *Uropoda lamellosa* C. et B. " " (*prima Trachypoda troglodytes*, Serri).
 677 " *obovata* C. et B. " "
 678 *Larv. d. Trombidium*. Su *Larva muralis*. Treviso. 1876.
 679 *Leigoma cassidea* Horn. f. & nup. Padova. 1884.
 680 *Celaeno incornis* K. Trentino. 1884.
 681 *Uropoda tula* Kr. Anzich. 1882. 2/6.
 682 *Leigoma splendida* Kr. = *clypeata* Ofr. Anzich. 1882.
 683 *Nesbittella geminata* L. = *aurita* Nic. " "
 684 *Hermannia picea* K. = *crassipes* Nic. " "
 685 *Celaeno incornis* K. & " "
 686 *Pelops avomios* Horn. " "

- 687 *Oribates calcaratus* Koch. *Cassiphi*. 25/6 1882
 688 *Carabides microphthalmus* Desf. Brammato. *Cassiphi*. 1882.
 689 " *latus* K. *Cassiphi*. 1882
 690 *Erythraeus ignipes* Dup. Padova. 1884. (Salubron Barlea)
 691 *Gamasus calcaratus* K. Matera " *ibid* musco.
 692 *Nelba globipes* C. et B. Trentino " "
 693 *Nothrus palustris* K. " " *con ninge*.
 694 *Triopoma lycopate* Gfr. " " "
 695 *Oribates globulus* Mii. " " *con ninge*.
 696 *Oppia bipilis* Herm. " " "
 697 *Lecosoma fusipes* K. Este " "
 698 *Dermomyssus gallinae* Desf. Padova " *in cardellina*.
 699 " *silvianum* Gfr. Toscana 1876. *in Sylvia atricapilla*
 700 " *gallinae* Desf. Padova 1884. *in pollare*.
 701 *Phoropsus euryalis* Gfr. *in Rhinotophus euryalis*. Pisa, 1876. (a. *Publ.* 9/189)
 702 " *repentilong* Hec. *in pipistrelli*. Padova, 1884. a. *Publ.* 9/189
 703 *Leignathus armatus* K. *in Verspethia prostratus*. " 24/6. (a. *Publ.* 9/189)
 704 " *unicinatus* Gfr. *in Rhinotophus euryalis*. Pisa, 1884. (a. *Publ.* 9/189)
 705 *Otonissus* Kol. (dams di Tramburino) *in Verspethia Kuhlmanni*. Padova, 84
 706 *Leignathus silvianum* Gfr. *in Sylvia atricapilla*. Pisa, 1876. (a. *Publ.* 9/189)
 707 *Dermomyssus Michianii* Gfr. = *Hypocaspis Keameri* Gfr. *in Colerus*. Pisa, 1876
 708 *Tritia decumana* K. Trentino, 1884
 709 *Cephus vulgaris* K. *con varis*, 1884.
 710 " *latus* Mii. " " "
 711 *Phorobius Ninni* Gfr. *in Ximenius argus*. Sol. g. Venezia, 1884
 712 *Alloptes variipes* Gfr. *in Sterna minuta*. 1884.
 713 " *Sternae* C. J. S. *in Sterna minuta*, 1884.
 714 *Simorphus Sternae* C. J. " " *frispes*. "
 715 *Phorobius multicaps e sauciger* Kol. *in Cyprinus agnus*. Padova, 1884
 716 *Protophyllodes rubrus* Kol. *in rondoni*. " "
 717 *Simorphus serraticolatus* Gfr. *in Nix major*. " "
 718 *Gamasus magnus* K. f. 2 " "
 719 " *crassipes* L. f. 2 " "
 720 *Rhinotophus squamatus* Herm. *Don Taron*, 10/9, *Museo*, 1884
 721 *Bolita histriaria* K. Roma, 1885
 722 " *topra ghio*. *Don Taron*, 1884.
 723 *Bolita apyria* K. " " 6/9 "
 724 *Zphis* *Museo*. 6/9 " " "
 725 ~~*Lamproloma latipennis* K.~~ " " 10/9 "
Rhinotophus filipes Desf. Bolivia 1896.

- 726 *Tropophus farinæ* Dejeu. Nel riso. Don Taron, agosto, 1884.
- 727 *Tetranychus urticae* K. sull'urtica " " 16/9 "
- 728 *Gamasus calcaratus* R. f. Paluazzo, Val di Non. Museo. 18/9 "
- 729 *Epinus geometricus* C. f. Don Taron, fogli guasto, 1884.
- 730 *Nothus pallens* K. " " " "
- 731 *Uropoda lutea* Kr. " " " 21 agosto.
- 732 *Gamasus* Paluazzo, Val di Non. Museo. " 16/9.
- 733 *Blattaria spinosa* Cn. Trentino, 1884.
- 734 *Blatta egypcia* K. Don Taron, " 15 agosto. Museo.
- 735 *Actinidea vitis* L. " " 22/9 84. Su ucrata.
- 736 *Gamasus crassipes* Hal. " " Museo, 1884.
- 737 *Dryobla praelata* K. " " Alberi, " 26/9.
- 738 *Dryopoma cassinea* Ker. f. " " 1884.
- 739 *Imitator fuliginosus* Hermann. Trentino, 1884.
- 740 *Calionus piper* K. Don Taron, Museo, " 6/10.
- 741 *Erythraeus viriola* Dug. " " " 7/10.
- 742 *Rhyncholophus electoralis* K. Sardegna, 1884.
- 743 *Uropoda Kramerii* Cfr. Su timbrato. Movimento, 1885.
- 744 *Rhyncholophus epiliosoides* K. Trentino, 1884.
- 745 " similis Cfr. Sardegna, 1883.
- 746 Larva di *Combrinus*. Nel frino. 12/4 85.
- 747 *Blatta egypcia* K. Este. Museo. 4/3 85.
- 748 *Uropoda Kramerii* Cfr. Fieno guasto. Don, 1885.
- 749 *Cheyletus vinnipennis* K. Granaio. 26/3 85. Padova.
- 750 *Diploporus pilipes* Dug. Padova, 2/5 1885.
- 751 *Amnia leucostriata* Ker. " Alberi 3/5 85.
- 752 *Leiofoma lubricans* Mi. Lombard. Museo. 4/10 85.
- 753 *Actinidea vitis* L. Roma. 1884.
- 754 *Rhyncholophus trimaculatus* Hal. Padova. 16/4 85.
- 755 *Cheylella parasitivorax* Mi. In ucrata. 25/4 85. Padova.
- 756 *Cheyletus erous* K. Padova. Alberi. 17/5 85.
- 757 *Leiofoma coracium* K. Covarep. Fogli guasto. 5/5 85.
- 758 *Blatta lignicola* Camfr. Granaio. Museo. 21/3 85. Padova.
- 759 *Epinus geometricus* Cfr. f. Don Taron. 7/10 84.
- 760 *Rhyncholophus regalis* K. Trentino. 1884.
- 761 *Actinidea pini* K. Don Taron 21/9 84. Pina.
- 762 *Cheyletus arvensis* Hermann. Paluazzo (Val di Non). 1200 m. s. m. Museo. 1884.
- 763 *Pentulus haematopus* K. Museo. Padova, 11/10 84.
- 764 *Tropophus* ^{oviparus} ~~fuliginosus~~ Tulerum K. Don Taron. 6/10 84. Fogli guasto.
- 765 *Rhyncholophus regalis* K. Trentino. 1884.
- 766 " trimaculatus Ker. Olera. 1884.

807. *Tetranychus horridus* Cstr. f. Dott. Taron, 11/8 88
 808 *Tennipalpus lineola* Cstr. f. Dott. Taron, 11/8 88.
 809 *Tetranychus telarius* Dup. " "
 810 *Neophyllobius elegans* B. Padova, 20/4 1888.
 811 *Breobia praetiosa* Albi. Pad. 15/7 87.
 812 *Tennipalpus glaber* Padova, 13/6 88
 813 *Cryptognathus laevis* Kr. Dott 2/9 87
 814 *Caligonus coronatus* Cstr. f. Padova
 815 *Tennipalpus palmatus* Cstr. f. " 1/6 88.
 816 *Cheyletus sauarianus* Berl. Dott, 2/11 88
 817 *Phagnathus piger* " 20/9 87
 818 ~~*Tetranychus jilensis* A. C. Pad. 15/7 88~~ *Oribata microptera* Gn. Padova. 1896.
 819 *Tetranychus latus* Cstr. f. Dott
 820 *Akineida vityi* Sch. Suecia, 1890
 821 *Idella capillata* Kramer. Suecia, 1890
 822 *Tyroglyphus myrophagus* R. M. Friesen, 1889. Classif. Berlin.
 823 *Rhyncholophus globiger* Berl. Suecia, 1890.
 824 *Trombidium holosericeum* L. Suecia, 1890
 825 *Tetranychus coronatus* C. f. Pad. ottobre 87
 826 " *pilosus* C. f. " 28/5 88
 827
 828
 829
 830
 831
 832
 833
 834
 835
 836
 837
 838
 839
 840
 841 *Tardus redwini* Charl. Detragh. 1889
 842 *Hyalomma aegyptium* L. Catania. Su un uomo. Sic. 1889
 843 *Dermacentor reticulatus* Fab. Su Vauhe. Vigo (Vall. d'Adige, Trentino) 1889
 844 *Tardus viaris* = *hexagonus* Leach. Su? Treviso, 1889.
 845 *Dermacentor reticulatus* Fabr. ♂ & Dott Taron, Trentino. Su buoi. 1889
 846 *Argas reflexus* F. Venezia. Rostko.
 847 *Tardus redwini* Charl. Suecia. 1889. Spec. C. L. Neuman.

- 848 *Ixodes laevis* Rob. = *redivivus* L. In laetor. Treviso, 1889.
 849 " *redivivus* Char. Squa?
 850 " " " " buoi. Dos Tavor, Trentino, 1889
 851 *Haemaphysalis* sp. sub *vignale*. Toscana.
 852 *Ixodes crenulatus* K. Rostro. 1889
 853 " *laevis* K. In laetor muralis. Sibia.
 854 *Phanliodes rufus* K. In pecora, Parma, 1889.
 855 *Phipiophalus siculus* = *sanguineus* K. In buoi. Orbetello, 1889
 856 " " " " In? Catania, 1889
 857 *Ixodes laevis* K. L. 1889.
 858 *Hyalomma dentatum* Cst. F. = *egyptium*. Rostro, 1889
 859 *Ixodes redivivus* Ch. ♂ & ♀ In vauke. Vige (Trentino), 1889
 860 *Hyalomma algeriense* H. Rostro. In Testudo marginata. 1889
 861 *Haemaphysalis sulcata* (Heptelobia) Cst. F. In laetor muralis. L. Pelagon. 1889
 862 *Ixodes laevis* K. L. laetor. Treviso. 1890
 863 " *redivivus* Ch. In buoi. Trentino, 1889
 864 *Hyalomma aegyptium* L. In uomo. Chiozia, 1889
 865 *Phipiophalus sanguineus* K. Rostro. 1889
 866 Argas. Larva. In *Simulium alaudarius*. Modena, 1890.
 867 " sp.? Patria? Austria (Lugione).
 868 *Ixodes aviculus* Pers. In Embrya schenckii. Nov. 1883. Pan. E. A. P. Minni
 869 " *hexagonus* Lach. Rostro. In volpe.
 870 *Haemaphysalis* (Heptelobia) *sulcata* Cst. F. Larva. Rostro. L. Pelagon. 89
 871 *Phanliodes rufus* L. & Rostro. Vige. In vauke. 1889
 872 Argas *coniceps* Cst. Rostro, cu. Venezia, L. Marco. = A. Tholozani L. H.
 873 *Phanliodes rufus* L. Pecora. Parma. 1889.
 874 " " " In vauke. Vige (Trentino) 1890.
 875 Argas *coniceps* Cst. Venezia (Vige L. Marco) = A. Tholozani L. H. Vige.
 876 *Dermacentor reticulatus* Fab. In pecora. Trentino, 1889
 877 " " " In laetor. Treviso. Pan. Minni, 1889
 878 *Phipiophalus lursa* Cst. F. In buoi. Orbetello, 1889.
 879 " " " " In? Catania, 1889.
 880 " " *sanguineus* K. colla sua nipa *Phanliodes rufus*,
allivato nel mio Gabinetto. P. T. 9/90.
 881 Argas *reflexus* Lat. Venezia. Palazzo Ducale e Vige L. Marco. giugno 1890
 882 " *coniceps* Canestr. Hil. 765. " "



Acani
preparati microscopici.
Manolka fatto da Giovanni Camppring

N. 1.	<i>Limnodynastes rarus</i> K. Apparato sessuale. Trentino (Sosso Tavor).			
2.	<i>Limnodynastes rarus</i> K. In <i>Hydrophilus</i> glis.			
3.	<i>Limnodynastes rarus</i> K. In <i>Hydrophilus</i> glis.			
4.	<i>Belba vulgaris</i> Ker. Museo.	"	"	"
5.	<i>Limnodynastes rarus</i> K. "	"	"	5/10 85
6.	<i>Alloptes palmatus</i> Camppr. & L. In <i>Fringilla coelebs</i> .	"	"	4/10 85
7.	<i>Homopus sinuatus</i> K. In <i>Scirpus vulgaris</i> .	"	"	14/8 85
8.	<i>Alloptes palmatus</i> Camppr. & L. In <i>Fringilla coelebs</i>.			
9.	<i>Helostaspis marginatus</i> Ker. Fieno.	"	"	9/9 85
10.	<i>Limnodynastes melanotus</i> L. Apparato sessuale.	"	"	"
11.	<i>Limnodynastes melanotus</i> R. C. Museo.	"	"	8/11 85
12.	<i>Belba Dycei</i> L. ch. f. etis. sotto pietre.			25/9 85
13.	Larva di <i>Trombidio</i> . In <i>Hydrophilus</i> .	"	"	1/9 85
14.	" " " " "	"	"	"
15.	<i>Tydeus similis</i> R. C. Mandibole.	"	"	8/9 85
16.	<i>Araneus sicc</i> sp. Nel salame.	"	"	9/9 85
17.	<i>Hydrophilus gigas</i> R. C.	"	"	22/9 85
18.	<i>Hydrophilus gigas</i> R. C. In <i>Hydrophilus</i> glis.			
19.	<i>Araneus sicc</i> sp. Nel salame.	"	"	9/9 85
20.	<i>Hydrophilus nemorensis</i> K. (= <i>araneus</i> Ker.) Museo.	"	"	19/9 85
21.	<i>Hydrophilus variegatus</i> K. Museo.	"	"	12/9 85
22.	<i>Hydrophilus</i> "	"	"	5/9 85
23.	<i>Hydrophilus</i> "	"	"	26/8 85
24.	<i>Limnodynastes mirandus</i> Ker. Museo.	"	"	7/9 85
25.	<i>Limnodynastes mirandus</i> Ker. "	"	"	7/10 85
26.	<i>Belba globulosa</i> G. Ker. Ker.	"	"	4/10 85
27.	<i>Tydeus similis</i> R. C. Ker.	"	"	13/9 85
28.	<i>Tetranychus telarius</i> Gyg.	"	"	20/9 85
29.	<i>Belba dentata</i> G. Ker. Museo.	"	"	5/9 85
30.	<i>Chelonus vauvillensis</i> K. Fieno.	"	"	1/9 85
31.	<i>Tydeus similis</i> R. C. Ker.	"	"	11/9 85
32.	<i>Tydeus similis</i> K. Sotto pietre.	"	"	20/8 85
33.	<i>Tydeus similis</i> Ker. Veloc. K. Fieno.	"	"	5/9 85
34.	<i>Myocetes musculus</i> K. & L. In <i>Myocetes</i> glis.	"	"	7/19 85
35.	<i>Myocetes musculus</i> K. & L. In <i>Myocetes</i> glis.			
36.	<i>Protophyllodes glandarius</i> K. In <i>Fringilla coelebs</i> .	"	"	16/8 85
37.	<i>Othonia spinosa</i> Camppr.	"	"	16/8 85

38	<i>Lycopodium</i>	Museo	Trentino, Doss. Taver, 24/8 85
39	<i>Tenuipalpus glaber</i>	In fogli di pino	" " " 7/10 85
40	<i>Dolichopus</i>	Museo	<i>Erythræus</i> sp. Ivoria - 1888 24/8 85
41	<i>Caeculus echinipes</i> Duf.	Sotto pietre	Trentino Doss. Taver 7/10 85
42	<i>Hystrophorus gibbus</i> Pag.	In foglie.	" " " 9/10 85
43	<i>Holostephis marginatus</i> Hb.		" " " 8/10 85
44	<i>Ligus triangularis</i> K.		" " " 25/8 85
45	<i>Calymnus tenuipalpus glaber</i> sul pino		" " " 8/10 85
46	<i>Eupodes claviformis</i> R.L.		" " " 17/9 85
47	Larva di <i>Trombidium</i> .		" " " 24/8 85
48	<i>Trombidium fuliginosum</i> H.	Museo	" " " 25/8 85
49	<i>Bibata flabula</i> M.	"	" " " 1/10 85
50	<i>Hermannia</i>	"	" " " 24/8 85
51	<i>Histiola</i>	"	" " " 20/8 85
52	<i>Actinota vitis</i> L.	Museo	" " " 21/8 85
53	<i>Hypocrepis removensis</i> f. K. e <i>Jamais attenuatus</i> K. et		" " " 24/8 85
54	<i>Ipis ostrinus</i> K.		" " " 19/8 85
55	<i>Hystrophorus gibbus</i> Pag. f.	In foglie	" " " 9/10 85
56	<i>Hystrophorus</i> <i>Sekotia</i>	<i>Albani infinis</i> <i>Paul. In Platyd. muratj</i>	<i>Portina</i> 7/10 85
57	<i>Hemipus ruficornis</i> K.		Trentino " " "
58	<i>Opius typicus</i> Hb.		" " " 7/10 85
59	<i>Allysiidolus</i> <i>Canisius Hepty</i>	<i>Hb. C. et B.</i>	<i>Padova</i> 7/10 85
60	<i>Proterophyllodes glandularis</i> K.	In Yucca Torquilla	Trentino " " 9/10 85
61	<i>Diaparsa cassica</i> Hb.		" " " 24/8 85
62	<i>Tetranebus telarius</i> L.	Foglie	" " " 22/9 85
63	<i>Junonia</i> <i>venusta</i>	Museo	<i>Bryotria</i> sp. <i>Alber.</i> Padova 24/8 85
64	<i>Limus fibrosus</i> Hb.	Sotto pietre	Trentino, Doss. Taver 7/10 85
65	<i>Taodes</i>	In <i>Fraxilla</i> collata	" " " 20/8 85
66	<i>Eupodes claviformis</i>		" " " 20/10 85
67	<i>Calymnus signis</i> K.	Museo	" " " 7/10 85
68	<i>Tetranebus urticae</i> K.	Sul <i>ortica</i>	" " " 19/9 85
69	<i>Betta globigis</i> <i>Canest.</i> <i>Paul.</i>	In foglie	" " " 7/8 85
70	<i>Cryptospathus laquei</i> K.	Museo	" " " 18/9 85
71	<i>Tetranebus urticae</i> K.	Sul <i>ortica</i>	" " " 10/9 85
72	Larva di <i>Trombidium</i> .	In <i>Myoxus glis</i>	" " " 10/9 85
73	<i>Betta</i> (Kinsp.)	Museo	" " " 12/9 85
74	<i>Uryctes venustissimus</i> K.	Fiori	" " " 26/9 85
75	<i>Erythræus</i> <i>m. sp. K.</i>	In foglie	<i>Ivoria 1888</i> 7/9 85
76	<i>Calymnus</i> <i>Tenuipalpus</i> sp. <i>diversa</i> .	<i>Alber.</i>	Trentino, Doss. Taver 7/10 85
77	<i>Tetranebus homidus</i> <i>Canest.</i>	"	" " " 9/10 85
78	<i>Plops auronius</i> Hb.		" " " 7/10 85

79.	Leptogaster <i>Leptogaster</i> <i>tenipalpus glaber</i> Allen.	Trentino, Dosso Taron, 29/8 85
80.	<i>Carsonemus floridulus</i> Gfr. In Verbasco.	" " " 3/8 85
81.	<i>Stolopater claudiana</i> Reb. In Bonice	" Aves 2/9 85
82.	<i>Glyptopagus spinipes</i> K. Fries	" Dosso Taron, 27/8 85
83.	<i>Hymenocera</i> Musco	" " " 1/8 85
84.	<i>Leptis triangularis</i> K. "	" " " 3/10 85
85.	<i>Tetranychus telarius</i> Gyr. Tuzi di Lancia	" " " 2/9 85
86.	<i>Linopodes</i> "	" " " 2/8 85
87.	<i>Uropoda hirta</i> K. "	" " " 1/8 85
88.	<i>Protophyllodes glandarinus</i> K. In Lucarino.	" " " 17/8 85
89.	<i>Eupodes clavipes</i> R.C. Musco	" " " 3/9 85
90.	<i>Histiophorus gibbus</i> Pay. & In Ligon.	" " " 9/10 85
91.	<i>Linopodes motatorius</i> L. "	" " " 8/8 85
92.	<i>Nothrus ananisticus</i> Canestr. & Musco.	" " " 9/8 85
93.	<i>Carsonemus floridulus</i> Gfr. & In Verbasco.	" " " 10/8 85
94.	<i>Leptogaster</i> <i>tenipalpus</i> K. Allen	Trentino 29/8 85
95.	<i>Nothophallus longipilis</i> R.C. Apparato sessuale &	Trentino, Dosso Taron
96.	<i>Eupodes himalis</i> K. "	" " " 4/10 85
97.	<i>Nothophallus longipilis</i> R.C. Musco. Tipo.	" " " 4/9 85
98.	<i>Tetranychus pilosus</i> ? Allen	" " " 1/10 85
99.	<i>Achinea viridis</i> L. "	" " " 9/9 85
100.	<i>Nothophallus longipilis</i> R.C. Mandibole.	" " "
101.	<i>Ammonia labiophora</i> K. Mandibole, palpi.	" " " 26/8 85
102.	<i>Linopodes motatorius</i> L. Musco.	" " " 26/8 85
103.	<i>Protophyllodes glandarinus</i> K. In Fringilla sp.	" " " 27/8 85
104.	<i>Gamasus calcaratus</i> K. Musco.	" " " 27/8 85
105.	<i>Alloptes palmatus</i> Gfr. In Fringilla coelebs.	" " " 10/10 85
106.	" " " " " "	" " " " " "
107.	<i>Hirus subcostalis</i> Her. Musco.	" " " 28/8 85
108.	<i>Myropterus mugilinus</i> K. In Myoxus glis.	" " " 8/9 85
109.	<i>Protophyllodes glandarinus</i> K. In Cordina.	" " " 27/8 85
110.	<i>Onibato</i> Allen.	" " " 2/8 85
111.	<i>Eupodes variegatus</i> K. Musco.	" " " 2/8 85
112.	<i>Symphys elongatus</i> R.C. Sotto pietra.	" " " 6/10 85
113.	<i>Uropoda hirta</i> K. "	" " " 20/8 85
114.	<i>Acarus siro</i> L. Vil. salame.	" " " 8/9 85
115.	<i>Protophyllodes glandarinus</i> K. In codrasso.	" " " 17/8 85
116.	" " In Molanilla boanila	" " " 8/8 85
117.	<i>Linopodes motatorius</i> L. Musco.	" " " 5/10 85
118.	" " "	" " " 9/8 85
119.	" " "	" " " 26/9 85

120. *Eugoides hiemalis* K? Musco. Trentino, Don Taron, 7/10 85
121. *Lygis triangularis* K. " " " 19/8 85
122. ~~*Notophallus longipilis* Hal~~ *Uroptera acuminata* K. adulto Padova 11/6 85
122. *Symphysus gigas* P.C. Trentino, Don Taron 17/9 85
124. *Notophallus longipilis* P.C. Mandibola.
125. *Erypnites polymitus* K. Treviso Padova, 25/11 85
126. " *limacum* Sibr. In limax " "
127. *Myocoptes* ~~*crinitus* (Cresson)~~ *Aglyptinus* Hal. In ghis Trentino, Don Taron, 7/2 85
128. *Dioprona cassidea* K. Nympha " " " 19/8 85
129. *Trombidium fuliginosum* K. Sella R. 27/8 85
130. *Porphyphyllodes glandarinus* K. In urtus menula " " " 24/8 85
131. *Calymnus signis* K. Musco. " Salvago, 24/8 85
132. *Corythaeus muricola* G. " Don Taron, 19/8 85
133. *Belta Eugeni* Gfr. f. " " " 30/8 85
134. *Tydus velox* K. Treviso " " " 1/9 85
135. ~~*Symphysus* Hal~~ *Uroptera acuminata* K. Nympha. Padova 11/9 85
136. " *elongatus* P.C. Sotto i sassi. Trentino, Don Taron, 10/8 85
137. *Leigodes mihus* P.C. Lepus gnato " " " 25/8 85
138. *Eugoides hiemalis* K. & Musco. " " " 7/10 85
139. *Chyletus ornatus* Gfr. f. Pini. " " " 27/8 85
140. ~~*Leigodes mihus* K~~ *Uroptera* ~~*acuminata*~~ *acuminata* K. adulto Padova 11/6 85
141. *Notophallus longipilis* P.C. Trentino, Don Taron, 14/8 85
142. *Acarus viro* L. Nel palame " " " 8/9 85
143. *Prorematus fathilis* P.C. Treviso " " " 24/8 85
144. *Notophallus longipilis* P.C. Musco " " " 13/9 85
145. " " " " Appareto sessuale x " " 10/9 85
146. *Myocoptes muscilius* K. gen. novo. In ghis " " " 19/8 85
147. *Tetrangulus hilarinus* Gfr. Musco " " " 13/8 85
148. *Leirus cervus* Cresson. Tipo = *L. taurus* sotto pietra " " " 19/8 85
149. *Chyletus* ^{K. f.} Treviso " Don Taron, 19/8 85
150. *Oricata* Musco " " " 5/9 85
151. ~~*Prorematus fathilis* Hal~~ *Tetrangulus a* Treviso bernoulli. Padova 8/8 85
152. *Porphyphyllodes glandarinus* K. In fringuella Don Taron 1/9 85
153. *Myocoptes muscilius* K. In ~~ghis~~ Mus musculus K. Germania 7/2 85 (19/8)
154. *Alloptes palmatus* Gfr. In fringilla coelebs Don Taron 10/8 85
155. *Rhyncholophus phalangivorus* K. Musco " " " 1/10 85
156. *Stella vulgaris* K. Mandibola e palpi. " " " 7/10 85
157. *Epiris* Fosti gnato " " " 8/9 85
158. " La acer " " " 14/9 85
159. *Calaneo spinosa* K. Albeni " " " 1/10 85

- | | | | |
|------|---|--------------------------------|----------------------------------|
| 160. | Nicotiana cornuta Gk. f. | Trentino, S. Tavo. | 8/8 85 |
| 161. | Cajuma Stizmaeus pini K.L. Alben (= Tenipalpus ^{lunata Gk.}) | " " " | 7/8 85 |
| 162. | Protophyllodes | In passera commun | " " " 7/8 85 |
| 163. | " | Alben | " " " 7/8 85 |
| 164. | Cajuma Tenipalpus glaber Sul pom | " " " | 9/10 85 |
| 165. | " | " | " " " " |
| 166. | Larva di Trombidium | In scapellato | " " " 7/8 85 |
| 167. | Polyphagotus Kierny scabiei L. M. In uom. | Padova | 7/8 85 |
| 168. | Ainopotes rarus K. | Trentino | " " " 6/8 85 |
| 169. | Tetranychus telarius | In foglia di ibrido | " " " 8/10 85 |
| 170. | Hypochthonius rufus K. con uovo. Museo. | " " " | 12/9 85 |
| 171. | " | In auto | " " " 14/9 85 |
| 172. | Symphys grigas R.C. | Museo | " " " 7/10 85 |
| 173. | Gamasus crassipes L. f. | " | " " " 12/9 85 |
| 174. | Kothous anauniensis Gk. f. | " | " " " 13/9 85 |
| 175. | Cheyletus venustissimus K. | Fine | " " " 17/8 85 |
| 176. | Ammonia latirostris K. Tetranychus pallidus latus Gk. | " " " | 7/10 85 |
| 177. | Bdella vulgaris Des. | Alben | " " " 7/9 85 |
| 178. | Protophyllodes | In litte europaea | Padova 19/7 88 7/8 85 |
| 179. | Uropoda | Fine | Trentino Don. Tavo. 1/9 85 |
| 180. | Glyptobagrus spinipes K. | " | " " " 27/8 85 |
| 181. | Tetranychus telarius | Foglia | " " " 27/9 85 |
| 182. | Ammonia latirostris K. | Museo | " " " 7/8 85 |
| 183. | Bdella | " | " " " 4/9 85 |
| 184. | Eryoides variegatus K. Tenipalpus palmatus | Padova 7/9 88 | 7/8 85 |
| 185. | Xanonevus floridulus Gk. f. | Fine | Trentino, Don. Tavo. 7/8 85 |
| 186. | Eriophyes telarius Gk.
Eriophyes pini Gk. f. | In Larrea
Pini atricapilla. | " " " 7/8 85 |
| 187. | Oribate | Museo | " " " 27/8 85 |
| 188. | Protophyllodes | In litte europaea | " " " 6/8 85 |
| 189. | Tetranychus urticae K. Palpi; mandibole | " " " | " " " 7/10 85 |
| 190. | " | Alben | " " " 1/8 85 |
| 191. | Pronematus subilis (= Bonneti) C.R. | Fine. Tyro. | " " " 22/9 85 |
| 192. | " | " | " " " " |
| 193. | " | " | " " " " |
| 194. | Eupotes hiemalis K.? | Museo. | " " " 6/10 85 |
| 195. | Oribate | " | " " " 3/8 85 |
| 196. | Calymene pallidula Gk. f. Tenipalpus pallidus glaber Donn. | Pisa | 7/8 85 |
| 197. | Hypoaspis umorensis K. | Trentino | " " " 1/8 85 |
| 198. | Trombidium fuliginosum H. | Trentino & Alben | " " " 26/9 85 |
| 199. | Eupotes rarus K. | " " " | " " " 1/10 85 |
| 200. | Carabodes | Alben | " " " 14/9 85 |

201. <i>Chelytus venustissimus</i> K.	Lüne	Artino, Boss Taron, 15/9 85
202. <i>Calano oblonga</i> K.	"	" " 8/8 85
203. <i>Cephus vulgaris</i> K. <i>Tetranychus</i>	Letto <i>gibbosus</i> R. C. Padova, 10/7 88	7/8 85
204. <i>Lingopoda cupoides</i> R. L. Typ.	Musco	Tratino, Nordes 7/9 85
205. <i>Carabodes</i>	Dittaght. Albeni	" Boss Taron 14/9 85
206. <i>Cephus vulgaris</i> K. <i>Rhopogonellus clavatus</i> G.	Albeni	Padova, 17/7 88
207. <i>Pyothia</i>	Sette i casti.	" Asco 25/9 85
208	Albeni	Tratino, Boss Taron 7/10 85
209. <i>Chelytus venustissimus</i> K.	Fiene	" " " 25/9 85
210. <i>Glyciphagus</i>	"	" " " 9/8 85
211. <i>Homopus minorinus</i> K.	"	" " " 14/8 85
212. <i>Trambitium</i>	Musco	" " " 13/9 85
213. <i>Myocetes</i> <i>viridis</i> L. <i>viridis</i> L.	In ghio	" " " 8/9 85
214. <i>Cephus vulgaris</i> K.	Ligno gnaffo	" " " 26/9 85
215. <i>Tetranychus</i>	Albeni	" " " 2/9 85
216. <i>Hypocaspis scabularis</i> K.	Fiene.	" " " 17/8 85
217. <i>Lingopoda rarus</i> K. d. Apparato sessuale.		
218. <i>Caligonus</i>	Topki d. pomo	" " " 7/10 85
219. <i>Pelops anomis</i> Ker.	Albeni	" " " 20/8 85
220. <i>Lophius corinus</i> K.	Musco	" " " 21/8 85
221. <i>Disopoma cassidea</i> Ker.	"	" " " 20/8 85
222. <i>Spinus geometricus</i> G. J.	Musco	" " " 10/10 85
223. <i>Spinus triangularis</i> K. J.	"	" " " 29/8 85
224. <i>Tydeus velox</i> K.	Fiene	" " " 29/8 85
225. <i>Idella vulgaris</i> Ker.	Musco.	" " " 21/8 85
226. <i>Lophius griseus</i> K. C.	"	" " " 6/10 85
227. <i>Tydeus velox</i> K.	Fiene	" " " 29/8 85
228. <i>Eupotes hiemalis</i> K. ?	Musco	" " " 3/10 85
229. <i>Eupotes brevis</i> K.	"	" " " 21/8 85
230. <i>Lophius griseus</i> K. C.	"	" " " 8/9 85
231. <i>Tetranychus urticae</i> K.	Ina'ortia	" " " 5/10 85
232. "	Ina'ortia d. juna	" " " 22/9 85
233. <i>Idella vulgaris</i> Ker.	Albeni	" " " 7/10 85
234. <i>Idella vulgaris</i> Ker. <i>Hammonis castes coningus</i> L.	Albeni	" " " 7/10 85
235. <i>Idella vulgaris</i> Ker. <i>Neophyllobius elegans</i> Berl. Larva	Albeni	Padova, 19/7 88 7/10 85
236. <i>Liofona</i>	"	Tratino, Boss Taron 7/10 85
237. <i>Tetranychus latus</i> G. J.	In Taron, Canata	" " " 14/9 85
238. <i>Nothrus biopatus</i> K.	Albeni	" " " 7/10 85
239. <i>Erasmus oblongus</i> Koch	Musco	" " " 4/9 85
240. <i>Gamasus crassipes</i> L. 2	"	" " " 21/8 85

241.	<i>Tetranychus</i>	<i>Foghi di juva.</i>	Trentino, Doss. Taron,	24/9 85
242.	<i>Linopodes rarus</i> Kerk	<i>Alto pute</i>	" " "	20/9 85
243.	" "	Museo	" " "	2/10 85
244.	<i>Bella globipes</i> Gfr. B.	"	" " "	2/9 85
245.	<i>Spinus geometricus</i> Gfr. + <i>Neophyllobius elegans</i> Bert. Padova		14/9 85	24/9 85
246.	<i>Calijonus segnis</i> K.	Museo	Trentino Doss. Taron	24/8 85
247.	<i>Hormannia</i>	"	" " "	2/10 85
248.	<i>Celaeno spinosa</i> Kerk		" " "	1/10 85
249.	<i>Tetranychus horridus</i> Gfr. f.	Alberi	" " "	2/10 85
250.	<i>Pentaleus ovatus</i> K.	Museo	" " "	2/9 85
251.	<i>Calijonus</i>	Alberi	" " "	4/10 85
252.	<i>Pedipalpus microgynus</i> Bert.	Museo	" " "	5/10 85
253.		In Museo	" " "	14/9 85
254.	<i>Portophyllodes glandarimus</i> K.	In fringilla	" " "	15/8 85
255.	<i>Linopodes rarus</i> K.	Museo	" " "	2/10 85
256.		Alberi	" " "	2/10 85
257.	<i>Exopodes pseudocavatus</i> R. C.		" " "	24/9 85
258.	<i>Hypopus</i>	In Bombus	" " "	13/8 85
259.	<i>Calijonus segnis</i> K.	Museo	" " "	2/10 85
260.	<i>Oxythraeus muricola</i> Duf.		" " "	13/9 85
261.	<i>Tetranychus</i>	In foghi di juva.	" " "	2/9 85
262.	<i>Notthrus ananiciensis</i> Gfr. f.	Museo	" " "	17/9 85
263.	<i>Ammonia latirostris</i> K.	"	" " "	2/8 85
264.	<i>Calijonus coronatus</i> Gfr. f.	Alberi	" " "	24/9 85
265.	<i>Chelydus emiratus</i> Lohr	Zeus	" " "	17/9 85
266.	<i>Notthrus thalysseus</i> K.	Museo	" " "	2/8 85
267.	<i>Zeus jaca</i> Lohr <i>Notthrus pizer</i> Kerk		Padova 14/9 85	24/9 85
268.	" "		Trentino Doss. Taron	17/9 85
269.	" "		" " "	14/9 85
270.	" "		" " "	17/9 85
271.	" "	Alberi	" " "	15/9 85
272.	<i>Pelops arconius</i> Lohr.	"	" " "	27/9 85
273.	<i>Symphys gijas</i> R. C.		" " "	2/9 85
274.	<i>Zeus setirostris</i> Lohr.	Museo	" " "	22/10 85
275.	<i>Spinus</i>	"	" " "	3/10 85
276.	<i>Linopodes rarus</i> K.	"	" " "	4/10 85
277.	<i>Calijonus coronatus</i> Gfr. f.	Alberi	" " "	24/9 85
278.	<i>Tetranychus</i>	Foghi di juva	" " "	22/9 85
279.	<i>Oenaeus oblongus</i> Kerk	Museo	" " "	6/8 85
280.	<i>Spinus geometricus</i> Gfr. f.		" " "	7/8 85

281.	<i>Epineis geometricus</i> Gfr. f.	Museo.	Ventris, Desso Taron,	23/85
282.	<i>Tydeus frontis</i> R.L.	"	" " "	12/85
283.	<i>Oribata</i>	Museo	" " "	23/85
284.	<i>Lingoides eupodoides</i> R.L.	"	" " "	20/85
285.	<i>Pedigastus microgastus</i> Berl. nipa.	Museo.	" " "	5/1085
286.	<i>Caligonus</i>	Albeni.	" " "	3/1085
287.	<i>Alloptes palmatus</i> Gfr.	In Fringilla carlez	" " "	10/1085
288.	<i>Epineis geometricus</i> Gfr. f.	Foglie gnafte	" " "	25/85
289.	<i>Damaeus</i>	Museo	" " "	18/85
290.	<i>Tetrangonus usticæ</i> K. Leptophloeus	<i>usticæ</i> elegans Berl. Pad.	14/88	10/85
291.	<i>larva</i> di <i>Tronbidini</i>	In foglie	Frangia Desso Taron	11/85
292.	<i>Oribata globula</i> Mi.	Museo	" " "	13/85
293.	<i>Damaeus</i>	con spoglie anipale.	" " "	23/85
294.	<i>Oribata</i>	Museo	" loreda	23/85
295.		"	" Desso Taron	9/85
296.	<i>Hypochthonia rufulus</i> K.	"	" " "	11/85
297.	<i>Tronbidium bicolor</i> K.	"	" " "	11/85
298.	<i>Lingoides rarus</i> K.	"	" " "	5/1085
299.	<i>Nothrus helproctus</i> K.	"	" " "	7/1085
300.	<i>Tydeus frontis</i> R.L.	<i>Rephynathus clavatus</i> Gn.	Padova, 18/88	17/85
301.	" " " "	Leno	Frattina, Desso Taron	3/85
302.	<i>Nothrus</i>	Museo	" Verdes	3/85
303.	<i>Epineis geometricus</i> Gfr. f.		" Desso Taron,	10/85
304.	<i>Pedigastus microgastus</i> Berl.	Museo.	" " "	4/85
305.	<i>Conopus sinuatus</i> K.	In scagittolo	" " "	9/85
306.	<i>Tetrangonus</i>	Albeni.	" " "	17/85
307.	<i>Protophyllodes glaucomus</i> K.	In Garrulus glaucomus	" " "	10/1085
308.	<i>Epineis geometricus</i> Gfr. f.		" " "	17/85
309.	<i>Dryobla</i>	Botte i sassi.	" Aris	25/85
310.	<i>Tetrangonus</i>	Albeni.	" Desso Taron	1/1085
311.	<i>Caligonus</i>	"	" " "	1/1085
312.	<i>Xoloptes clavicornis</i>	In peonia	" Aris	25/85
313.	<i>Tetrangonus</i>	Albeni.	" Desso Taron	1/1085
314.	<i>Uropoda</i>	Botte i sassi	" Aris	25/85
315.		Museo	" Desso Taron	13/85
316.	<i>Tetrangonus usticæ</i> K.	Lu. Ortica	" " "	9/1085
317.	<i>Caligonus</i>	Museo	" " "	12/85
318.	<i>Lyphius clavicornis</i> M.L.	"	" " "	8/1085
319.	<i>Oribata</i>	Albeni.	" " "	23/85
320.	<i>Lingoides rarus</i> K.	Museo	" " "	3/1085

321	<i>Trombidium</i>	Stette pister	Trentino, Avio	25/8 85
322	<i>Tetranychus</i>	Foglie di juna	" Dossò Taron	24/8 85
323	<i>Urospora secla</i> Kr.	"	" " "	9/8 85
324	<i>Polytaeus micronychus</i> Kirpa.	Musco	" " "	24/8 85
325	<i>Actinidea vidi</i> d.	"	" " "	11/8 85
326	<i>Gamasus calcaratus</i> K.	Musco	" " "	24/8 85
327	<i>Protophyllodes glandarinus</i> K.	In lybra hyppol.	" " "	9/8 85
328	<i>Homopus scirpinus</i> K.	La lucina vulgaris	" Corat	14/8 85
329	<i>Actinidea pini</i> K.	Alben	" Dossò Taron	23/8 85
330	<i>Styphodolophus</i> <i>hemisacculus</i> <i>coccineus</i> Lign.	Stette Parisi	La Lucina vulgaris	4/8 85
331	<i>Hypoaspis stabularis</i> K.	Fieno	" " "	24/8 85
332	<i>Dolostaspis</i>	Stette pister	" Avio	25/8 85
333	<i>Eupodes clavifrons</i> M.L.	"	" Dossò Taron	19/8 85
334	<i>Spirinus geometricus</i> Olf. f.	Foglie graste	" " "	25/8 85
335	<i>Styphodolophus</i> <i>hemisacculus</i> <i>coccineus</i> Lign.	Stette Parisi	Avio	24/8 85
336	<i>Trombidium</i>	Musco	" Dossò Taron	24/8 85
337	<i>Californus</i>	Alben	" " "	11/8 85
338	<i>Phyllopterus spinicornis</i> Germ.	Ute	" " "	14/8 85
339	<i>Eupodes variegatus</i> , larva?	"	" " "	9/8 85
340	<i>Tetranychus</i>	Foglie di juna	" " "	24/8 85
341	"	Alben	" " "	11/8 85
342	"	"	" " "	11/8 85
343	<i>Styphodolophus</i> <i>hemisacculus</i> <i>coccineus</i> Lign.	Stette Parisi	Avio	24/8 85
344	"	"	" Dossò Taron	24/8 85
345	"	"	" " "	11/8 85
346	"	"	" " "	11/8 85
347	<i>Strophellus longipilis</i> ? M.L. giovane?	Musco	Trentino	18/8 85
348	<i>Phorobius</i> <i>Totani</i> Canestr. & al f.	"	Morschie	31/8 85
349	"	"	"	"
350	<i>Freyana</i> <i>anatina</i> Hall. Kirpa.	In Lucina vulgaris	"	"
351	"	"	"	"
352	<i>Fuliger rostratus</i> Buchh.	In piccione	Padova	30/8 85
353	<i>Exiparis Bombi</i> Mich.	In Bombus	"	1/8 85
354	<i>Fuliger rostratus</i> Buchh.	In piccione	Taujalsus palmatus C.F.	6/8 85
355	<i>Fuliger rostratus</i> Buchh.	In piccione	"	30/8 85
356	<i>Stella lignicola</i> Canestr.	Lignico	"	9/8 85
357	<i>Lephus minutus</i> K.?	Kirpa.	Nel Sedum are.	29/8 85
358	"	"	"	"
359	<i>Chyloctes venustissimus</i> Koch	Fieno	"	25/8 85
360	"	crustacei, Lign.	"	24/8 85

361. *Lucius schirotus* Linn. Poëlle quart Cervasera 4/585
362. *Chelytus ornatus* Gfr. J. Ricci Padova 2/585
363. ~~*Chelytus ornatus* Gfr. Mopoda~~ *Albi. acuminata* K. " 1/588
364. *Trombitum Phalangii* Defer " 2/585
365. *Diopoma splendida* Kr. " 2/585
366. ~~*Diopoma splendida* Kr. (Hannover) *Tota picta*~~ " 2/585
367. *Eupalus singulata* Gfr. J. brevis Gfr. Albi. Padova Padova 4/785
368. *Rhyncholophus regalis* K. ? N. L. arbar Padova 2/585
369. *Bdella longirostris* K. " 2/585
370. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
371. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
372. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
373. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
374. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
375. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
376. ~~*Chelytus ornatus* Gfr. *Tenuipalpus glaber* K.~~ " 7/588
377. *Lucius schirotus* Linn. ? " " 3/585
378. *Nothrus theleporus* Linn. " " 3/585
379. *Eupalus brevis* Gfr. Albi. " 1/785
380. *Bdella longirostris* K. Sotta picta Padova 2/585
381. ~~*Bdella longirostris* K. *Bdella singulata* Gfr. J.~~ Roma.
382. *Lucius schirotus* Linn. Albi. Padova 4/785
383. *Cryptorhynchus longus* Kr. Muso Appennino
384. ~~*Chelytus ornatus* Gfr. *Eupalus brevis* Gfr.~~ Albi. Padova 6/785
385. *Eupodes fusipes* B. C. " " 1/785
386. *Eupalus maserensis* Gfr. J. (*Eupalopsis maserensis* Est.) Albi. " 1/785
387. *Rhyncholophus latus* Gfr. " " 7/785
388. *Linopschus globosus* Gfr. *Grammanti* Roma, 1883
389. *Bdella vulgaris* Linn. Muso Padova 7/785
390. *Trombitum pexatum* K. " " 7/785
391. *Rhyncholophus trimaculatus* Linn. Olivo, 1876.
392. ~~*Chelytus ornatus* Gfr. J. *Chelytus ornatus* Gfr. J.~~ Padova 7/785
393. ~~*Chelytus ornatus* Gfr. J. *Chelytus ornatus* Gfr. J.~~ Padova, 1882
394. *Alloptes crassipes* Gfr. In Roma *fusipes* Padova, 29/785
395. *Dimorphus Hermae* Gfr. J. " " " " " "
396. *Cephus minutus* K. ? N. L. arbar " " " " " "
397. " " " " " " " " " "
398. " " " " " " " " " "
399. *Chelytus ornatus* Gfr. Ricci " 10/585
400. *Nothrus biostatus* Ricci " 1/585

401. *Neobolus epistatus* Berl. ~~*Leptobolus*~~ *in formica*. *Patini*. ~~*Trichilena*~~ *1885*
402. *Chyletus ornatus* Sbr. *Genes* *Padova, 7/5 85*
403. " *ornatus* Gfr. *Albeni* " *3/5 85*
404. *Blella vulgaris* Ser. *Museo* " *3/5 85*
405. *Liosoma palmicinctum* Mich. *Nigra* *Trichilena, 1885*
406. *Ammonia leucostictis* Kerm. *Albeni* *Padova 4/5 85*
407. *Scirus subcostatus* Her. " " *24/5 85*
408. *Larva d. Trombidina* *in Collembola* " " *24/5 85*
409. *Caenuleus echinipes* Duf. *sotto pietra* *Doppo Tavoro, 1885*
410. *Scirus subcostatus* Ser. *Albeni* *Padova 27/6 85*
411. *Caligonus coronatus* Gfr. *in Thuya* " *14/5 85*
412. *Pterolichus securiger* et *ultripes* Rob. *in Cypselus apus* " *24/5 85*
413. *Nobius ananisiensis* Gfr. *Albeni* *Salerno, 1885*
414. *Holostachys marginatus* Her. *Padova, 24/6 85*
415. *Pterolichus Ninnii* Gfr. *in Numenius arguata*.
416. *Alloptes crassipes* Gfr. *in Stena minuta*
417. *Dimorphus serraticolatus* Gfr. *in Pirus major*.
418. *Dermanyssus gallinae* Red. *Padova, 1/8 85*
419. *Mezonia Stenae* Gfr. *in Stena fissipennis* (D. Puffini Bruch.) *Trichilena, 1885*
420. *Leptostethus sculptus* Mich. *Padova, 85*
421. *Dermanyssus gallinae* Red. *in cardellina*. *Padova, 85*
422. *Proctophylloides rubilis* Rob. *in cardellina*. *Padova, 85*
423. *Pterolichus respirationis* Her. *in pipistrella* (Gfr. & Berl. 9/1 89) *Padova, 1885*
424. *Proctophylloides glaucoarvus* K. *in Sylvia phoeniceus* " *1/4 85*
425. *Dimorphus Stenae* Gfr. *in Stena minuta* (D. Puffini Bruch.) " " *1878*
426. *Pterolichus Tolani* Gfr. *in Tolanus calidus* *Tricipo*
427. *Laelaps agilis* K. *Padova, 1884*
428. *Dermanyssus gallinae* Red. *Pollari* " " *1881*
429. " " " *Letamari* *Padova*
430. *Jamasus tardus* Koch. " *1881*
431. *Larva d. Uropoda obscura* *Padova*
432. *Uropoda paratolana* Gfr. *in* *Lygo gressu* " *1881*
433. *Celaeno inermis* K. " *1881*
434. *Egnopterus Canethina* Gfr. *in* *Lygo gressu* *1881*
435. *Egnopterus Canethina* Gfr. *in* *Lygo gressu* *1881*
436. *Proctophylloides glaucoarvus* K. *in* *Lygo gressu* *Padova, 9/1 85*
437. " " " " " " " " *1885*
438. *Alloptes palmatus* Gfr. *in* *Lygo gressu* " *1885*
439. *Analges cheloneus* Her. *in* *Lygo gressu* " *1885*
440. *Dermanyssus* *in* *Lygo gressu* " *1885*

- | No. | Species | Locality | Date |
|------|-------------------------------------|-------------------------------|------------------|
| 441. | <i>Dermanyssonus jallinae</i> Nev.? | In frumquella. | Padova, 14/12 85 |
| 442. | <i>Protophyllodes plantarum</i> K. | In <i>Parus major</i> | " 8/12 85 |
| 443. | <i>Protophyllodes plantarum</i> K. | In <i>Parus major</i> | " 8/12 85 |
| 444. | " | " | " |
| 445. | <i>Protophyllodes plantarum</i> K. | In <i>Turdus merula</i> . | " 8/12 85 |
| 446. | <i>Protophyllodes plantarum</i> K. | In <i>Turdus merula</i> . | " 8/12 85 |
| 447. | <i>Notophallus minor</i> R.L. | Mandibola | 16/12 85 |
| 448. | " | haematopus K. | 16/12 85 |
| 449. | " | " | " |
| 450. | " | " | " |
| 451. | <i>Typhus folivorus</i> L. | Musca | " 16/12 85 |
| 452. | <i>Typhus</i> | (<i>leptocentrus</i>) Musca | " 8/10 86 |
| 453. | <i>Notophallus minor</i> R.L. | Mandibola | " 8/10 85 |
| 454. | " | " | " |
| 455. | " | " | " |
| 456. | " | " | " |
| 457. | " | " | " |
| 458. | " | haematopus K. | " 16/12 85 |
| 459. | " | minor R.L. | " 15/12 85 |
| 460. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 461. | " | " | " |
| 462. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 463. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 464. | " | " | " |
| 465. | " | " | " |
| 466. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 467. | " | " | " |
| 468. | " | " | " |
| 469. | " | " | " |
| 470. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 471. | " | " | " |
| 472. | " | " | " |
| 473. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 474. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 475. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 476. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 477. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 478. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |
| 479. | <i>Phoromyia Ruffini</i> Buckh. | In <i>Larus ridibundus</i> | " 17/1 86 |

480. *Phycopsis musculus* Cl. de Mus musculus. Germania. Padua, 8/1886
~~*Phycopsis musculus* Cl. de Mus musculus. Germania. Padua, 8/1886~~
481. " " " ♀ " Padova " "
482. *Tydemus foeniculij* R.L. Fries " 9/1886
483. " " " " " " " "
484. " " " " " " " "
485. " " " " " " 2 in novo " "
486. " " " " " " " 6/2886
487. " *foliorum* R. " " 9/1886
488. " " " " " " " 10/1886
489. " " " " " Fries " 10/1886
490. *Trichostylus Hyloropae* Dug. Verona. Gordini
491. *Pterostichus Nisi* Gfr. int. Nisi, communis. Padova, 9/1886.
492. " " " " " " " " " "
493. *Tyroglyphus sive* H. 2 in novo. " 4/6 "
494. " " " " ♀ " 10/6 "
495. " " " " " " 3/6 "
496. " " " " + *del. plume* " 3/6 "
497. " " " " " " " 2/6 "
498. " " " " " " " " " "
499. " " " " + " " " 2/6 "
500. " " " " + " " " 2/6 "
501. " " " " " " " 10/6 "
502. " " " *oppositifolium*. *del. plume*. " 2/6 "
503. " " " " + " " " " " "
504. " " " *vinifa*. " 10/6 "
505. *Tarsonemus flaviculus* Canestr. Fries. " 1/6 "
506. *Typhlus foliorum* " " 2/2 "
507. " " " " " " 2/2 "
508. " *velox* Ric. Gfr. " " 1/13 "
509. " *foliorum* " " 4/13 "
510. " *foeniculij* R.L. " " 10/13 "
511. *Caligonum* " " 1/4 "
512. *Tydemus foliorum* " " 2/3 "
513. " *foeniculij* R.L. " 7/3 "
514. " *foliorum* " 2/2 "
515. *Caligonum foeniculij* (Clarific. Amarath.). Fries. " 1/13 "
516. *Holostephis marginatus* Germ. " " 2/14 "
517. *Caligonum Dioxipoma comata* Leon. Hu. int. D. foenicul. Portu. " 2/3 "
518. *Glyptothrips palmeri* " " 1/11 "
519. " " " " " " 1/11 "
520. " " " " " " 1/2 "

521.	<i>Glyiphagus plumiger</i> K.	Vienna	Padova, 12/6 86.
522.	" " " "	"	" 17/12 86
523.	" " " ♀	"	" 17/5 86
524.	" " " ♂	"	" 14/12 "
525.	" " " "	"	" 2/4 "
526.	" " " ♂	"	" 13/6 "
527.	<i>Tyroglyphus</i> ^(Lecaninus F. N.) <i>Styminii</i> Hall. In rarior d. v. vile gnafsa.	"	" 24/5 81.
528.	" " " "	W.	" " "
529.	" " " "	W.	" " "
530.	" " " "	W.	" " "
531.	" " " ♀	W.	" " "
532.	" " " ♀	W.	" " "
533.	" " " "	W.	" " "
534.	<i>Glyiphagus</i> <i>Tortusbergi</i> Df. ♀	Vienna	" 2/2 "
535.	" <i>pinipes</i> K.	"	" 13/6 "
536.	" " "	"	" " "
537.	" <i>intermedius</i> Df. ♂	"	" 2/3 "
538.	" " ♂	"	" 6/5 "
539.	" <i>spinipes</i> K. ♀	"	" 17/5 "
540.	<i>Neophyllobius elegans</i> <i>Styminii</i> Armanelli (Hb.) ♂	"	" 14/6 "
541.	<i>Glyiphagus</i> <i>Canestrinii</i> Armanelli. x. Acro ♂	"	" 14/7 88
542.	" " " " ♂	"	" 24/5 81
543.	" " " " ♀	"	" 17/5 86
544.	" " " " ♂	"	" 24/5 "
545.	" " " " "	"	" 24/4 "
546.	" " " " ♀	"	" 17/5 "
547.	" <i>Styminii</i> Df. <i>intermedius</i> Df. "	"	" 2/4 "
548.	" <i>pinipes</i> K.	"	" 4/1 "
549.	" " " " ♂	"	" 1/4 "
550.	" " " " "	"	" 2/6 "
551.	" <i>Styminii</i> Df. <i>spinipes</i> K.	" ♀	" 19/5 "
552.	" <i>spinipes</i> K.	" ♀	" 4/1 "
553.	<i>Tyroglyphus</i> <i>farinae</i> Df. ♀	Nel fino	" 1/4 "
554.	" " " ♂	W.	" 17/5 "
555.	" " " ♂	"	" 1/5 "
556.	<i>Neophyllobius elegans</i> Herberse.	Atene	Padova, 14/7 88
557.	<i>Neurobius farinae</i> Df. "	Nel viso	Trentino, 24/7 84
558.	" "	"	Trentino, 24/7 84
559.	" "	"	"
560.	" "	"	"
561.	" "	"	"

562.	<i>Tyroglyphus farinaceus</i> Rg.	Nel viso	Veneto 24/7 84
563	"	"	"
564	"	"	"
565	"	"	"
566	"	"	"
567	"	"	"
568	"	"	"
569	"	Mignini Hall. f. <i>flavus</i> Chap. Thracia guasta. Padova, 18/7 86	"
570	"	"	"
571	"	"	"
572	"	"	"
573	<i>Catijonus robustus</i> Berl. ? Fines.	"	10/5 86.
574	<i>Tyroglyphus Mignini</i> Hall. Radia guasta. Osterbochensis (Kuffl)	"	9/7 86
575	<i>Hippoporus fimeolarium</i> C. et B.	"	(<i>Hippoporus fimeolarium</i>) "
576	"	"	"
577	"	"	"
578	"	"	"
579	<i>Hippoporus fimeolarium</i> C. et B. Fines		24/7 86
580	<i>Tyroglyphus Mignini</i> Hall. Thracia guasta		" 24/7 86
581	<i>Hypopus conatus</i> Cfr. Padova 28/11 86. Fines equine		"
580	"	26/4 " " "	"
581	<i>Tyroglyphus caudatus</i> Cfr. el. f. & Fopie guasta.		Padova 24/11 86
582	"	" " " "	" 28/11 86
583	<i>Purpuriculus firmiculus</i> Cfr. Fines equine		" 4/12 86
584	"	" " " "	" 4/12 86
585	"	" " " "	" 4/12 86
586	"	" " " "	" 4/12 86
587	<i>Tyroglyphus instans</i> Berl. (= longior fov.) & Esempl. Berlens.		Padova 2/12 86
588	<i>Tarsoemus floridulus</i> Cfr. el. f. Fines.		" 24/8 88
589	<i>Nephylobius elegans</i> Berl. = <i>Mesobius longior</i> Fines		" 28/11 86
590	<i>Tyroglyphus longior</i> fov.	Fopie de vite	" 10/12 86
591	"	Mignini H. (Cekropus) & Cipolla guasta	" 10/12 86
592	<i>Phyleptus</i> In Vitruviana lantana.		Dopo Taron 1/10 86
593.	<i>Hypopus pertinens</i> Kr. Zepo. Patate guasta.		Padova 25/12 86
594.	<i>Glyciphagus domesticus</i> L. ? Esempl. Berlense. El. g. spiniger.		"
595	<i>Hypopus pertinens</i> Kr. Zepo. Patate guasta.		Padova 22/8 86
596	"	"	" 27/12 86
597	<i>Opisthocentrus</i> (<i>Tyroglyphus</i>) <i>eubolus</i> F. et B. " "		" 29/12 86
598	<i>Alloglyphus microphyllus</i> Berl. In Fringilla		" 21/12 87
599	<i>Opisthocentrus eubolus</i> F. et B. In Fringilla guasta Portici.		" 21/12 87
600	"	F. et B. Radia di vito	" 1/12 87

- 601 *Tyroglyphus chinopus* M. F. Paschi & vite. Padova 2/1 87
 602 " *longior* Ferr. *sil formagio*. " 4/1 "
~~603 *Hypopus Tulorum* K. *figli grasse*. *Trento*.~~
 603 *Gymnophorus Mesembrinae* R. C. *finis equino*. Padova 14/1 87.
 604 " " " " *L. Mesembrina*. *Junghans lips*.
 605 " " " " *finis equino*. Padova 15/1 87.
 606 *Tyroglyphus longior* Ferr. = *infestans* Berl. *figli grasse*. " 16/1 87
 607 ~~*Gymnophorus Mesembrinae* R. C. *finis equino*. Padova 15/1 87.~~
 608 *Tyroglyphus tiro* L. *sil formagio*. " 19/1 87
 609 *Hypopus Tulorum* K. *in patate quaste*. " 24/1 "
 610 *Diplogynium auminatum* Gfr. *in patate*. *in Tulus, Rio Tanaro*. 1887
 611 *Tyroglyphus echinopus* R. F. *Patate quaste*. Padova 24/1 87
 612 *Tarsonemus florivulus* Gfr. & *in grano*. " 10/6 86
 613 *Hypopus Tulorum* K. *finis equino*. " 14/12 87
 614 *Urogotha spinulipes* Gfr. *in Coleoptero*. *Auftraria*. 1884.
 615 " *clavipilis* Gfr. *in Rhina sp.* *Rio Tanaro*. 17/1 86.
 616 " *bifilis* Gfr. *in Eburaea*. " "
 617 " " " " " " 1887
 618 " " " " " " "
 619 " " " " " " 4/5 87
 620 *Diplogynium auminatum* Gfr. *in Tulus sp.* " " 18 87
 621 *Jamasus fortis* Gfr. *in Coleoptero* " " 1887
 622 *Psidium a-flavum* Paty (Opilioni?) *Palpo. Choro australe* 1887
 623 *Jamasus fortis* Gfr. *Manibola*. *Rio Tanaro* 87
 624 *Diplogynium auminatum* Gfr. *Manibola* " " "
 625 *Psidium Totani* Gfr. *in Totanus calidus* G. Padova 1887
 626 ~~*Carabidae* *Urogotha* G. & R. *in figli grasse* *Firenze*~~
 627 ~~*Urogotha* *spinulipes* Gfr. *in Rhina* *Firenze*~~
 628 " *anatina* Hall. *in Mettini creta* (87) " " "
 629 *Pterobius proctogamus* Tr. & G. " " "
 630 *Proctophylloides glauvarius* K. & G. *in Alanda av.* " " "
 631 " " " " " " " " "
 632 " " " " " " " " "
 633 " " " " " " " " "
 634 *Pterobius bilobatus* Rob. *Alanda*. " " *Sub.*
 635 " " " " " " " " "
 636 *Palpus rostratus* Burth. *in Columba livia* & G. " " "
 637 " " " " " " " " "
 638 " " " " " " " " "
 639 *Phronyssus striatus* Rob. & G. *in Troglodytes parvulus* " " "

- 640 *Perilichus Todani* Canestr. & S. *Todani calicris*. Padova, 1886. Sbr.
- 641 ~~*Pygostolus couinellae* S. & S. *Pygostolus* *Pygostolus*~~
- 642 ~~*Pygostolus* *Pygostolus*~~
- 643 *Bellochynus polymorphus* M. Fr. *Marceia quinquedula*. Sz. Pat. 1887
- 644 " " " " " " Padova "
- 645 " " " " " " " "
- 646 *Rhizoglyphus Robini* Clap. In *ipolla* " 24/7 87
- 647 *Tyroglyphus longior* Gen. " " " " 14/7 87
- 648 " " " " *petate. Trovat. anagynati.* " 27/7 87
- 648 *Rhizoglyphus Robini* Cl. " *ipolla* " 24/7 87
- 649 *Bellochynus polymorphus* Fr. In *Marceia quinquedula* Sz. " 1887
- 650 *Germanystus* " *in talpa* " 24/7 87
- 651 *Perilichus luniculatus* Hall. " *Thria parvina*. Sz. " 1887
- 652 *Myobia* " *in talpa* " 28/7 1887
- 653 *Bellochynus polymorphus* Fr. In *Marceia quinquedula* " 1887
- 654 *Rhizoglyphus Robini* Clap. In *ipolla* " 10/5 1887
- 655 *Tyroglyphus echinopus* R. F. " " " 21/5 87
- 656 *Rhizoglyphus Robini* Clap. " " " 24/7 1887
- 657 *Myobia* " *in talpa* " 28/7 87
- 658 *Trombidium australe* Gfr. Parasita S. ? Rio Janeiro. 1887
- 659 *Gamasus fortis* Gfr. *Ninfa*. In *coleoptera* " " "
- 660 *Diplogynium amminatum* Gfr. (*Celaenopsis* ?) In *Tulus*. Rio Janeiro " "
- 661 *Hypostopis* (Kerion) *Coffeae* Gfr. In *Coffea* *prunata*. " " "
- 662 *Labiophorus talpa* Kr. In *talpa*. Padova 24/7 87
- 663 " " " " " " " "
- 664 " " " " " " " "
- 665 " " " " " " " 28/7 87
- 666 *Parhyphus spinosus* Gfr. *Talpa*. *Chas australis* (America) 1887
- 668 ~~*Pygostolus couinellae* S. & S. *Pygostolus* *Pygostolus*~~
- 669 *Tyroglyphus echinopus* R. F. (*Rhizoglyphus Robini* Cl.) In *ipolla* " 8/5 87
- 670 *Phoroculus bilobatus* G.
- 671 } *Naria forme*, *sancti* & *preparato* da E. Liker. " 1886
- 672 }
- 673 }
- 674 }
- 675 }
- 676 *Treyana anatina* K.
- 677 } *forme diversa*. " 1886
- 678 }
- 679 }

- 680 *Rhizoglyphus Robini* Cl. Epoll. quarta — Pad. 2 1/2 87
 681 *Pleotinus humilatus* Tr. Strix pass. ♂ & " 1887
 682 *Tyroglyphus echinopus* F.B. Epoll. (Rhiz. Rob.) " 8/5 87
 683
 684
 685 } *Forma diversa*
 686 } Padova
 687 }
 688 }
 689 }
 690 }
 691 *Protophyllodes glandularius* K. Pad.
 692 *Glyciphagus domesticus* Lg. Lichi. scabi " 8/5 88
 693 *Gamasus fortis* Gfr. & *Diplogynium acuminatum* F. Rio Janeiro. " 87
 694 *Uropoda clavipilis* Gfr. Rio Rhina sp. Rio Janeiro " "
 695 *Tyroglyphus echinopus* R. F. (= *Rhizogl. Robini* Clp.) Rio Janeiro. Pad. 1 1/2 87
 696 " " " " " " " " 14/6 "
 697 " " " " " " " " 8/5 "
 698 " *longior* ferr. Sabadi quarta " 7/7 "
 699 " *echinopus* R. F. (Rhiz. Rob. Clp.) Rio Janeiro. " 19/3 88
 700 " *longior* ferr. Epoll. " 27/1 87
 701 *Chortoglyphus* *radicus* Berl. sa. exsiccant. N. longior. Padova 10/11 87
 702 ~~*Rhizoglyphus Robini* Cl. Tann. & Epoll.~~ Padova 15/11 88
 703 *Rhizoglyphus Robini* Cl. ♂ anormale. Epoll. " 16/5 "
 704 *Glyciphagus domesticus* L. Case. " 1887
 705 " *Rhizoglyphus* *imitans* K. ♂ & ♀ " "
 706 ~~*Rhizoglyphus imitans* K. Tann. & Epoll.~~ " 29/5 88
 707 " " " " " " " " "
 708 " " " " " " " " "
 709 *Alloptes phacton* Gmel. Messina
 710 " " " " " " " "
 711 " " " & *A. microphacton*. Messina " "
 712 " " " ♂ & ♀ " "
 713 " *microphacton* Tr. " "
 714 " " " " " "
 715 " *Novae*. " "
 716 " *phacton* Burkh. Messina " "
 717 " " & *microphacton*? ♂ & ♀ Ninf. " "
 718 " *microphacton* Tr. ♂ " "
 719 " *phacton* Burkh. ♂ " "
 720 *Phytobius anonymus* Kall. (Glyciph. anonym.) Lichi. f.ichi Padova 14/12 87

721.	<i>Rhizoglyphus spinitarsus</i> Jac.	<i>Leaves opposita</i>	Padova	29/5 88
722	"	" " " " fitchi	"	14/12 87
723	"	" " " "	"	"
724	?	?	Messana	1888
725	<i>Rhizoglyphus Robini</i> Cl. anomala	Lipolla	Padova	25/12 88
726	"	" (T. chinensis R. f.) Lipolla	"	9/15 87
727	<i>Tyroglyphus agilis</i> L.	Patate gnatae Albeni	"	5/1 88
728	<i>Tyroglyphus agilis</i> L.	Patate gnatae	"	7/7 87
729	"	figlie putrescenti	Trienza Nov.	"
730	"	Kramerii Stoll. Ninf. ipopiali. Plau. Pin. Cstr. D. Taron.		
731	<i>Rhizoglyphus Robini</i> Cl.	Lipolla.	Padova	22/7 87
732	"	" " (R. spinitarsus Germ.) Lipolla	"	16/4 88
733	"	" " (= " ") Sam.	"	16/4 "
734	<i>Tyroglyphus</i> <i>Glyciphagus spinipes</i> K.	figlie ninfali. In Lytta.	"	23/6 "
735	"	" " " "	"	" "
736	<i>Glyciphagus domesticus</i> Hg.	Alveoli Jacinath. In fitchi scabi.	"	8/5 "
737	<i>Trichotarsus Lydrospae</i> Inf.	In <i>Lydrospae violacea</i> (ninf. ipop.)	"	2/5 "
738	<i>Rhizoglyphus Robini</i> Cl. (= R. spinitarsus H.)	In Lipolla.	"	26/5 "
739	<i>Histioglossa Luborum</i> K.	Ninf. ipopiali. In Lipolla.	"	4/5 "
740	<i>Rhizoglyphus spinitarsus</i> Germ.	Ninf. in ductis 11 ipop. Lipolla	"	24/5 "
741	"	" " Ipops. Allevato in Lipolla.	"	" "
742	<i>Phytophagus</i> sp.	Inl. noce. Padova 22/7 88.	"	24/7 "
743	"	" " " "	"	21/7 "
744	"	" " " "	"	24/7 "
745	"	viti Land. Sulla vite	"	25/7 "
746	"	" " " "	"	" "
747	<i>Histioglossa</i>	In Mycetophila.	Pis. Taroni, 1888	
748	"	" "	"	" "
749	"	" "	"	" "
750	<i>Tyroglyphus Kramerii</i> Red.	In Kanariensamen	"	" "
751	"	" " " "	"	" "
752	"	" " " "	"	" "
753	"	" " " (Handschnehl)	"	" "
754	"	" " " "	"	" "
755	"	" " " "	"	" "
756	<i>Xercon ovalis</i> K.	Patate	Padova	6/8 88
757	<i>Phytophagus</i>	In Alnus glutinosa	"	4/8 "
758	"	" Laurus stoff	"	9/10 "
759	"	" " "	"	" "
760	"	" " "	"	" "
761	"	" " "	"	" "

762	<i>Phytotus</i>	Sub rose	Dott Favon (Kutina) 88
763	"	In Viburnum lantana	" " agosto 88
764	<i>Tetranychus telarius</i> K.	Sub sorgo	" " " "
765	"	" " "	" " " "
766	"	" " "	" " 88
767	"	" " "	" " " "
768	"	latius Canotto. mandibula.	" " " "
769	<i>Tetranychopsis horrida</i> B. G.		" " " "
770	<i>Tetranychus pilosus</i> Gth. et F.		Padova 1/8 88
771	<i>Stigmaeus Kermesinus</i> K.		Dott 15/10 88
772	<i>Tenuipalpus samitis</i> Gth.		
773	<i>Tetranychus pilosus</i> Gth. F.		Padova 1/8 88
774	<i>Tenuipalpus nicola</i> Gth. Alberi.		Dott 2/8 88
775	"	" " "	" " 88
776	"	" " "	" " "
777	<i>Mitotata pini</i> Riv. Gth. (71 genus Mitotata = <i>Eupalopsis</i>)		" 1888
778	<i>Anaspisira simul</i> Bl.	lotte erbe	Padova 1/8 R.C.
779	<i>Tetranychus latus</i> Gth. F.		Dott 1/8 88
780	"	<i>pilosus</i> Gth. F.	Padova 1/8 88
781	<i>Tenuipalpus coronatus</i> " "		" 16/7 87
782	<i>Calixenus</i>		" 2/11 87
783	"	<i>Kermesinus</i> K.	" 1888
784	<i>Tetranychus latus</i> Gth. F.		Dott 9/8 87
785	<i>Tenuipalpus palmatus</i>		" 29/9 87
786	<i>Anaspisira simul</i> Bl.		Padova 1888
787	<i>Tetranychus telarius</i> K.		Dott 25/7 87
788	<i>Calixenus gemelis</i> Riv. Canotto.		Pad. 30/10 87
789	<i>Tenuipalpus coronatus</i> Gth. F.		Dott 7/8 87
790	<i>Anaspisira simul</i> Bl.		Padua 1888
791	<i>Penthaeus ovatus</i> K. (pizanti)		Dott 1888
792	<i>Tenuipalpus lincola</i> Gth. var. a.		" 13/10 88
793	<i>Raphignathus</i> <i>argutus</i> + <i>Canestrinia blaptis</i> C. et P. Veneto.		" 17/10 88
794	<i>Anaspisira simul</i> Bl.		Pad. 1888
795	<i>Raphignathus ananensis</i> B. G. ? Giovanni		Dott "
796	<i>Anaspisira simul</i> West.		Pad. "
797	"	" " "	" " "
798	"	" " "	" " "
799	"	<i>Kermesina</i> K. +	" " "
800	"	<i>simul</i> West.	" " "
801	"	" " "	" " "

802	<i>Tenipalpus coronatus</i> Gt. F.	Don, 8/8 87
803	<i>Tetranychus</i> . larva eripoda.	" 27/7 "
804	" pilosus Gt. F. Albin	" 12/10 "
805	<i>Tetranychopsis horridus</i> Gt. F.	" 1888
806	<i>Tetranychus pilosus</i> C. F.	" "
807	<i>Cryptognathus lazera</i> R.	" 23/9 87
808	<i>Bryobia praeclara</i> K. Sotto ai sassi	" 11/10 87
809	<i>Tarsonemus</i> <i>Lucidus</i> & <i>betula</i>	" 87
810	" " " " " "	" agosto, 88
811	" " " " " "	" " "
812	<i>Tetranychus telarius</i> <i>in foglia di forzo</i>	" 88
813	" " " " " "	" 1/10 88
814	<i>Tyroglyphus Kramerii</i> Berl. Rio de Janeiro.	1890.
815	<i>Cryptognathus lazera</i> R.	Don, marzo, 29/9 87
816	<i>Nota di Tetranychus telarius</i>	" 87.
817	" " " " "	" "
818	<i>Tetranychus telarius</i>	" 27/7 87.
819	" " " " "	" 2/8 87
820	" " " " "	" 1/8 "
821	" " " " "	" 27/7 "
822	<i>Tetranychopsis horridus</i> Gt. F.	" 1/8 "
823	<i>Tetranychus piceae</i> R. C.	" 2/8 "
824	<i>Tenipalpus palmatus</i> Gt. F.	" 2/9 "
825	<i>Cryptognathus lazera</i> Kramer	" 29/9 88
826	<i>Tenipalpus pulcher</i> C. F.	" 15/10 87
827	" " " " "	" "
828	" glabra et lineata	" "
829	<i>Tetranychus horridus</i> Gt. F.	" 1/8 87
830	" <i>piceae</i>	" 28/8 87
831	<i>Raphignathus piceae</i> R.	" 1/8 87
832	<i>Phytoseius (Phytoseius) asinus</i> R. C.	Padova, 1888 <i>lucianae</i> Phil.
833	" <i>longirostris</i> R. C.	
834	<i>Bryobia praeclara</i> K.	Don, 1888
835	<i>Tetranychus pilosus</i> C. F.	" "
836	<i>Tenipalpus lineola</i> C. F.	" 12/10 87
837	<i>Tetranychus telarius</i> Dy.	" 29/7 87
838	<i>Medicula pini</i> R. C.	" 1888
839	" " " " "	" "
840	<i>Bryobia praeclara</i> K. & un novo.	" 16/8 87
841	<i>Tetranychus telarius</i> K. Sul lago	" 88

- 842 *Stigmaeus elongatus* B. Doss, 5/8 87
 843 *Neophyllobius elegans* Padova 27/7 88
 844 *Tenuipalpus lineola* C. F. Doss, 4/7 87
 845 *Bryobia praetiosa* K. Padova, 12/4 87
 846 *Stigmaeus pini* R. L. Doss, 29/9 88
 847 *Tenuipalpus coronatus* C. F. Padova, 16/4 87
 848 *Raphignathus pilosus* K. Doss, 5/8 87
 849 *Tenuipalpus pulcher* C. F. " 21/11 88
 850 *Tenuipalpus* " " " 88
 851 " *similis* G. C. & F. pulcher C. F. " 17/11 88
 852 " " " " " " " " " "
 853 *Stigmaeus elongatus* B. A. var. 14/10 87
 854 *Cryptognathus lagena* Kramer " 8/8 87
 855 *Tetranychus horridus* C. F.
 856 " *piceus* Palpi. " 2/8 87
 857 " *alaris* Larva. " 20/7 87
 858 *Tenuipalpus coronatus* Allert. Padova 22/10 88
 859 *Cataglyphis pectoratus* R. L. *Portophylloides glandarivus* K. Padova, ~~27/7 87~~ 27/7 87
 860 *Tetranychus telarius* " 2/8 87
 861 " *piceus* A. C. " 29/9 88
 862 *Caligula robustus* B. A. *Siro rubens* Latr. Napoli ~~Caligula~~ *Caligula*
 863 " *elongatus* " " " " " "
 864 " *elongatus* K. " *Thrips* " " *Agglossatus areolaris* 88
 865 *Raphignathus pilosus* B. *Portophylloides glandarivus* K. *hisp.* Campania Padova.
 866 *Bryobia praetiosa* K. Doss, 29/7 87
 867 *Neophyllobius superbus* R. L. " 15/10 88
 868 *Tenuipalpus coronatus* C. F. Pad. 22/10 88
 869 *Epinus* *Torrini* " 10/7 85
 870 *Leigognathus Berlesii* G. F. *In pignistello* " 1884.
 871 *Haemaphysalis punctata* C. F.
 872 *Tetranychus* L. *Cane*.
 873 *Dermanyssus reticulatus* Feb. *Stimma*.
 874 *Haemaphysalis punctata* C. F.
 875 *Rhipisiphidius burra* C. F. Catania
 876 *Aegos*, *larva*. *Da Timmenculus* (F. A. H.). Modena
 877 *Rhipisiphidius sanguineus* Latr. *Stimma*
 878 *Haemaphysalis punctata* C. F. *Stimma*
 879 *Rhipisiphidius sanguineus* Latr. *Stimma*
 880 *Haemaphysalis punctata* C. F. *In persona*
 881 " " *Vespa* Mori (Trattoria)
Vespa (")

- 882 *Haemaphysalis punctata* C. F. Rostko Mori (Trentino)
 883 *Paritipodes infus* K. (Hieft & *Rhipicephalus sang.*) L. Vaude. Vico (")
 884 " " " " " " " " " "
 885 " " Rostko " " "
 886 " " " " " " "
 887 " " " " " " "
 888 " " Larva " " "
 889 " " " " " " "
 890 *Ixodes ricinus* Charl. In buoi Trentino
 891 " " In ranche Vico (").
 892 *Rhipicephalus sanguineus* Latr. In cav. Modena
 893 " " In vicio.
 894 " " Zampar.
 (896) *Formicetor reticulatus* Fab. Timma.
 895 *Rhipicephalus sanguineus* Latr. In binarius europ. Modena
 897 " *microplus* C. Resistenzia (America). Sparisio.
-
- 898 *Ixodes ricinus* Charl. In *Rhinolophus euryal.* Veneto
 899 " *flavipes* K. Rostko
 900 " " Palpi
 901 *Haemaphysalis punctata* C. F. Capre Tavar (Trentino)
 902 *Rhipicephalus sanguineus* Latr. In vicio Modena
 903 " " " " " "
 904 *Ages nigrans* Rostko " colombi Venezia
 905 *Haemaphysalis punctata* C. F. Rostko In Purore Mori Trentino
 906 " " " Capre Tavar "
 907 " " " " " "
 908 " " " " " "
 909 " " " " " "
 910 *Ixodes ricinus* Ch. Rostko
 911 " *punctulatus* C. F. In capriolo Toscana
 912 " *umulatus* K. Rostko
 913 *Rhipicephalus sanguineus* K. Rostko Ca
 914 " " " " " "
 915 " *microplus* Sparisio Chiusi
 916 *Formicetor reticulatus* L. Purore Mori
 917 *Rhinolophus globiger* Berl. Soglia
 918 *Ages* Larva Falco himmuntibus Modena
 919 *Ixodes ricinus* L. Rostko In volpe Toscana
 920 " " " " " "

921	<i>Diodes laetata</i> K.	In Lavorta	
922	<i>Dermacenter rubicinctus</i> Fab.	In vassche	Vigo Trentino
923	<i>Haemaphysalis punctata</i> L.f.	Cajon	Tavon "
924	<i>Chimaphysalis lura</i> L.		Catania
925	<i>Junasus fuorum</i> O.f. Knip		Svezia
926	<i>Odella capillata</i> Kr.		Svezia
927	<i>Chimaphysalis sanguineus</i> Latr. (pinus K.)	In lepore	Modena
928	<i>Nyalomna algeriensis</i> Mège.	In sephre marginata	Jocua
929	<i>Uropoda lunaticornis</i> Bertol.	Sub d. formiche	Portici
930	<i>Tyroglyphus</i>	In semitis	Catania
931	"	" "	"
932	"	" "	"
933	<i>Tomanyssus</i>	Knip. Entes terra.	Palermo
(935)	<i>Bochymathus</i>	In Evonymus int.	Palma
934	<i>Actinobus vitis</i> Schr.		Svezia
936	<i>Odella capillata</i> Kr.		"
937	"	"	"
938	<i>Phaulixia rufus</i> K. Noto (Knip & Knip. sang)	Vande	Vigo (Vall di Non)
939	<i>Rhynchobothrus regalis</i> K.		Svezia
940	<i>Oribates depauperatus</i> Berl.	Alber	Firenze
941	<i>Chylethella pinguis</i> Berl.	In Tuvos menula	"
942	<i>Rhynchobothrus araneoides</i> Berl.		"
943	<i>Mikaelia angustana</i> Berl.		Salva
944	<i>Diodes Dörlleinii</i> Berl.		Firenze
945	<i>Goniocoptes corinellae</i> Leprot.	In linea propoli.	
946	<i>Protergates simplex</i> Tyrol. (= <i>Goniomerus musculinus</i> Stål.)	In Mus musc.	
947	"	"	"
948	"	"	"
949	"	"	"
950	"	"	"
951	"	"	"
952	"	"	"
953	"	"	"
954	"	"	"
955	"	"	"
956	"	"	"
957	<i>Haemidolophtus viviparus</i> Fucp. (L. varians M.).	In gallina (sua zampa)	Milano
958	"	"	"
959	"	"	"
960	"	"	"
961	"	"	"

- 962 *Knemidocoptes viriparus* ^{Frust.} *Da gallina* Milano
 963 " " " " "
 964 " " " " "
 965 " " " " "
 966 " " " " "
 967 " " " " "
 968 *Psoroptes unius* *coniglio* Milano
 969 " " " " "
 970 *Knemidocoptes philomelae* *Liche* - *Da utingnola*. "
 971 " " " " "
 972 *Sarcoptes psoroptis* *Conis* *Da coniglio*. Alfort (Francia)
 973 " " " " "
 974 " " " " "
 975 *Psoroptes unius* *Da coniglio* Milano
 976 *Sarcoptes psoroptis* *Conis* Alfort
 977 *Psoroptes unius* " " Milano
 978 *Psoroptes?* *Da Gymnophaga* N. Guinea
 979 *Trox hexagonus* *Da Pirus* Genova, ~~Modena~~
 980 *Lepidoptera ovium* *Da Lopia rex*. Trentino
 981 *Sarcoptes hominis* *Da uomo* Padova
 982 " *unius* *Da coniglio* Alfort
 983 *Psoroptes et Sarcoptes unius* " " "
 984 *Sarcoptes unius* " " "
 985 " " " " "
 986 " " " " "
 987 *Knemidocoptes glaberrimus* *Liche* *Da Pirus medius* Trentino
 988 *Gamasides* *Da Pirus*.
 989 *Psorophthirus empetris* *Da Lania*. Alfort
 990 *Sarcoptes psoroptis* *Conis* *Da coniglio* Milano
 991 *Symbiotus claudatus* *Da cane* Weiglar
 992 " *spathifera* " *buc* "
 993 " *epi* " *cavalle* "
 994 *Troxophorus melus* Parigi
 995 " " " " "
 996 *Anelops bilobatus* *Da Lania Pythula vulg.* Trento (Trentino)
 997 *Lepidoptera ovium* *Da Lopia*.
 998 *Symbiotus claudatus* *Da cane*.
 999 *Sarcoptes unius* (*psoroptis* *Conis*) *Da coniglio* Alfort
 1000 " " " " "
 1001 *Sarcoptes unius* *Da coniglio* Alfort
 1002 *Anelops* *Da Pythula vulg.* Trentino

1003	<i>Psocoptes simplex</i>	In Mus musculus	Milano
1004			Ungheria
1005	<i>Lamachus hungaricus</i> Caneth.		Ungheria
1006	"	"	"
1007	<i>Analys</i>	In <i>Pyrrhula</i> only.	Trentino
1008	<i>Coleophthoraphagus mynini</i> Berl.	In <i>Libonia melanellia</i> .	Siengo
1009	<i>Canethina dorviola</i> Berl.	In <i>Dorvus parallelepipedus</i>	Padova
1010	<i>Myocetes glivinus</i> Ckt.	In <i>phio</i> .	Idem, 1885-
1011	<i>Pachylabus crassus</i> Ckt. & La	<i>Pubilla phoenice</i> .	Padova
1012	"	<i>Picus medius</i>	"
1013	<i>Microbichus avus</i> Tt. &	<i>In gaza</i> .	Trentino
1014	<i>Pachylabus crassus</i> Ckt.	In <i>Pubilla phoenice</i> .	Padova
1015	<i>Microbichus portius</i> Ckt.	In <i>Sordis cinerea</i> .	Trentino
1016	"	<i>avus</i> Tt.	"
1017	<i>Solodrus muris</i> Raill.	In <i>Mus rattus</i>	Alfort (France)
1018	<i>Acari della Calabria</i> . Uomo.		Padova.
1019	<i>Sarcoptes scabiei</i> (hominis) L.		"
1020	<i>Psocoptes simplex</i> Tys.	In <i>coripho</i> .	Milano.
1021	<i>Amosia folliculorum</i> Ber.	" <i>uomo</i>	Padova
1022	<i>Solodrus muris</i> Raill. larva	" <i>Mus rattus</i>	Alfort
1023	<i>Psocoptes</i> .	" <i>gazelle</i> .	Milano.
1024	<i>Kaunitzoptes virgatus</i> Luef.	" <i>gazelle</i> .	
1025	com 1022.		
1026	<i>Sarcoptes squamiferus</i>	In <i>bus</i>	Wichlas
1027	"	" "	"
1028	<i>Cybelechus sarcoptoides</i>	" <i>gallina</i> (sauv. aere)	"
1029	<i>Sarcoptes minor</i> (Solodrus cati Ber.)	" <i>gatto</i>	"
1030	<i>Dermatophagus</i> (Kaunitzoptes) mulari Rob. & galina		"
1031	<i>Sarcoptes precos</i> Ckt.	In <i>coniglio</i>	Alfort
1032	<i>Myobia muscili</i> Cleg.	" <i>Mus musculus</i>	Padova
1033	<i>Solodrus muris</i> H.	" <i>rattus</i>	Alfort
1034	"	" "	"
1035	<i>Sarcoptes hominis</i>	" <i>uomo</i>	Padova
1036	"	" "	"
1037	"	" "	"
1038	<i>Psocoptes univul.</i>	" <i>coniglio</i>	Milano
1039	"	" "	"
1040	"	" "	"
1041	"	" "	"
1042	<i>Sarcoptes hominis</i> &	" <i>uomo</i>	"
1043	<i>Myocetes</i> , <i>Lithophorus</i> etc.	" <i>Arvicola amphibius</i>	Padua (France)

- 1043-1049 *Myobia mureli*? *Da pizipellia*. Custoga (Grotto).
1050. *Perognathus murinus* Capitan.
1051. *Myobia mureli*? *Da pizipellia* Cuffoga.
1052. *Calidocarpus Rollinsh.* Tr. *Da Rhinolephus ferrum equinum.* Francia.
1053. *Cheileticella* *Da jago* Trentino.
1054. *Trombidium Batteji* Parona. *Da heterorepbalus* Karas.
1055. *Microlichus avus* Tr. *Da pizipellia* Trentino.
1056. *Harnus tiro* *Da orina umana?* Genova.
1057. *Myocetes glivinus* Gfr. *Da Myopus glis* Trentino.
1058. *Gulotia katalstii* Mejp. Capitan.
1059. *Trachy* *Da riuio.*
1060. *Magistans Balgani* Gfr. Bolivia.
1061. " " " "
1062. " " " "
1063. " " " "
1064. *Trombidium chilumaniannu* Gfr. "
1065. *Daniosoma elongatum* Gfr. N. Guinea.
1066. *Hermania dentipes* Gfr. "
1067. *Proctos univerti* *Ex auro univerti.* Milano.
1068. *Deraiphorus Bironi* Gfr. N. Guinea.
1069. " " " " "
1070. " " " " "
1071. " " " " "
1072. " " " " "
1073. *Deraiphorus Bironi* Gfr. N. Guinea &
1074. *Erythraeus ignipes* Dug. Suecia.
1075. " " " " " "
1076. *Rhinolephus subulatus* Gfr. N. Guinea
1077. "
1078. *Microlichus avus* Tr. & *Da pizipellia glandarum.* Trentino.

