

2146 bis

- Fungi Varii -

- 1 *Almonia thobelforsii*
- 3 *Clitophis arcticus*
- 2 *Maresmus Sellwardi* Jind.

4 *Hydromus rufescens*

5 *Exobasidium graminicola* Besed.

9 *Uromyces necator*

10 *Cystotheca Wrightii* B. & C.

11 *Pyrenopeziza obliquata*

6 *Sphaeria Schweinfurthii*

7 *Sphaerobotrya tubera*

8 *Uromyces sorghivorus* Kern

12 *Pseudopeziza repanda* v. autumn.

- 13 *Phyllotreta lycina*
14 *Phenacoccus oblitus*
16 *Anthrenella tikia*
15 *Platyspharella blocheri*

- 17 *Fusivormia Meekleyi* S.
18 *Cyrtopon Gravata*

19 *Actoponia acuticollis*

20 *Sarcinella heteropora*

- 149 *Puccinia pulvinata* Robert. (*Echinopy*
macrotatus)
- 19 8 *Aecidium jasonicola* O. Henn. (*Jasm. floribund.*)
f. ram. v.
- 7 " " f. foliicola
- 116 *Uromyces Terribilith* (DC.) Wint. & Ured. (*Pist. falcata*)
- 125 *Uromyces Heteromorphus* Thüm. (*H. arboresc.*)
- 134 *Uromyces Fiorii* W. G. (*Pucc. fraxinifol.*)
- 16 3 *Melampsora Ricini* (Pers.) S. Ton. (*R. afric.*)
- 17 2 *Ravenelia Volkensis* O. Henn. [*Uccaria* Seyd.]
- 18 1 *Aecidium Cookeanum* S. Ton. (*Doranth. Schimyz.*)
- 7 39 *Hexagona Fioriana* Sp. G.
- 2 38 *Polystichus sanguineus* (L.) Fr.
- 37 *Xylaria* sp. (*Xylotylia*) fide aff. X. *pl. farri*
conide sp.
- 40 — *coriifera* (at videtur)
- 23 26 — *Fioriana* sp. G. (*aff. X. nigradensis*)
~~*erythrospora* sp. G.~~
- 24 34 *Asterella Roburii* O. Henn. (*Alve* sp.)
- 25 33 — (*Oedastrella*) *Schroeria pulchra* O. H.
- 9 32 *Cyathus striatus* (Vahl) Wulfen. (*Drac. Umbet.*)
- 6 44 *Poria medullar-pans* (Pers.) Sav.
forma late expansa. (*Poria nullae*)
- 5 45 *Ganoderma appplanatum* (Pers.) Karst.
spores brunneo-folig. 8-8,5 = 5,5-6 long.
(forma pubis junior)
- 3 41 *Fomes Ribis* (Schum.) Griff. (var. forma)
- 4 42 *Ganoderma lucidum* (L.) Karst.
(exempl. decolor.)
spores 8-9,5 = 5,5-6 ferrugineo-folig. long.
Ita forma apoda, reflexa, spores long. 6. (*G. nonkakinensis*
Pat.)
- 2 40 *Fomes ignarius* (L.) Fr.
Termiticola Brownii

Fungi Erythrae.

- 351 *Nauconia lanata* sp. n.
- 318 *Myrothecium volucrellum* Persch. = *T. Bartschianum* P. Henn
 = at = *T. Bartschii* Kellh.
- 30 (*Oidium erythroideum* f. *lanata* occid.)
- 29 — — et *Dematiaceae pullulans* (*Cordia subcordata*)
- 28 0 (*Zinnia florib.*)
- 27 entomog. (*Myrica salicifolia*)
- 26 *Peridermium* *testis* sp. n. (*Diospyros mespiliformis*)
- 25 *Acidium rhyssmodem* B. et Br. var. *Matae* P. Henn
 (an *Hypodermium*, quod tamen Medicum!)
- 24 0 (*Euclea Kellm.*)
- 22 *Peridermium* *funera* typica (*Onoclea spinosa*)
 et plurima pyrenaeo maris (*Phyllactis*?)
- 21 mycadium *ujas*? (*Vitis erythroides*)
- 20 0 (*Celestus arbustifolia*)
- 1926 *Phyllosticta perbundenis* sp. n. (*Trichilia emetica*)
- 18 ~~1926~~ *Bipolaris* *Trini* " *verisimilis*
- 1732 *Campylothecium dactyloides* sp. n. (*Trich. emetica*)
- 1633 *Fumago vagans* Pers. (*Sonchocarp. laxiflorus*)
- 1571 *Cercosporium elata* sp. n. (*Chasmanthera dependens*)
- 16 0 (*Dematiaceae grata*)
- 1322 *Ceratostomium juniperinum* Ell. et Ev. (!?) *procurus*
- 1210 *Uromyces Alvey* (Coker) Nag. - *Uredo* (*Uromyces/Alvey*)
 Coker Alvey Em.
- 1120 *Acidium Goodkeanae* P. Henn. (*Urtica. craticulata*)
- 1015 *Puccinia Abutili* B. et Br. (*Abutilon indicum*)