


613.



Laez

1000	20
300	14
1000	60
400	16



49
 47
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300

612

Hannemann, *spettro de grandis botan.* & Proskau
(Germann)

per le seguenti osservazioni.
anni, ~~molto~~ temp
più - breve

Convolvulus arvensis } distacco
e Anagallis arvensis } le foglie
Trifolium roseum } entropico

Stellaria media
(Crotalaria) } dalle Gela (a) }
vasta (arvensis) } a hannover }
e in ogni parte } e nei prati }
una collina } per più }
alle 12 a }

Calceola plurivalis
(prostrata) } Non apre }
le foglie } le foglie }
molto }
per le colline }
per - }

Lonicera erucifolia
(Lonicera periclymenum)
Lagurium communis } se le foglie } se le foglie }
non si chiudono } si chiudono }
anni sotto } avanti notte }
più di } del tempo }
domani } d'anno }

H. hirsuta Thormann
Candica, cocca } non apre i fiori }
" " } " " }
o negli stadi }

Trifolium } braccia cadere }
folie per giorno }

Galium venosum
de Betula } Erano in }
per del opera }

Ancistrum nemorosum } alle 12 a }
" " } chiedi i per fiori }

Ernst & Sohn

Calcutta & spec. de Patrimoine &
n.º 5008

5 p. papier assorti
en blanc 5. 1000 pag

Reparations de la machine

J. P. III.

1600/1000
6000/16

13
27
80



18

19

20

21

22

49

47

217

213

Ge Ga A I
R S

- G. *Asporium Junago* Zekl (Hex. ag. fo.)
- G. " *pithyophilum* Zekl. (f. ra. Ab. post.)
- " " *conid.* Antennat. pithyoph. fr., sec.
Zekl. in pappam.
- G. " *Ulmii* Zekl. (ra Ulm. subes.)
- " " *conid.* Tomla ulmicola Rth.
- G. " *quercicola* Zekl (fo. Querc.)
- " " *conid.* Capnod. sist.
- G. " *Centaurei* Zekl (c. f. Syst. Cent.)
- IG. " " *conid.* Tomla Centaurei Zekl
- " *Plantagini* Zekl (non. vivunt.) f. Pl. medii
- G. " " Tomla Plantagini, Ab.
- G. " *Rhododendri* Zekl (fo R. ferrug.)
- IG. " " Tor. Rhododendr. Kze
- G. " *tremulicola* Zekl f. Pop. tremul.
a *querc.* Tremulae Tul -
- " " *conid.*
- G. h. *Brassicae* Zekl. c. Brass.
= *Penisporium Brassicae* Lib.
- " " *con.* Hornisium laxum Wallv.
- G. " *profusum* Zekl (ort. Popul. et Querc.)
- G. " *Salicis* Kze S. (ort. Salic.)
- G. " *Mali* Wallv. (ort. Pyri Mali
con. Cladosp. fuscum Bon.
- G. I. " *Stygium* Wallv. Zekl (lig. querc.)
- G. " *Hypocistis* Zekl in th. papyraceae
- G. " *Lentiscis* Zekl (fo. Lentisc.
ara 0

C

50

L

4

H

49

47

717

14

218

8

26

6

- Anixia* (fr.?) Hoffm. an. cyl. esp. hyalosp.
- G. " *brucegensis* Hoff. (h. pineo
- G. " *Wallrothii* Zekl (sterc.)
- G. " *spadicea* Zekl (stram. secal.)

4

53

6

- 6 I 6 *Compositum Graminum* Lib (fo Gram.)
 9 6 " ^{*viridulum*} *Compositum* T (ca. Urtic. etc.)
 G " " *rhomboidale* Fekl (ca herb.)
 G " *Pavonellii* ^{*Compositum*} Fr. (culm. gram.)
 (" *pyramidale*, *lachen*, *severitoides*, *cornutum*: Dubn
 " *viridens*

- I 9. *Ascopora cruenta* Fr. (f Con. Polyg.)
 I 9. " *brunnea* Fr. (f Con may)
 " " *con. Asterum subradium* Fr.
 G " *Pisi* (Lib.) Fekl (leg. Phas.)
 G " *Aegropodi* (P.) Fr. (fo. Podagr.)
 G-I " *Asterum* (W.) Fr. (f Con. Poly. et mult.)
 " " *con. lambomra rebrulata* (DC) Fr.
 G " *Solidaginis* Fr. (f Virg. Jan gener?)
 " " *specim. Ascocyta Virgaurea* Lib.
 G " *Mali* Fekl (pag. sup. P. Mali)
 " " ? *specim. Asterum Mali* Dmg
 G " *Denariæ* (West. sub Zythia) Fekl
 (in caut. Dent. bulbifer.)

- ab 10 ? *Astranthii* Fr. (skrit.)
 9 ? " *Scolopendri* Fekl fol. sedop. off.
Himantia Rehm
pulverulenta (P)
 9 *microspora* Kstl (Rbth) f Rehm Fekl
 sp. 12-14 x 2-3 4 quatr. hyal. =

- R. *Asporos parallela* (K.) S. culm. Calam.
 Ap. *Schiola* (Pass.) S. culm. Phragm.
 ap. *Montagnei* S. culm. Arund. maurit.
 ? ap. *Lycopodina* (K.) S.

- 9 *A. alpinæ* (Hegn) Hedw 74 cort. Mughl.
Amplichaena publis (B. Br.) C. D.
A. conformis (B. Br.) C. D.
 alg. i A. *conica* (Lév.) & G.
 s. *severitii* DC m. f. *platea conica* Lév.
 9. i A. *papillata* () Mthz liza sal. ca.
 i A. *faeda* Mthz lign. car. salic.
 i A. *pseudumbriana* Lau. cort. Acer.
 et Popul.
 af. ?? A. *rosacea* (Fr.) in ram. Betul.
 et *Verrucaria conferta* Light. f. Rehm.

- Cay. A. *mezalopora* (Mthz. 229) cort. ab
 Alg. A. *biturbinata* DC m. no Pond. oca
 Cay. A. ? *uberina* M. 2ho ped. palm.
 sp. A. ? *Leputta* (Mthz 1866) var. *Vitis* Mthz
 sp. *hyal.* Mthz 30 x 10
 9. A. *betulina* Rehm asc.
 N. *phiteusa* Ek et Peck sub *glauca*
 sp. 29 x 10 brun. *Greenlee* 26 p 55

g. A. seminudus (Pers? na fult) vel pers. ligno Tiliac
 a. A. paedrida (B.P. Greville 1861) in fago
 R.G. i Amphirophacia umbrosa (Fr.) C.D. cort. ab.
 i A. crassicolle (D.M.) C.D. frutule lignea
 i A. umbrellata D.M. cort. Aler. Pseudop.
 i A. opulenta (Fr.) C.D. ram. Grumb.
 g. (hy.) parviflora Cuv. in ligno = D.M.?
 R.G. i A. (Fr.) parviflora (Pers.) Greville
 i A. tardata (Fr.) C.D. ad lign. querc.
 A. lignea Karst M.P. 56 foto Splodai
 i A. Petriciana (Cald.) C.D. cort. Cingess.
 A. conyvalis Karst. cort. Pop. dem.
 alg. i A. Pindaria (D.M.) C.D. Pind. oc. P. caulin.
 A. pusilla Karst. hys. vet. Sal. nigra.
 A. appplanata (Fr.) C.D.
 alg. A. Dickra (D.M.) C.D. ram. Dec. Post. laut.
 A. heximbris (Fr.) C.D.
 A. Infans (B.Br.) C.D. = Massaria
 A. dochmia (B.Br.) C.D. = Dorymyces
 i A. olearum (Fr. na Karst.) C.D.
 i A. fallax D.M. f. 72 cort. querc.
 alg. A. diplopia D.M. 232 calm. Ar. maurit.
 Ex. A. agnoscata (B.B.)

i. alg. 30 Agleospora profusa (Fr.) D.M. i Pseud
 Pycn. v. spem. fikel potius ad Sagarth.
 spectat.
 S. Lestivellii B. & C. - S. anomia Fr.
 S. canaliculata Klotz - Agl. scabula D.M.
 Spl. irregularis D.C. nov. fr.

Tetrastichia subulipora Cha
 sp. 20-30 = 12 pileis. in ligno
 Tetrast. texensis Cha
 sp. 15 = 6 subhyal

C
 50
 4
 4
 H
 49
 4
 14
 118
 8
 6
 6
 58
 6

Anthostoma Wke

a i A. decipiens (DC) Wke h. Carp. Bot. Querc. fag. ac. camp.
 spor. cand. sph. formosus

A. hians (Fr.) Wke tr. fag.

A. carbonensis Wke li. Carp. Bot.

A. nigricans Wke ra. ac. camp.

A. areolatum Wke ra. dec. fag. xyl.

i A. Schmidtii (Awd.) Wke l. frax. fag.
 querc. alii.

? A. lanuginosum (Nrb.) + sp. Wke 117

fr. A. oxyacanthae (Mlyn.) ra. Oxyac.
 Sodini Ox. C.D.

fr. a A. melanotus (B. Br.) li. querc.
 Ruellius sp. Karst sed fagum

i A. intermedium Wke li. cort. Prun.
 Scl. orbil.

A. ferrugineum Wke li. q. ?Salic.

g A (Lopad.) Querswaldii Wst v. Abngl.

i A. cubulare (Fr.) Wke li. prun.
 amph. cubulans (Fr.) C.D

f A. arrodorsum (Fr. 32) ramul fag.

g a b A. tardidum (Fr.) Wke ra. fag.
 spem. Sphaeria fagrea Fr!

i A. lacustrinum Wke ra. cort. querc.

A. amoenum (Wke) + ra. fag. xyl.
 Fructelia amoena Wke Gohl

A. stenanthum (Fehl) ra. ac. Prun.
 Fructelia st. Fehl

A. helveticum (Fehl)
 Chaetopoma h. Fehl

g a i A. garbinum (Fr.) + Carp. Querc. Wke
 Chaetopoma 3. Wke - Hypomyces 3. Fr. Melop. 3. Fr.
 Anastomus Nitzschii Fehl sph irregulari Jan

a A. dyophtisum (Curr.) + ra. querc.

a A. deauratus (Curr.) + ra. prun.

Rabot A. Aglisteri (Pers.) + ra. L. xyl.
 = sph. semiminorana Grav.

A. discicola (Fr.)

ig. *A. alpinum* (Fisch.) Lau
var. *var. alpinum*

ig. *A. Hederae* (Fisch. sub *Amplisip.*) v. Hed. Hol

N.A. *A. atripunctatum* (L.) Van. pect.

A. capnodes (B.K.)
Habit. D. Hymetes

Ph. *A. Phyllirae* (M. B. 217) Cat. et Lig. Ph.

St. *A. hirsutum* (M. B. 217) Cort. Pist. Lond.

Cay. *A. conostomum* (M. B. 220) Cort. arbor.

alg. *A. diplodoides* (M. 230) Cort. querc. cocif.

alg. *A. defossum* D.R. M. can. *A. trop. frutes.*

alg. *A. sycosperma* M. M. 235 v. Querc. cocif.

A. A. (Fuehelia) Phorwrightii Vol. v. Ulice

Cyl. *A. pithodes* (M. B. ^{Hedw. 78. 130} ~~Datrypa~~)
6. 7. 309

N.A. *A. Clappii* (Sims) v. b. querc.

N.A. *A. grandineum* B. et R. v. querc.
Datrypa 500. 31. 95

Tex. *A. nymphaeae* (C. Datry.) v. *A. cortica*

A. p. amyg. folis. 15 & 9

A. exultans

Effera 14. ellipt. 11 & 8

Handwritten marginal notes and numbers on the right side of the page, including '50', '4', '49', '217', '14', '213', '8', '53', and '6'.

- * *Anthrodiaella festucae* (Lib.) f. Brachygl.
 Tenallia? *Despreuxii* (Meyer 1857) ram. ul.
 = *Rindler* sp. 40-50 x 10-20 fol. var? - obtusata
 fr. A? *Tulasnei* Cr. sph. 26 - in muris: ch. h. fest.
 fr. A? *Hephermatey* (Cr. 25) in Sh. N. sesup in
Ruellia sp. ovad. lutes. 2-guttata
 fr. A. *duplex* (Low. *fung.* Cr. 21) fol. cul. max
 fr. *lutea*
 fr. A. *gemistae* (Cr. 25) ramul. *Scurt*
balai
 g. S?? *hortiformis* Pr. 713 caul. herb. nig.
 g. Physal. sp. glob. alba 1-nud.
 g. A? *Nisus* Kalchb. *Hedw.* 69 p. 117 in *Wiso*
 i. A! *bracteata* (Ces. *Hedw.* 1872) pet. *Cham.*
 11. 13-14 g. *fr.* 2-cali. *recond.*
 New York. *orthospora* (*capitula* & *chaenophora*)
 (W. R. *Sereno*.) caul. *Trunc.* *Helen*
 11. 14 x 5, *brunne.* 2-gutt. *bristata*
 Ceyl. A! *pandurolo* P. Br. fol. *Pand.* *ovata*
 A? *pandurolo* (Aldw.) *fr.* 1446
recepta? *indica*

- Aylographum* (vide pag. 109.)
 An. A. *Epilobii* Lib. caul. *Epil.* *angustif.*
 f. A. *festucae* Lib. ad vag. *fest.* *lygl.*
 A. *maculare* B. Br. fol. *Typhae*
 A. *Torii* (Perr.)
 Ind. A. *cepotosan* Cks. fol. *coriac.*
 Cal. *Ab.* A. *Pandura* *Hess.* C. *Gre.* f. *Pand.*
 Comhill *Donacis* *Rindl.*

* *Physalospora*

Apocynum crucianellae f. et cond. Onc. angustif.
A. iderostichoides c. Sed. Thalephtis
A. neglecta f. 1100 c. chinensis
A. Broussin fol. pin. et al. hot
 9. *Apocynum herbarum* (P.) Dry. f. Con. majal
 = *Siphocampylum* h. f. fol. opp. II 50
 1. *microtheca* Dub. fol. lat. bayac.

Anf. *Aylographium Bromi* Bk f. Brauparotic
 p. *A. hieroglyphicum* Rob. f. Lind. Tulip.
 o. f. y. *Aylographium Hederae* Lib. f. Hed. Phyll.
 i. *A. Canepae* D.M. caul. Thym.
 i. *A. sarmentorum* D.M. ram. Vitale
 Ard. p. *Luzulae* fib. f. Luzul. maxon
 p. *A. pinorum* Dry. f. Pinor.
 Ard. *A. junceum* Lb. cal. Lunc. confusa

*g. *Anthriscumelle conorum* (P. B.) +
 squa conor. Sin. hyl.

i. *A. persidis* (D.M.) + cot. Gr. Poudy 4
 i. *A. fomicoides* Jac. caul. varij
 i. *A. limitata* Jac. ramul. var.
 i. *A. nitidula* Jac. ramul. carp. Bot.
 i. *A. clypeata* (D.M. f. v.) Jac. Ruber.
 i. *A. delikense* (D.M. f. h.) re. vic. arb.
 Cay. *A. sulazense* M. 260 p. h. Palmer.
 i. *A. umbrellata* (D.M.) + cot. Coston
 i. *A. Uuedini* (D.M.) + cot. Uued.

Chil. *A. unguiculata* M. 261 f. Desfontainis?

f. a. *A. Tonicum* (Lév.) culm. Ariz. et Jun. ci.
 A. *phacosticta* (Bk) in. Car. pond.

f. *A. punctulata* (Dry. 1851) fol. Car. pond.
 of w. H. M. Willd. Br. noni.

alg. *A. contaminans* Dk M. 261 pot. Ph. v. v. v.
 at Chameng

f. *A. tamulosa* (Dry. 1851) cal. Jun. artic.
 alg. *A. acanthina* M. 262 pot. et Alcant. mollis

A. *nubilosa* (Awd.) ab. Ph. v.
 A. *Steinheilii* M. + Chameng hum.

(A. *Syngei* (P. Kx) ram. lyr. only
 pp. ov. 27 of fus. f. loc. brunn. luter.
 and *Syngei* - Botanyoph.

f. 60 *A. hughesii* (Rob. Dry) p. sup. f. Calum. aren.
 Calum. aren.

alg. *A. chivulosa* (Mögn S. 239) culm. ann. 4
 alg. *A. Duteyi* Dk M. 233. caul. Cic. Dutey.

alg. *A. nitidissima* Dk M. 234 culm. Arum. Don.
 alg. *A. chionostoma* Dk M. 237 caul. herb.

alg. *A. scotina* Dk M. 229 c. Lipo. (caud.
 Gyp. *A. Steyerhori* M. 236 c. arundis. 53

f. *A. Rouxi* (Mögn 1859) fol. Dur. multif.
 recent. spand. granul. alb. an. immut.
 2d. p. th. eped. at. nit. techa =
 Phylolopon
 U. *Rhodesianum*
 f. *A. Doryenii* Mögn. ram. Dorye. rff.
 1p. h. fol. 13 1/2 x 5 = Phylolopon

g. *Artemium lanuginosum* (Pr.) ^{caud. Dry.}
 sp. lanuginosa Pr. = sp. *Borreria*?
Haploporium tetragonum Gekel
 cf. *Sodina Borreria*

- Guy. *Asterina Sabecula* M. 258. f. Cor.
 Alg. *A. ammophitae* D.R.M. f. A. aren.
 Portorico *A. Eugeniae* M. f. in Eugenia
 Chili *A. granulosa* (Kl.) M. 258 f. Baehner
 Java *A. appendiculosa* M. Bk f. v. ^{f. Myrt.}
 J. all. *A. axialis* Drey. f. Hyp.
 J. *A. ¹⁸⁵⁷ Epilobii* Drey. f. Epil. his
 J. *A. ¹⁸⁶⁹ angulata* Drey. f. Ulm.
 J. *A. umbonata* Drey. f. Retz. alp.
 J. *A. Pyraeantha* Drey. f. Cr. Pyr.
 J. *A. radata* (Walt. M.) f. Sorb. form.
 Na. *A. orbicularis* B.C. f. Licij et Prini
 Na. *A. ^{1-10pt} decolorans* B.C. f. Egin.
 Na. *A. ^{1-10pt} conglobata* B.C. f. Arbut. W. wif.
 Na. *A. ^{1-10pt} diploidia* Drey. B.C. f. Androm. acum.
 Na. *A. ^{1-10pt} malicoides* B.C. f. Baccharis. hdi.
 Na. *A. ^{1-10pt} pelticulosa* B.C. f. Prini. coniacae
 Na. *A. ^{asw. et sp.?} spumosa* B.C. f. Hypoty. radat.
 Na. *A. Wrightii* B.C. in Cucurbit.
 Na. *A. comata* B. et Pav. f. Magnol.
 Himal. *A. adpersa* Bk (Strain) f. grandif. f. ang.
 Chili *A. Azarcae* Lev. (Strain).
 Him. *A. uncta* Bk (Strain).
 Chili *A. compacta* Lev. (Strain).
 Brasil. *A. Melostomaty* Lev. (Strain).
 Chili *A. micromegala* Lev. (Strain).
 Bolivia *A. pulchra* Lev. (Strain).
 Java *A. punctiformis* Lev. (Str.)
 Chittag. *A. scutellifera* Bk (Strain).
A. Darwinii (Hoffm.)
A. Hederac Drey (Hoffm.)
A. stricta (Hoffm.)

Scap. *A. d. d. d. hystericoides* Fr. var. *decont*


Acharii
acrostichum
Stictis
Hänkei

Scap. *Asterocystis mirabilis* P.B. v. *culm. Pauley* Fr.
aria et spore?

Antennaria lacinate Cla I. 286 v. *Behringii* 14
perith. subglobosa : sp. ovat. oliv. asc. 6?
125

A. Teta Cla I/290 *caul. rubr. Rubr.*
perid. luteo. : sp. subglob. bully. asc. 6?
4² *decan*

3
C
50
50
49
49
24
217
14
213
8
6
6
53
173
6



Eycl. Hypocrea *Arborea* B. Br.
 Eycl. H. *Diella* B. Br.
 Eycl. H. *deplanata* B. Br.
 Eycl. H. *corticoides* B. Br.
 sp. ellipt. 1-sept, apical.
 Eycl. H! *pezizoides* B. Br.
 sp. globos.
 Eycl. H. *jeconia* B. Br.
 Eycl. H. *calochron* B. Br.
 Eycl. H. *fungera* B. Br.
 sp. fusoid. 1-sept.
 Eycl. H! *palmicola* D. et C. f. Palm.
 sp. glob.
 Eycl. H! *multiformis* D. et Br.
 sp. monilifer.
 Eycl. H! *albiflora* B. Br.
 sp. glob.
 Eycl. H. *discoidea* B. Br. f. *Lingib.*
 sp. orb. plat.
 Eycl. H. *Pambusae* B. Br. a *Pambusae*
 sp. filiform.

3
 C
 50
 30
 2
 4
 49
 44
 217
 14
 213
 8
 6
 53
 13
 6
 5

A

GI 60

96

G

G

Iq.

Iq.

G

G

G

G

G

G

at

R

at

f

- Cepl. Hypoclyon 'angustum P. Br.
- Cepl. H. deciduum B. Br.
- Cepl. H. lycogalodes B. Br.
- Cepl. H. ceramichromum P. Br.
- Cepl. H. subgilvum B. Br.
- Cepl. H. distillatum B. Br.
- Cepl. H. chrysocnium B. Br.
- Cepl. H. chalybeum B. Br.
- Cepl. H.?? niphidum P. Br.
- Cepl. H. anthochromum ^{sp. 3-10pt fugal} B. Br.
- Cepl. H. nodum B. Br.
- Cepl. H. oodeg B. Br.
- Cepl. H. trugodeg B. Br.
- Cepl. H.?? umbrellum P. Br.
- Cepl. H. ^{sp. subellipt. 1-10pt dom. collinud.} discolor P. Br.
- Cepl. H. ^{sp. ellipt. abinop. apic.} murcidum B.
- Port. H. globosum (Spreng. Sp.) Mtn. Nunc.
- Carol. S. colliculosa Schew. v. Querc. lyr.
^{sp. H. serjanti.}
- G. G. H. incrustans (Pers.) Mtn. ad tr. japon.
- N.A. H. concurrens B. et C.

3
C
50
50
2
14
28
H
49
9
44
14
18
8
6
4
53
6

~~Acidim Ferrise~~

~~Acetabula vulgaris (L.) Fruct.~~

~~Aethalium vaporarium (Bull) Fr~~

~~Amphisphaeria Hesperidum II 414~~

~~" umbrosa~~

~~Ausculosia mesophytica Pers.~~

~~Asteroma subradicum Fr. I 261~~

~~Vogelia misc 40~~

~~Armillaria millea Desf. p 10~~

~~Arthmia flammea Fr. II 154~~

~~Arthmia dichotoma Roth II 155~~

~~Apochyta Oreocephala Sav II 55~~

Apothya antiqua
~~Baccinidif~~

B

C

50)

60

2

48

H

49

44

217

14

218

8

6

8

6

1/3

6



Blank lined page from an old book.

C

50

2

49

H

49

44

717

14

913

8

6

29

6

73

6

5

8

6x

1.

6.

7

6

1

1

1

1

6

1

1

1

1

1

1

1

1

1

1

1

1

1

1





C

50

2

49

H

49

44

77

14

8

6

22

6

17

6

5

6

68

1

10

23

10

1

1

1

1

6

3

6

6



Blank lined page with horizontal ruling lines.

C

50

2

49

H

49

44

717

213

8

6

22

6

1/3

6

3

6

6x

1

6

2

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6

1

6







Blank lined page with horizontal ruling lines.

C

50

29

49

H

49

44

14

218

8

6

6

33

6

6

6x

1

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6

6



Blank lined page from an old manuscript.

C

50

2

49

H

49

44

71

14

912

8

6

6

1

6

5

6.

6x

1.

6.

6.

6.

6.

6.

6.

6.

6.

6.


6.

6.

6.

6.

6.



Blank lined page with horizontal ruling lines.

C

50)

2

49

H

49

717

14

212

8

6

22

6

17

6

5

6.

6x

1.

6.

7/

6.

6.

6.

6.

6.

6.

6.

6.

6.

6.





Blank lined page with horizontal ruling lines.

C

50

2

28

H

49

717

14

212

8

6

6

1

6

8

6x

1

6

2

6

1

1

1

1

1

1

1

1

1

1



Blank lined page with horizontal ruling lines.

C

50)

2

49

H

49

717

14

212

8

6

22

6

17

6

5

6.

Kx

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.

1.

6.



[Blank lined page]

C

50)

2

48

H

49

47

117

14

113

8

6

6

6

6

6

6

6

6

6

6.

Kx

l.

h.

cp

br.

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—





Blank lined page from an old book.

C

50

2

48

H

49

44

717

14

718

8

6

722

6

718

6

36

KX
1.

de

ap

de

is

re


de

de

de

de





Blank lined page with horizontal ruling lines.

C

50

2

18

H

49

44

717

14

718

8

6

719

6

720

6

46

Kx

1.

de

23

de

25

3


de

de

3

de





Blank lined page with horizontal ruling lines.

C

50

2

18

H

49

44

717

14

712

8

6

79

17

46

Kx

1.

46

47

48

49

50

51

52

53

54

55

56

57

58

59

60

61

62

63

64

65



Blank lined page with horizontal ruling lines.

C

50)

2

18

H

49

4

44

717

14

712

8

6

6

1/3

46.

Kx

1.

46.

47

48.

49

50

51

52

53


54

55

56

57

58



Ch. *gram* (Lk) Frug. Tub. Gay. II 268. n. caud. Champ. & Herp.
 aff. ex Tub. Ch. comata sp. h. monif. - an. - ovalis, a. l. septa

G *Chaetomium lunicolorum* Fekl (ster. canic.)

G. 4. 1. 1. 1. *comatum* (T.) Fr. (var.)

" " *unid.* *Sporidium conplexoides* Cda

" ? *pycn.* *Conoplex hispida* Cda

G " *cripation* Fekl (tub. Solar. tub.)

G I 4 *Zieheri* Cda 1783 ^{Canab. lat. Fekl}

Vr syn: Ch. *graminis* Rabh. ^{n. ch. sicut putrid Cda}

" " *con.* *Myxotrichum chartarum* Kz sec Z.

A " *chartarum* Ek. G. = *Zieheri*? chart. putr

G " *depressum* Wallr. n. squam. ab. excel.

" " *con.* *Myxotrich. resine* Fr.

G " *pineti* Fekl. (pin. equin)

G. C. *conditum* Pr. ad caul. *Georgii* var.

L. C. *pinetorum* Karst 200 in pino caudis

Ursprünglich ist *Pempori* species

Tud. C. *adhaerens* Cda - chart. putr.

G C. *tomentosum* Pr. lign. querc. putr.

G A C. *murorum* Cda 1793 in pariet. mural.

a C. *funicola* Cda Grav. I. 176. n. funib.

a C. *griseum* Coda " in telij putrid.

a C. *fulvum* B. Br. n. chart ^{Grav. II 165}

a C. *glabrum* Bk in stram. putr.

G C. *lageniforme* Cda Lc 1293. A n. chart. impy.

G C. *affine* Cda Lc. II. p. 108 f. Querc. putr.

U. or. C. *Amphi. richia* Cda 1813 f. ^{caud. putr.}

U. C. *araliae* Cda 1813 f. ^{pec. arg. a. f.}

C. *Chaetochytrium populinum* (Fr.) Karst f. ^{arg. a. f.}

R. A. 60 = *Hypopile populina* Fr.

+ a. g. *Clypeophaera Notarisii* Fekl va Rub. fr.

sec Fekl 3-10 sept. see G. M. S. 4-6-10 sept. ^{at hinc sp. in ovalis Pr. 213.}

var. C. *limitata* (Pers) Fekl va Corn. say. alt.

Fr. = *Sph. mammillata* Fr. C. D. Schaeum 222.

R. C. *praevisita* (Karst.) va Rub. ^{over. ob. l. 10}

cap. *hypochrysi* affini C. *Notarisii*

o. ? C. *clypeata* (Hees) van Rub.

sec C. D. ^{conf. limitata analog}

C. sec Kx sp. obl. 3-1 sept

R. *Canomy hypoxylonoides* Karst. col. b. Ab. glut.

Ob. ^{valde susp. cor. den. 4/10} ac H. *Tubulina* (A. S.) Fr.

Ch. ^{sp. in} *limitata* *limitata* Karst.

- 0 g *Ceratostoma cirrhosum* (Pers.) in ligno putre
 s. hy. sec. Cuv. - spand. ovid. fusidilla cont.
- 0 b g *C. rostratum* (Fr.) in ligno putre frag.
 s. hy. ? ob sporid. raro Hojst, Fekel; cont. 2 gutt. C.
C. rostrata Cuv. cont. 2 gutt. Cuv. & H.
- g *C. sphaerospermum* Fekel in tr. pin. 1/2 lb.
 s. hy.
- g *C. subpileosum* Fekel in lign. salicin.
 s. hy. spand. Phum. ^{rostratum} ^{sisters}
- a *C. lignicola* (B. Bon) + lign. putr. spec.
- 2.6 g *C. strictum* (Pers.) Fekel lign. querc.
 ? ob spor. cylindr. 8-10 x 2, hyal.
- g ? *C. obliquum* (Fr.)
- g ? *C. procreans* Fekel lign. querc.
 sp. ovata. asi. querc.
- ob i ? *C. piliferum* Fr. lign. putr. var.
 endosp. ign. ex Ray sp. ovid. v. gbb.
- g *C. multirostratum* Fekel. lign. Pin. 1/2 lb.
 ? sp. hy. obl.
- a *C. ampullacea* (Cooke) lign. querc.
- g *C. Vitis* Fekel. in rad. V. vinif.
- f. *C. quercicola* C. Sph. 24 lign. querc.
- i g. *C. caulicola* Fekel (Tavac. v. g.
- i *C. Nolanii* Sacc. lign. putr. Cuv.
 Sordans rhynchophum Dillh. Red. 480
- ba *C. lampadophorum* (B. Bon) lign. putr.
 p 75 G.
- C. stylophorum* (B. P.) Cuv. putr. Cuv.
- f. *C. hirsuta* (Fr.) Cuv.
 sp. ovata. Cuv. contin.
- al. *C. leptorhyncha* DC. in. 232 cont. Cuv.
 sp. contin. ovata humil.
- f. *C. subalsum* Cuv. cont. Albionij pot
 sp. ovid. hyal. 2 gutt.
- g *C. annulatum* Pr. III lign. vet.
 sp. ovata. alb. 1. nud.
- g *C. Vitis* Schab. serm. Vitis vint
 sp. ovata-obl. 16-17 x 6, subglobula
 haud. unicolor. 1-septata, 2-6 gutt.
 in Diaposthe!
- a *C. crinigerum* Cooke lign. pine
 sp. alpt. 3-sept. hyal. 10-12 g.

Ceyl. *C. chrysmellum* (B. Br. - Melanops 117)
 sp. obl. Egypt 711

2. *rotata* Tul (Subphar Cap II 300)
 ani ovali 9 1/2 - 13 cr. subrot. raris,
 fultis i sp. quaternis late ovata
 oblongis 6 1/2 lga, atra. 50)
 Parth. *rotata* - Versalia.
 = u Dny Exsic

Ceratometella

species continua, hyalina, ovoides v oblonge

- C. stricta* ^{sec sp. 2-117} *C. multirostrata*
- C. dispersa* Karst
- C. ampullacea* (Cooke) lign putr juv
- C. leptomyche* DM
- C. lamellata*

Ceratostomum

species tandem 1-septata, hyal, ov. v obl.

- C. rostratum* ^{sec Kar 2-117} 1-sept. hyal. lign putr
- C. cirrhosum* 1-sept. hyal.
- C. stylophorum* ^{Cooke B. Br.} 1-sept.
- C. furcellum* Karst 1-3 sept. hyal.
- C. liqueola* (B. Br.) 1-sept. hyal.
- C. curvum* ^{sec Cr. ovid. cont. 2 quitt.}

species multiseptata

Ceratostomidium

- C. lauzadrophorum* (B. Br.) lign putr
- forte *Altophrydium*


- 0 g! *Ceratostoma cirrhosum* (Pers.) in ligno putre
 s. hy. sec. Cuv. - spand. ov. fruct. sicc. cont.
- 0 b g *C. rostratum* (Fr.) in ligno putre frag.
 s. hy. ? ob sporid. raro Hopt., Fekl. und 2 gutt. Co.
C. rostrata Cuv. cont. *C. rostrata* Cuv. und 16.
- g *C. zphaeroperum* Fekl. in tr. pin. sylv.
 s. hy.
- g *C. subpilosum* Fekl. in lign. salicin.
 s. hy. sp. Phoma ^{rotundifolia} ^{sistens}
- a *C. lignicola* (B. Bon) + lign. pub. querc.
 2.6 g *C. strictum* (Pers.) Fekl. lign. querc.
 ? ob spor. cylindr. 8-10 x 2, hyal.
- g ? *C. obliquum* (Fr.)
 g ? *C. prostratum* Fekl. lign. querc.
 sp. mucos. asci quats
- ob i ? *C. piliferum* Fr. lign. pub. var.
 endosp. ign. x. Ray sp. ovid. v. ghl.
- g *C. multirostratum* Fekl. lign. Pin. sylv.
 ? sp. hy. obl.
- a *C. ampullacea* (Cooke) lign. querc.
 g ! *C. Vitis* Fekl. in rad. V. vinif.
 p. L. querc. u. r. C. sp. 22 lign. querc.
 i g ! *C. caulicola* Fekl. (Tavac. outg.
- i ! *C. Nodariae* Sacc. lign. pub. Pin.
 Sordens *stygia* Fekl. Recl. 480
- ba *C. laevigatum* (B. Bon) lign. pub.
 sp. 75 g.
C. stylophorum (P. P.) Cuv. pub. det.
- f ! *C. hemisphaerica* (Fr.) sp. Cuv.
 sp. ov. Cuv. contin.
- al. *C. leptorhyncha* DC. in. 232 cont. Cham.
 sp. contin. ov. humil.
- p *C. subalbum* Cuv. cont. Albion, ped.
 sp. ovid. hyal. 2 gutt.
- g *C. canulatum* Pr. III. lign. vet.
 sp. ov. alb. 1. mud.
- g *C. Vitis* Schab. serm. Vitis vint.
 sp. ov. obl. 16-17 x 6, subglob. ^{subglob.}
 Kauden ^{concolor} ^{1-2 gutt.} ^{2-6 gutt.}
 in Diaposthe!
- a *C. crinigerum* Cooke lign. pine.
 sp. al. 3-4 gutt. hyal. 10-12 g.

Cyfl. C. chrysmellum (B. B. Melanops 117)
sp. obl. 2 sept 711

rotunda Tul (Subphor. Cap II 300)
an: ovata $9\frac{1}{2}$ - 13 cr. sicutib. raris,
fulta i sp. quaderna late ovata
oblonga $6\frac{1}{2}$ ga, atra. 50)
Pentia rotunda - Versalia.
= u Dny Exsic.

Cerastomee

Ceratophora f. plainopt. hysl. 218
Rhamplone i. manform. hysl. 8
Lentome - sp. Adyn hysl.
Rhyndro - sp. Adyn forcas 82
Ceratostoma sp. contin. for
Cerastomella u hysl.



- o g *Ceratostoma cirrhosum* (Pers.) in ligno putre
 s. hy. sec. Carr. ... Span. ... omn. ... fessibile ...
- o b g *C. rostratum* (Fr.) in ligno putre frag.
 s. hy. ? ob sporid. raro Hopt., Fekl. und 2 gutt. Co.
C. rostrata Coen. var. = *C. rostrata* Coen. var. 11.
- g *C. sphaerospermum* Fekl in tr. pin. sylv.
 s. hy.
- g *C. subpilosum* Fekl in lign. salicis.
 s. hy. Span. Phoma ^{rotundifolia} ^{rotundifolia} ^{rotundifolia}
- a *C. lignicola* (B. Bon) + lign. putr. querc.
 n. 6 g *C. strictum* (Pers.) Fekl lign. querc.
 ? ob spor. cylindr. 8-10 x 2, hyal.
- g ? *C. obliquum* (Fr.)
 g ? *C. ^{cryptobryum} ^{procurvatum}* Fekl lign. querc.
 s. hy. ^{procurvatum} ^{procurvatum} ^{procurvatum}
- ob i ? *C. piliferum* Fr. lign. putr. var.
 endosp. ign. ex Ray sp. ovoid v. ghl.
- g *C. multirostratum* Fekl. lign. Pin. sylv.
 ? sp. hy. obl.
- a *C. ampullacea* (Cooke) lign. querc.
 g *C. Vitis* Fekl. in rad. V. vinif.
 p. L. querc. uobola Cr. Sp. 24 lign. querc.
- i g. *C. caulicola* Fekl (Tavac. vitz).
- i ! *C. Nokerisii* Sacc. lign. putr. Pin.
 Londani styndioptan Fekl. Recl. 480
- ba *C. lamprophorum* (B. Bon) lign. putr.
 p. 75 G. ^{lign. putr.}
C. stylophorum (B. Bon) Aev. p. det.
- f. ! *C. bermythae* (Fr.) s. Carr.
 sp. ovata. Pin. centin.
- alg. *C. leptorhynchus* Fr. in 232 var. Cham.
 sp. centin. ovata. humilis
- f. *C. subalsum* Cr. cant. Albion. post
 sp. ovoid. hyal. 2 gutt.
- g *C. canulatum* Pr. III lign. vet.
 sp. ovata. alb. 1. nud.
- g *C. Vitis* Schub. serm. Vitis vitz
 sp. ovata-obl. 16-17 x 4, subglobula
 haudem unicolor-troptole, 2-4 gutt.
 in Diapithe!
- a *C. cinnamomeum* Cooke lign. pine
 sp. alpt. 3-sept. hyal. 10-12 G.

Cepl. C. chrysmellum (B. B. - Melanops. Lit.)
 sp. obl. Egypt 711

rotatae Tul (Subphae. Cap II 300)
 ani ovata 9 1/2 - 13 cr. subrot. ramif.
 pulta i sp. quaderna late ovata
 oblonga 6 1/2 lga, atra. 50)
 Perith rotatae - Versalia.
 = u. Dny. Sicca.

Guy. C. Luc. Lepicuri Mgr. cort ram
 Cuba C. Bacillum Mgr. cort putr
 Cayen. C. Cyclops Mgr. lign. emort
 Cayen. C. Labellum Mgr. frum. putr
 Guy. C. mucronata Mgr. lign. emort

48
 44
 77
 14
 713
 8
 6
 72
 6
 133
 26

g *Camptophanes sulphurea* Jk. c. Poir. off.
 Cyl C?? Yenez B.Br.
 1/2 old. curv.

- R. 9 J. #. *Capnodium fabricinum* Mlyn. f. Sal.
 f. b. C. *sphaeroides* Delacour. v. h. Schit.
 g. C. *expansum* Bk. et Dny. f. Al. Camp. et Mlyn.
 g. i. C. *Persoonii* B. et Dny. v. d. T. f. Tel.
 g. C. *Fumago Tiliac* Jk. f. Querc. pedunc.
 g. C. *querinum* B. et Dny. f. Querc. pedunc.
 g. C. *Lonicerae* (Jk.) ra Xyloct.
 g. a. C. *elongatum* B. et Dny. in gemm. Dny. et fol. Popul. hem.
 g. C. *Corni* Aud. Myn. f. Corn. ang.
 a. i. C. *Footii* B. et Dny. f. var *microsporum* Footii. Harv.
 C. *Citr.* Bk. f. Citr.
 i. C. *Cerata* M. f. et van almi glut.
 Austral. *australe* M. (an Aubeun?) van Crut.
 J. C. *Cronau* Mlyn. p. sup. f. Sal. Capr.
 Clib. C. *mucronatum* Mlyn. f. Weinmann.
 g. i. C. *Nerii* Rbl. f. van Olean.
 g. C. *rhannicola* Rbl. f. Rhann.
 g. C. *fuliginosum* Rehm. v. Al. p. Mlyn.

- i. *Caryospora putaminum* (Schw.) Mlyn. in eund. Torr.
 i. C. *Oleum* (Cast.) cort. Ole. eur.
 a. i. C. *callispora* (Carr.) Mlyn. lig. querc.
 anly C. *melina* (B.Br.) S. Cort. Junc. exc. (Sp. Hedw. p. 46)
 i. C. ? *superba* G. Mlyn. (phaen.) cort. Castan. Recl. 485 sp. 9-10-locul. ad Bostran verjet.
 i. C. ? *dimetopica* G. Mlyn. (phaen.) cort. Cast. Recl. 485 sp. 4-locul.
 i. C. *Lichenopsis* (Mann.) Sacc. cort. Corn.
 i. C. *nuclearia* (G. Mlyn.) + putam. olei. ^{mic. dec. IX}
 i. C. *Dubyi* G. Mlyn. in put. olei. ^{mic. dec. IX}
 Cypri. C. *pseudobombardis* (G. Mlyn. S. 228) cort. ab.
 atp. C. *pyrenogenata* (Recl. M. 229) put. Amyg. f.
 Cyl C. *Vesuvius* B.Br.

Caryospora melina, oleum ad Clippensh. verjet
 ad Halomysen

Crotolaria moniformis Jekel. serm. Rub. id.
est *Trochilium parthensis* Nagel.

29. 61 a *Coelophana cepularis* (Dor.) ram. var. 50)
= *Rhiz. Juckalia* Wa

90 a C. *hirsuta* (D.) + ra. *Cory. Laur. Carp.*
sp. 3. n. d. v. 2. sept. ? *Cope*
sp. 6. h. l. f. caudum *Mtg.* alg.

R. 60 a C. *exilis* (A. S.) fo. *lin. sylv. et lig. var.*
huc *Synplaxia parallela* ? a *caud. h. l. f. p. n. d.*
h. l. f. p. n. d. v. 2. sept. ? Cope
a *lin. sylv. et lig. var.*
a *lin. sylv. et lig. var.*

Ceph. Chaetophanes? cirrhatus (D. Br.)

Ceph. Ch? xanthostriata (D. Br.)

NO. C. *nidulans* (Schw.) *Retz. var. 28 f. r. Vaccinij*
ingulis

traf. a *Chaetophana prostrata* (Mtg.) *Tul.*
cum *conid.* h. ra *Trun. et*
= *Sphaeria hirsuta* *Tode* *loc. Jekel*
3 *funo*

f. C. *calostroma* (Dor.) *ram. Rub. Jekel*
with 1845 sp. obl. 2-10 pt. 13-14 *50+15??*

i. C. *fusca* *Jekel* *lign. hunc. Alard* 14

con. *Cladobichum polyporum* *Clad.*

i. C. *parvula* *Sau.* *ram. cot. Cast. vesp.*

fabl. C. *callimorpha* (Mtg.) *ser. Rub.*

f. a C. *innumera* (D. Br.) *Tul.* *in lign. querc.*

f. C. *puleo-ferruginea* *Cr.* *ram. Callung*
sp. obtus. 4-sporula

f. C. *Angelicae* *Cr.* *c. Ang.*

sp. *obl. 4-sporula*

g. C. *pezziformis* *Schub.* *in lign. Carp.*

sp. *curvul. cylind. 7. sept. funo*
local. h. l. f. p. n. d. v. 2. sept. ? Cope

f. C. *immersa* *Tul. Cap. II.* *Franc. querc.*

a C. *caputifera* (D. Br.) *hunc ulm.*

sp. *4. sept. 20. 186. 2. gen. 186* *cum conid.*

Ceph. C. bityleria *D. Br.* *B. 7*
sp. 3. sept. *710*

us C. *tephurina* *B. B.* *D. 7*
cum conid. *310*

90 g. *Clathropora elycae* (Auds.) *Rbf. f. Hye. et*
Thopon. C. D. *Con. curv. et nardus*

aly C. *Micon* *DR. M. 210* *f. Con. gyrob*

- i *Cucubitarina protracta* (Nees?) Fek. r. U. camp
 Pycn. *Diplodia subtecta* Fr.
- i *C. Carpin. Sauv.* r. au. Carp. Bot.
- i *C. acerina* ^{Pycn.} Fekel r. U. camp
 Con. *Phragmotrichum acerinum* Fr.
- i *C. Costaricae* Sauv. r. au. Est. v. res.
- C. ulmicola* ^{Dipl.} Fekel r. U. camp.
 Co. *Spondesmium exhib.* Fekel
- g. *C. Ribij* Nussl r. R. rubr.
- i *C. pithyophila* (K. et S.) ^{Dipl.} Co. Ab. exi
 Co. *Phragmotrichum Charlatii* K. et S.
- g *C. Crataegi* Nussl r. *C. Oxyc.*
 an *D. Pindacis* (L.) ^{liberale}
- ag *C. naucosa* (Fr.) Fekel r. U. camp
 Pyc. *Diplodia melaena* Lév. Fekel
 an *D. Cypripetala* Lév.?
 Macrosp. *Coniothyra cuneata* Fekel
 Hendersonia! *Chaetophora* Wgt
 Conid. *Coryneum umbretum* Nees
- g *C. occulta* Fekel var.
- ? *Microm. Agriolen* in *hodum* L. b. (Fekel)
- g *C. Rhododendr.* Nussl r. R. horat
 melan. *Rhododendr. Pak.*
- C. salicina* Fekel r. au. *Salicium*
 Pycn. *Diplodia salicina* Lév.
- o *C. occultata* (Fr.) Oud. = r. au. *Synig. vulg.*
 = *Sph. nigra* Wallr. ex Oud.
- C. Hendersoniae* Fekel r. Sal. aur.
 Consp. Pycn. *Hendersoniana* ... Fekel.
- g *C. Rabeenhersten* Awd. in *costrob.*
 Heiw. IV. 188 9. 8. 753.
- ag *C. Spartii* (Nees) Fr. r. au. *Sp. sup.*
 Pycn. et macrosp. et *genist. hirt.*
- g *C. Coluteae* (Rbh.) Awd. r. au. *Col. arb.*
- a *C. Ixonyni* Cooke r. au. *Ixon. camp.*
 subcucurbitaria
- paig *C. elongata* Grev. r. au. *Pseudac.*
- Na *C. ? tumorum* Schw. *Pk. Grev.*
Diplodia et *Hendersoni* *Robinsoni*.
- ji *C. Cornillae* (Fr.) L. r. au. *Emeri*
- g *C. Ailanth.*
- C. Amophae* (Walt.) Fekel. A. *frut.*
 Pycn. et macrosp. et *Synig. jap.*
- R. 6 a *C. Berkoidj* (P.) Tul. in *CD?* r. au. *Berk. vulg.*
 au. *Sporang.*
- i *C. rufo-fusca* (Fr.) C. G. Wts r. au. *Berk. vulg.*
- gi *C. Rhamni* (Nees) Fr. r. au. *Fragul.*
 Spem. *Placentaria* Fekel
 Pycn. *Diplodia fragulae* Fekel
 1 var. *Rh. cathart.* r. au.

C. Labani (P.) Fr. var *C. Labani*
 Spermog. conf. Tul. - *Spharops Labani* West
 Pycn. *Diplodia Cytis. Auct. herb.*
 = *Dipt. heteromorphia* West
 Macropycn. *Heudersomi Labani* West
 = *poncadi, Labani* Tul.
C. Dulcamara (Kze. et S.) Fr. var *Dulc-*
magopycn. Heudersomi *Flora*
 Pycn. *Diplodia Dulcamara* Jekel 50
Botryoph. see *C. Mth.* sp. 11. 3. sept. 67.

C. acervata Fr. conf. Pyc. comm. 22
 Pycn. *Diplod.*
C. Ailanthi Rabh. var. *Ail glauca*
C. Soti Karst. var. *Sot. Auc.*

C. pulveracea Karst. var. *Pun. Pad.* 18

C. Coryli Jekel var. *Coryl. au.*
macropycn. Heuders. *mutabilis* B. Fr.

C. Juglandis Jekel var. *Jugl. reg.* 49
 Pycn. *Diplodia Juglandis* Fr.

C. bicolor Jekel. var. *Pun. Pad.*
 Pycn. (*Diplodia*)

C. anglobata (Fr. Syst. II. 614) C. D. *ram. Sank. chab.* 117
 in Cr. sp. ob. 3. sept. *non cultus* *angl. Jekel*

C. Gleditschiae C. D. var. *Gl. Trinck* 14
 var. *Schw. sp. ob. 114*
Diplod.

C. Dianthi Mth. var. *Dianth. prolix.*
 = *Pleurogen. Notandii* Sacc.

C. botryosa (Tode) C. D. 8

C. fuliginosa (Pers.) C. D. 6

C. calyculus (Mth.) C. D.

C. globigera (Mong. Les) ad var. *S. Capr.*
 sp. fus. 3. 1. sept. *Sphaer.* 147

C. asteropycnis Cr. var. *Spag. epu.*
 Co. v. pycn. *Asteropycnis Hoffmannii*
 an *Mastaria*? Cf. Jekel S.M. 351.

C. Hederae W. Hedera 11 Hed. Hedera
 p. 147

- ! Calocetia Fuekelii (Wke.) S. lign. Pop.
 - f. C. agnina (Dmy. 13 Not.) ram. Ulm
sp. 3-sept-206.
 - ! C. decora (Walbr.) S. cor. de camp.
 - o f. C. erubescens (Rob. Dmy) fol. No. 14
sp. 3-sept, 166, 13 not.
 - ! g. x. C. Bloxami (B. Br.) S. ^{caul. ang.} ^{orig. major}
 - a f. i. C. ochraceo-pellida (B. Br.) S. caul. sals. gl.
 - ! C. Daldoriana DMB fol. Magn. gran
 - ! r. C. duplicella (Nyl.) Karst in esp. Junger
 - v. N. C. sacrymylla (Nyl.) + caul. lrt.
- Spord. 1-sept. diamter 100 elong. f. 118
3/4
- f. C. Pseudopeziza (Dmy) lign et ram var.
 - ? C. Stephi (Karst.) + caul. Pedi. Saph
 - a C. hirta (Blox.) + lign. puch
 - a C. platana (Bk) + lign. puch
 - a C. murorum (B. Br.) + in massis
et lignat.
 - a C. hebraeicola (B. Br.) + in Helianthop
 - Al. C. ^(Diphysa) mellina (M. 225) ra. deject
 - g. f. C. pepochyrea (Dmy) + f. Plat.
 - f. C. tuteola (Rob. Dmy Not. 19) fol. grana. Troa
sp. obt. 15-20 g. 4-5 3-6 gutt. ^{alic. hae. Anore}
^{elic. etc}
 - a. p. C. affinis (Gev.) Hrd. Ephe b. pubesc
(Genus purpurium) sp. lignat. 30 x 10 hirtis, hysid
h-guttul. v. 3-sept. Dmy. 23 p. 6.

g. x. Claviceps purpurea (D.) Tul. - var. Soc.
 Thoma: Sclerotium Clavicy DC.
 Conidi: Fusarium heterosporum Key
 Microcon. A. Dum. abortifacientis B. Br.
 f. sc. - p. acay Trog. car. Calanc.
 a. - y. Hookeri Kl. u. Pk. Engl. H.
 g. f. b. C. microcephala Tul. in car. Phragm.
 Myc. Scler. Clav. v. Phragmites Ghl.

- G.A. C. nigricans Tul.
Myc. Scler. Helocharid.
- A. ? C. purtilanaeformis (B. Br. sub Cord.)
An. ign. u. Sclerotio
- t C. pusilla Ces. in Scler. Clav. f. Androp

g. C. Florida (Cda Ic IV) ¹¹⁷ lign. partz 126.
 | Caloactis *Crater* ¹¹⁷ *Ally* p. ab. form. 3-9 gutt
 sp. 2-4-locul. ubiqz ¹¹⁷ *schfer*
 23 (cum setis) * 6 1/2
 f. C. *Ingermannianum* Cr. in *Frullauci*
 f. C. *Leveuxii* (Pr.) *cost* *Ally* *partz*
 f. C. *ulmo-aurantia* (De Lacr.) in *v. Gaud.* 8
 f. C. *aurca* (Cr.) *sarac.* *Rubi*
 f. C. *Bronnii* (Cr.) in *Frull. Nat*
 f. C. (*Ophiocetina*) *paludif.* Cr. *sarac.*
 f. C. *Ally* (Cr.) *caul* *Ally*
 sp. fusoid. 4-gutt. 1-sept
 f. C. *lutescens* (Cr.) in *chord.* *partz* 14
 sp. fusoid. 6-gutt. 1-sept
 (f. C. *agglomerata* (Pr.) *caul* *at* *caul* *va*
 = *Bathyophaena* *caulif.* *Typ.* *Ally*) 8
 f. C. *utrumcole* (Cr. 39) *ram.* *Vib. Trin.*
 f. C. *opalina* (Cr. 39) *caul* *partz.* *Cr.* *partz* 6
 O. C. *Cudemansii* (West. Ind.) *ram.*
sp. *ovoid.* *obl.* *hyal.* 2-3-sept. *Reumannii* 76
Paraffinis *ex* *Coem.* *C. ulmo-aurantiae*
 na C. *gustizii* (Bk) in *zea*
 sp. 12 *sp.* 2 *cr.* 4 *nucleola*
 na C. *polythalamia* (Bk) *in* *liquor.* *at* *partz*
 sp 20-25 *6* *plumopt.*
 na C. *aurigera* (Bot Rev.) *in* *proxim*
 sp. 25 *6* 7. *sept.*
 na-β *flavida* *B* *at* *C.* *Kernia* *jap*
 sp. 4 *sept.* 37 *6*
 a C. *serpentina* (Bk) *in* *ram.* *laric.*
 sp. 25, 3-sept
 Cyl C. *Volutella* (B. Br.) in *Abalante*
 sp. *partz.* 2-10 *sept* *macrophylla*
 Cyl C. (*Ophiocetina*) *in* *thespora* *B. Br.*
 Cyl C. *pulcherrima* (B. Br.)
 sp. *fusifer* 4 *nucleol.*
 i C. *Massonae* (Pam. B. 7.) in *otul* *Mass.* *ing.* 26
 sp 2-10 *sept* (*rectae* 119) *comid*

50
52

8
 2
 49
 44
 71
 14
 71
 8
 6
 76
 76
 7
 7
 26

46
 Kx
 1.
 de
 27
 de
 1

I Cryptospora : sporidiis verruculatis
a ga g. i. Cryptospora suffusa (Fr.) Tul. Alb. gl. st.
Valer. Tul. Cryptospori Curr - 1. Rabenhosi R. D. B.
Co. v. sparm. Cryptosporium Reesii Cda

i. C. halidopyridi (D. W. G.) ra Otr. carp. g.
Ep. Tilia Tul. Comp II. 151) cum copios. in ra filia g.
a i. C. conyline (Tul.) Fekl v. Cory. No.
sparmoz. fr Tul.

a C. interta (Curr.) in ram. Querc.

g. C. Betulae Tul. in Bet. alb.

Co. conf Tul. - ? Conieth. betul. Cda

a C. interta (Curr.) + ra Querc.

II Cryptosporae S. sporidiis ellipt. obt. cost.

C. foraminula (Rees) ra Curr

8. 5. a C. hypodemus (Fr.) Fekl v. Ulm. e.
an C. aurea?

b C. Limnuzhii (W. G. K. x) v. Ulm. e.
cum conid.

g. g. a C. aurea Fekl ra Capp. Pr. et Cast. v.
an = hypodemus?

sparm. et conid. Fekl
= Valer. amygdalana Cooke V. rubra Tul.

g C. Aescul. Fekl ra. Ae Hipp.
conid. non Aescul. que Dagahe

C. popalme Fekl - ra Pop. pyr.

Co. Cryptosporium cornutum Fekl

C. phaenostoma Mke (Valer.) ra Brun. spud.
sparm.

C. conypta (Tul. Valer.) ra Fag. sylv.
sparm. sp. late arate 10-12 x 5-6
rect. v. curvata

i C. Daldiana (D. W. G.) ram. Coryl.
Endothia D. Recl. 477
affinis C. aureae Fekl

f. C. Ehrenbergii (Tul.) cort. Rib. rub. et Gray.

f. C. ? verrucarioides Cr. Sp. 26. cort. Ulm.
an = hypodermis? - Fekl Bdr. Beck. late

o. C. Limnuzhii West. 477 ram. Ulm.
sparm. fung. granul. hyal 30 x 10
an hypodermis?

69. *Cryptophania eunomia* (Nke) Fekl ra Pax. ex.
spem.

70. *C. multipunctata* Grav. ra cot. Pop. ni. st.
Eutypa ^{sp. h. populina} _{urbis Tub.} vis. sec. Costa P. nom.

C. myriocarpa (Nke) + ra Fay. sylv.
spem.

C. sepulta (Nke) + ra Durm. europ.

50 D

52

C. vicinula (Nyl.) Kest cot. Salic
an huc Detr. americana? et Abu.

C. ocellata (Fr.) C. D. ra Pax. Salic
Ex Can. spand. valseq! biseuta 106.

C. Bellula (Doy) culm ar. Don.
v. Eutypa

C. rimulosa Pass. ram. Alacia

C. ligniota (Fr. S.M. II. 776) flor Pop. hem.
verimit. - Reb. 88. 1269.

68

H

49

8

44

77

14

713

8

6

78

6

Cryptobolus phaeoperme? Pr.

Cryptobolus protracta (P.) C. D. ra Al. camp
C. abieticola (Cr. Sph.) cot. Abiet.

C. ampelina Fekl saum. Vit. vinif.
spem. = Schusci Vitis Hagl.
= Sibbera Vitis Schub. sec Hagl.

C. Mori (Nke. Valsq) + ra. var. arb.
= *C. Mitschkei* Fekl.

C. Pebeu horstii (Nke) + ra Rob. Bau.
= sp. speculom v. Rob. mai. Pabk.

C. Mitschkei (Nke) + ra Sal. capr.
Veget. Cryptoph. - Fied. Cryptobolus

C. elevata (B. Pr.) (Costa) eudragl. v. r. Eumyca
C. arundinacea Vasc. culla. Ar. Dona.

C. effusa Fekl ra Rosa can.

C. Onni Fekl ra Prun. spinif.

C. peperea (Mtg.) ra Carp.

C. extorris Lau. ram. Mori albae

C. melasperma (Fr.) ad cot. Petal
sp. Linn.

C. aberrans Tul. App. II 69 sub Eutypa
sic. 10 cr. i sp. nummulari. bot. 6. 2. 2.
in vauis Telle

79

74

Cer. braccata (L.) Lau. *Phanella* C.
Drapithe sec. Mont.

Cerionops Debyi Nicul - Vial!

— *fuscum*

— *kaulhe*

nov. gen.?

— *braccata* (Tul. Carp. I. 80) (Lau.)
Penth. globosa, rotundata, lomentella, lutea
vint. basi cylind. longiz. parzph. ; spoid.
obl. 1-st. divat-obl. recta, medio angusta
continua (?) 25-35 & 13-16, utrinque obli.
pa et appad. long. circa flexura instata
2 caud. Cusii foliul. spoid. late
2-3-lobul. torse

g *Cephalotheca sulfurea* Jkl. lign. quercin

g *C. curvata* Jkl lign. pnd. querc.

g *C. trabea* Jkl in lign. fabrefed pnt

Calophasia Princeps Tul. cod. Prun. Coraj.
sp. pulchella Pers. conid. Myc. spem. Fekl!

C. Wahlenbergii (Loosm.) Mke tr. Bet. etc.

C. ciliatula (Fr.) Karst tr. et ram. Bet.

C. Dryina (Curr.) Mke ra Querc.
phaenol (Kalm.) Dryina Curr.

C. conyza Mke ra Conyl. Avell.

C. querna (Curr.) ra Querc.

C. minima Tul. ra Prun. spm., Fag. sylv.

C. utraque (Fr.) Mke ra Prun. Sorb.
Cryptophasma utr. C. G. M. K.

C. affinis Mke ra Bet. alba

C. villosa Mke ra Carp. Bet.

C. aurata Mke ra Alb. gl.
A. Bet. Kalm.

C. jungeri Mke ra Pop. nig.

(Verh. Coronophora, sed an. Spani)

C. oboluta Karst cod. b. Alb. vine.

C. parasitica Fekl cod. Fag. sylv.

C. tumidula Sacc. ram. Fag. sylv.

C. macropora Wint. Herb. 75. ra Alb. gl.
130

871

6

8

6

8

6

8

6

8

6

8

6

8

6

Ornithopus annexa (Wke) rz Aln., Liby
Caloph. bifurc.; Tul. p.p.

i *C. gregaria* (L.) Fekl r. sub. aln. Bet.
C. vernica Tul. Pop. Crf

i *C. angustata* [Fekl.] ra jag. Zugl. Lyp
Cat. heruogx Tul. pp. ? alp. Tom an
Lphaeni Tulame; Casat. Hedu. (1858.)
orzo C. Tulame: (Cas.) maculiparva -

? *C. myriophora* (Wke) ra Cuon.
Calyphaeni m. Wke
Hab. Caloph. sed puctipalca Corongtoz

r. ? *C. angustata* (Kerst. Caloph.) ramul. aln.
Povithenci collis beissimus stat

g. *C. macrospora* Fekl cont. Quac.

g. *C. abietina* Fekl ra. cont. Ab. erdy
fr C! Rosorum (Ca 33) cont. Rosar.

~~*Plectrogonum alpinum* Clus? f. Cantic. nordm.~~

Loxomyces tumida (Fr.) D. M. fol. Sorb. auc.
quar. pag. bot.

50 D

52

Colpoma queranum (P.) Wall. ram. quor.
am. pag. n.

6

58

H

58

49

14

712

8

6

79

Cookella sexdecursaria (Corda) ram.
Hindb 866

76

17

76

5

~~Canarospium~~ ~~Thriacanth~~
B. minus

~~Caldesiella italia Lacc. - III p 7~~

~~Capnodium foeta Berk. + Grev. I p 50~~ D

~~Capnodium quercinum Berk. II 252~~

~~Cephalosporium acutipes Sacc. II 286~~

~~Cerospora Cistinea Sacc. I 368~~

~~Ciboria vinosa Berk. Sacc. p 14~~

~~Chetomella atra~~

~~Clavaria purpurea Fr. I 436~~

~~Clavaria tenuispora Sacc. I 436~~

~~Clavaria flaccida Fr. III p 6~~

~~Clavaria cristata Pers.~~

~~Clavaria coralloides L.~~

~~Claudopus variabilis Gill. p 26~~

~~Cladosporium compactum Lau. II 471~~

"

~~herbarum~~

~~Clitocybe cyathiformis Quél. p. 13~~

~~Clitocybe laccata Quél. p. 14~~

~~Misc. 45 fung. ital. Lau. Berl.~~

~~Collybia~~

~~Agaricus conigerus Pers. p. 25~~

~~Collybia subatrata Vogl. p. 15~~

~~Collybia velutipes Quél. p. 16~~

~~Collybia dryophila v. griseo-nigricans
Burr. p. 16~~

~~Collybia dryophila Bull.~~

~~Coniothyrium Repinae S. et N. 29~~

"

~~Sophorae?~~

~~Coniosporium phaeospermum Lau. II 46~~

"

~~Arundinis~~

~~Coprinus *tenetopus* (Bolt.) Fr.~~

~~Coprinus *serpens* (Pers.) Fr.~~

~~Coprinus *micacens* (Dull.) Fr.~~

~~Coprinus *micacens* Fr. p 40~~

~~Coprinus *ephemerus* Fr. p 41~~

~~Coprinus *plicatilis* Fr. p 42~~

~~Coprinus *pseudo-plicatilis* Vogl 42~~

~~Coprinus *pinetarius* (L.) Fr.~~

~~Coronophora *gregaria* Fock. II 254~~

~~Corticium *cinereum* Fr. II 395~~

~~" *incarnatum*~~

~~Contiarium *castaneum* Fr. p 34~~

~~Coscinospira *Pezizozetaria* Lam II 112~~

~~Cyathus *verrucosus* DC.~~

~~Cylindrium carucolum~~ Lau. T p 81

~~Cytoplea erundinosa~~ 5.

~~Coryneum microstylum~~

~~Cytospora~~ ~~Saffordii~~
" ~~Schwenkii~~

~~Cucurbitaria~~ ~~Hortensidis~~

Minerogonium abjectum (Wallr.) Hed. f. c. Ver. off.
 f. c. arbor. *Urnicaea* Sm. *Agrostis planicollis* Ehrh
 " *pulchrum* S. f. Lig. Corn. Carp.
 " " con. ? *Coniothec. Anthonii* Sm

- ca *Didym. tota* (B. Br.) caul. Epil. hirs. et (Lup. l.)
- ca *Didymop haenic. Epilobii* (Fekl.) caul. Epil.
- ca *D. fenestran.* (Dub. ap. Pl.) caul. Epil. spic. ^{an. just. f. jini}
- ca *D. glomerata* (Fekl.) ran. Rub. fut.
- ca *D. sp. binnata* ^{sp. binnata} *sp. binnata* (Fekl.) con. Pin. Lonic. ^{sp. binnata}
- ca *D. Gerustae* (Fekl.) va. *Gerustae* germ.
- ca *D. Gerustae* Fekl. va. *Gerustae* pilosae
- ca *D. Pelbigerae* Fekl. th. *Pelbigerae*
- ca *D. socialis* Sad. ran. *Rob. Neud.*
- ca *D. Galiorum* Fekl. = *brunnesc. Neud.*
- ca *D. anaxae* Sau. cat. *scorpi. Helod.*
- ca *D. Epidermid.* (Fr.) Fekl. r. *Berberid.* ^{an. form.}
- ca *D. cubitula* Sau. (Amp. h. p.) culm. *Cyn. Lat.*
- ca *D. Rubi* Fekl. (1869) var. *Rubi* fut. ^{Pycn. D. plod. Rubi. Fr.}
- ca *D. Diplopura* Cooke (1866)
- ca *D. Viretoxi.* (D. M. Amph. f. 72) caul. *Vire.*
- ca *D. zerbina* (D. M.) c. *Mede.*
- ca *D. kusbrofa* (B. Br.) caul. pa. *Aret.*
- ca *D. Jalicaria* Karst. va. *Sat. frag.*
- ca *D. brachodes* (M. 224) fol. *M. v. c. t. y. l.*
- ca *D. obliquesens* (B. Br.) Fekl. ran. *Corn. Sen.* ^{Pycn. D. plod. mammothana. Fr.}
- ca *D. Cadubriae* Sau. ran. *Berb. vulg.*
- ca *D. celata* (Cur.) cost. *Ulm.*
- ca *D. dochmia* (B. Br.) ran. *Ulm.*
- ca *D. hirsuta* (B. Br.) ran. *fut.*
- ca *D. fulva* (B. Br.) ran. *Rosa.*
- ca *D. imitata* (C. St.) sp. *Lept. sp. h. c.* ^{22. 13. 11.}
- ca *D. hyphenis* (Cooke) sp. *Phor. ag.*
- ca *D. palustris* (B. Br.) fol. *Ind. Canic.*
- ca *D. haemiteles* (Rob. Sm.) ran. *Vibell.* ^{quad. h. local. ubi. app. 1.}
- ca *D. incarcerata* (Sm. Bud.) va. *Sp. p. jun.*
- ca *D. Crasacum* (Fr. n. Cur.) ran. *Croc.*
- ca *D. Okandi* (D. M. 223) ran. *Ulm.*
- ca *D. Araucariae* (Cooke) f. *Ar. umbra.*

≡ See Cr. 28 as a 21 spori! ande uovon p. mag
 v. *D. sp. h. c.*

18.
 Kx
 1.
 de
 21.
 28.
 49.
 74.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

Fr. *Didymopanax* Meretric (Mey. ph.) ^{caul mult. 100}
 Fr. *D. diplodites* (Cr. 26) ^{caul mult. 100}
 Fr. *D. maritima* (Cr. 27) ^{caul oblong, pectil}
 Fr. *D. Rubi* frutic. Cr. ^{form. Rubi fr.}
 sp. 1-sept. flava fusoid. append.

Fr. *D.?* *Loydi* Cr. 28. ^{cuba Phagn. Jacq. Hb.}
 Fr. *D.?* *Gulebi* tetrag. ^{caul 8-julid}
 sp. 1-12pt. ^{oblong, gutt.}

Fr. *D.?* *Tencii* Cr. 28. ^{caul. T. Scand.}
 sp. ^{oblong. 1-sept. 8-julid.}

D. sphingiphora (Dud.) ^{ram. rot. Com. alb.}

Fr. *D.?* *Bryonia* (Flel) ^{caul. Bry. dinc}

Fr. *D.?* ^{cf. *sp. haecula*}
 Fr. *D.?* ^{*β astragalina* Aeth.}

D.? *applanata* ^{caul. ra. Pub. Idae}

D.? *offusa* ^{caul. Samb. Uhl.}

D.? *commensurata* (B. Pr.) ^{caul.}

D.? *hexigua* ^{caul. Dipsac.}

D.? *Winters* ^{caul. Dulc. Lysim. Oranc}

D.? *Schroter* ^{caul. c. Cen. hinc}

D.? *adoniphila* ^{caul. genis. germ.}

D.? *minuta* ^{caul. f. Caric. pal. et cal}

D.? *brunneola* ^{caul. herb. rar.}

D.? *va. sarmentorum* ^{caul. Humul.}

D.? *albescens* ^{caul. Lon. Xylot.}

D.? *conoclea* ^{caul. c. Salig. of. Orig. aut.}

D.? *Lycii* (Kaltb. ^{Urtic. Solidago} Hedr. 69) ^{caul. Lyc. tab}

D.? ^{caul. *pendens* Lycii ^{caul.}}

D.? *proxima* (Wint. herb.)

D.? *sublecta* (Mey. ^{caul.} *Monangji* - ^{caul.} *va. Al. com.*)

D.? (*Orthopneum*) *amuleta* (W. herb.)

D.? (*Fr. (Sphaer.)* ^{caul.} *in Herb. Lycop.*)

D.? (*Fr. (Sphaer.)* ^{caul.} *in Hb. Thunb.*)

D.? ^{caul. *15-18 = 5. 7. 14pt.*}

D.? ^{caul. *Sphaerella* - *paraph. mellea*}

D.? ^{caul. *fr. granivilla*}

D.? *Diopelle* ^{caul. *fusiform* *Strob.* v. *Alagst*}

D.? *myniopora* ^{caul. *DR. III. 277* v. *Jas. n. frut*}

D.? *partita* ^{caul. *fr. granivilla* - *spec. Nov. spm = Diopelle*}

D.? *Diapithe* ^{caul. *shilbertonia* (Fr.) v. *Rhiz. et*}

D.? *Ardeum* ^{caul. *Ardeum* (M. 220 et fr.) v. *Congli*}

D.? *peristulata* (Dreyf.) ^{caul. *var. Acc. Pains*}

D.? *Robozeana* (Dreyf.) ^{caul. *var. Shaph. pinu.*}

D.? *interrupta* (Mey.) ^{caul. *var. Cyth. Kopra*}

D.? *Siraminghis* (West. 47) ^{caul. *Ulm.*}

D.? ^{caul. *1p fusoid. 30 x 10, gutt.*}

D.? ^{caul. *1p fusoid. 30 x 10, gutt.*}

Dilophozon graminis (Dmf.) Fekl in f. vag.
= *Sphaeria alopocum* Fr.

Diapothecae (Chorostate et Monothecae)

- ai D. *Taleola* (Fr.) S. ra. *gypseris*
con. et pycn. V. *luteola* Lk. *Droby.* *Sordid.* D. Br.
- o D. *Aesculi* ^{ph. angulata Cur. uel abier-} *Fr.* ra. *gypseris* *Fr.* *Ann. Myc.*
- ai D. *Salicella* (Fr.) S. ra. *Salic. var.*
hul. vermiculata Sph. *conversa* Fr. 114
- lo. *D. velle cerbonacea* (Fr.) B. Br.
? *Trimmethotheca salicis* Ck.
- ai D. *Uleobola* (Fr.) + *ran. alu. gl.*
aglaopum + *Tul.*
- fi D. *Hystrix* (Tode) S. ra. *Al. piceae*!
~~18-20~~ 18-20 + 3 - *Fr. Oudem.* 1161
spec. homonyma cf. p. 16 + 4
- ga D. *decidens* (Fr.) Fekl ra. *Coryl. Avell.*
- ai D. *lesella* (Pers.) + *ra. sibirica.* Karst
- i D. *Tenera* (Fr.) Fekl ra. *Coryl. Avell.*
- fr. D? *cunyalae* (Mf. 201) *cod. Abot.*
- ai D. *terphaema* (Fr.) S. v. *querc.*
- 7. D. *Dryopheta* (Fr.) *Abot. 20. 1942* v. *querc.*
- a D. *varians* (Cur. *Sp. Diab.*) *ran. pub.*
- a D. *pyrrhocystis* (B. *alth.*) *Abot. ran. Coryl.*
- D. *conformis* (B. *for.*) + *ra. alu. gl.*
ran. pub.
- oa D. *Imejii* (Cur.) *Mke.* ra. *Al. platano.*
of Oudem. 1842 *Cur. cum. platano. coniom.*
- gaa D. *platanoidea* (Fr. *Sch. 186*) *r. alu. platano.*
- o D. *Crabacii* *Mke.* ra. *Crab. Oxyac.*
sub. lobulatus Pers. ex C. D. Mf.
- a D. *Crabacii* (Cur.) ra. *Crab. an. = p. 1842*
- i D. *Ailanthi* *Sau.* *ran. Ait. gland.*
- D. *quercina* *Mke.* ra. *Querc.*
- a? D. *Hiconica* (Cur.) *v. ram. modica* T.
Metacelidius
- fa D. *Syngenesia* (Fr.) *Mke.* ra. *Frang.*
= Drobys. p. angulata Cooke
- a? D. *pulchra* (Cur.) *v. ram.*
- D. *Aceris* *Mke.* ra. *Acer. camp.*
- fig D. *castanea* (Pul.)
= Crypt. lophocoma Sph. v. *Cast. ven.*
- ai D. *fibrosa* (Fr.) *Mke.* ra. *Rh. cath.*
Fr. B. (Crab. B. 1842) *p. den. fung. tub. ex. d. 1842*
- i D. *decipiens* *Sau.* *ran. Carp. Bet. id?*
- a D. *bitubulosa* (B. *Fr.*) *v. Cr. ra. = p. 1842*
- ga 16 D. *detrusa* (Fr.) Fekl ra. *Bet. vulg.*
- D. *transversalis* *Karst.* ra. *Bet. alby*
- oa D. *Strumella* (Fr.) Fekl ra. *Bet. gyp.*
- 2 D. *aristata* (Fr.) *Karst.* ra. *Bet. nancea*
- gaa i D. *oncostoma* (Droby) Fekl. ra. *Bet. gyp.*
specim. 2 oncostoma (Cur.) in. tub. an. Fr.
- i D. *Kunzeana* *Sau.* *ran. Carp. Bet.*
- 16 io D. *Carpini* (Pers.) Fekl. ra. *Carp. Bet.*
specim. 2. Fekl. 1842. ed. 222 (Fr. an. D. Mf.)
- i D. *sulfurea* Fekl ra. *Coryl. Avell.*
- fa D. *fraginea* (Cur.) + *ra. Frang. vulg.*
- oi D. *conjecta* (Kee) Fekl v. *Coryl. Av.*
- a D. *farfugacea* (Fr.) *in. ram.*

Dryopteris (Dryopteris)

- i D. Eref Mke ra Ulm. camp.
- ca 2. ^{form.} *D. farta* (R. Br.) + ra. Ulm. camp.
- = *D. v. v. murina*
- i D. ^{form.} *fasciculata* ra Pseudac.

- 6 a i D. *pulla* Mke ra Hedern. Bot.
- ^{spec. n. Thome Hedern. Hedern.}

- i D. *dulcamara* Mke ra Dulcam.
- ^{form.}

- D. *medusacea* Mke ra Cytis. Laban.
- R. D. *spinosa* Karst lign. Auere.
- i D. *sordida* Mke ra Carp. Bot.
- ^{form.}

- i D. *semimmersa* Mke ra Cr. Oxyc.
- 1 D. *Cornellae* (Druy) ^{form.} Salu ra Cor. Iner.
- D. *falta* ^{form.} *cirofa* Mke ra Ac. *Shiujip*
- a D. *insularis* (Bk. no Mke) - ra Auc. jap.
- ^{form.}
- i D. *protracta* Mke ra Ac. camp.
- 9 a D. *Bachani* (Karr.) + ^{vs. lignis} ^{Rhem. grand. Mtl}
- ba i D. *spiculosa* (A.S.) Mke r. Samb. var.
- ^{form.}

- D. *Cosmanji* Mke r. Rub
- ^{Corat. rotatum. Coem. in Rbl.}
- 9 D. *de Baryana* (Herich ^{form.} *gumma*) lign. jap.
- i D. *crassicolis* Mke ra Cor. sang.
- i D. *intermedia* Sac. cant. Japon. off.
- i D. *ferabilis* Mke ra Pop. pyr. et Sal.
- = *Sph. populicola* Gr?
- i D. *denisii* Sac. sarm. Vill. Mke
- i D. *nigricolor* Mke ra Rh. Franz.
- ^{form.}

- D. *Sorberiae* Mke ra Sp. tobif.
- ^{form.}
- i D. *brachyeras* S. ra Logati. vulg.
- D. *valida* Mke ra Myrica conf.
- i D. *obsoleta* Sac. cant. Hypox. calys.
- D. *sociabilis* Mke ra Mor. rubr.
- i D. *japonica* Sac. ra Nemai. jap.
- i D. *viridula* Mke sarm. *Uts. vivif*
- ^{Sph. nitens Gr? non aut.}
- i D. *simulans* Sac. ran. Rome camp
- i D. *cryptica* Mke Lon. Cap. et Per.
- i D. *perexigua* Sac. cant. Carl. vulg.
- 9 a 6 D. *occulta* (Fuk.) Mke Squan. strob.
- ^{form.} ^{West Ex. 913 non ab. exal.}
- = *Sph. conerum* ^{Druy} ^{W. XIV}
- a D. *samaricola* Howr. Jan. *Fraxin.*
- 4 D. *conerum* (Druy) Mtl Squan. Per. 146
- ^{norm. Hed. 76-2}

D. micrantha Nke caul Brass. obs.
spem.

al *D. Arctii* (Lamb.) Nke c. Lapp. Cirs. Card.
= *Sphaeria* Aug. Carr. Tana

D. immerja (Fekl.) Nke c. Lappae
spem.

i *D. orthoceras* (Fr.) Nke c. Ach. Mittelf.
spem.

ya *D. nigrolina* (Wallr.) Nke c. Hera Spb.

i *D. Desmazieri* Nke. caul ^{Praxell. vulg.}
_{in pulvis Dny. in Wall. et Melanopy}

o al *D. Berkeleyi* (Desm.) Nke c. Aug. ^{spem.}
= *Sph. Anselmae* Fekl - *Grommia Berkeleyi* K

i *D. Tulamer* Nke c. Champ. Lot. Verb.
= *Rhytisma* Urbia Tul? spem. Urbia

D. Chailloti Nke c. Atrop. Bellad.

D. linearis (Nes) Nke c. Solid. virg.

9. fr. *D. phloeodes* (Nes) Fekl c. Cirs. pul.

fr i *D. adance* (Rob. Dny.) Nke scop. Plantz
= *Grommia adance* C. D.
= spem *Phoma subindmaria* Dny

b. ia *D. Euphorbiae* Cooke c. En amygdal

gi *D. Valerianae* Fekl Fik c. Val. off.

a *D. pentherina* (Pk) Dny Pleis. aquil.

og *D. nigella* (Awd! a Fr. Carr.) Nke. Dny ^{camp}

act. *D. Astragali* (Carr.) in petiol. Astrag.

fr. *D. Granati* M. et Fr. 223 var. Pan. fran.

alg. *D. hemiscripta* M. M. 225 var. Phys. somnif

ay. *D. Urticae* M. 226 petiol. Palmar.

fr. *D. focerulea* M. 226 c. *Poenicul.*
sp. ellipt.

alg. *D. contorta* DR. 111. caul ²³⁶ Dny. lin.

alg. *D. scotophita* DR. M. 227 c. Orban. ft.

fr. *D. Oenanthis* Cr. 25 caul *Oen. gra*

NA. *D. subpyramidata* B. C. in quercu
sp. 2-cours -

N. B. *Epl. cartensis* Gray. (in *faxino*, *Rubo*, *Regu*
Somno, *Pumice*, *Saeco*, *femle*, *Asparag.*,
Eupetorio, *Rubo* etc.) est *species*
complexiva -

Draponthe (Tetrastagon)

- i D. Juglandica (Fekl.) Mke va Jugl. reg.
- ~~i D. Juglandica (Fekl.) Mke va Jugl. reg.~~
- ~~i D. Juglandica (Fekl.) Mke va Jugl. reg.~~
- i D. rudis (P.) Mke va Cytis. Laburn.

D. maorstone Mke va Jug. sylv.

ai D. uiaequalis (Curr.) Mke va Soroth.

^{spem.} D. nucleata (Carr.) va Uliis

ga D. velata (P.) Mke va Tit. eur.

^{spem.} D. parabolica Fekl va Pin. spui.

D. exasperans Mke va Bet. alb.

i D. nodosa Fekl va Lyring only.

D. ligulata Mke va Mlex europ.

ga D. spina Fekl va talia eur.

^{spem.} D. nucleata (Curr.) va Mlex eur.

i D. Cerafi Fekl va Cras. avien.

ai D. Laschii Mke va Linn. europ.

^{spem.} ^{sphaeroperi} ^{fuertari} ^{sp.} ^{sp.} ^{rostellata} ^{ant.} ^{no} ^{auct.}

i D. pinceransy Sacc. va Linn. europ.

ag D. scobina Mke va Prax exaly.

pa D. ? ciliaris (Curr.) va Prax.

^{an} ^{peptoperi} ^{quidam} D. tenuirostris Mke va Jugl. reg.

a. D. ! opharoides (B.P.) i. ac. paucip.

i D. irregularis Mke va Querc.

i D. Beckhamii Mke va Vib. sp. d. det.

^{spem.} = ^{Valva} ^{circumscripta} ^{Mly.} ^{sa} ^{Linke}

R.6 D. pungens Mke va Rib. fronsul.

i D. Ophites Sacc. va Hbisc. syr.

a. D. vicariorata (B.P.) Mke va Rofes.

^{spem.}

69.12 D. rostellata (P.) Mke sam. Rubor.

ai D. Vesprii (De Lacc.) Fekl r. Rub. frons.

^{spem.} i D. Laitans Sacc. sam. Rubi frons.

D. Rehmii Mke va Sorb. aucup.

i D. revellens Mke sam. Conf. Av.

^{spem.} D. Quercus Fekl va Querc.

D. insignis Fekl va Rub. frons.

^{spem.}

D. Corn. f. l. ra. Corn. alb.
specim.

D. Savothammii (Aur.) Mke ra Spad. rep.
= f. h. tetragona Delb? f. h. indurata Mke?
specim.

i D. retecta f. h. et Mke ra Bux. semp.
specim. Phae. stictica B. et Br.

D. asperula f. h. ra Carp. Bot

D. Wilkei Mke ra Myrsig gale.

D. multipunctata f. h. ra Conf. well.

D. putator Mke ra Pop. pur.
specim. et ham.

D. oligocarpa Mke ra Brun. ping.

i D. pithya Sacc ram. Abiet. exc.

D. minute Mke ra Carp. Bot.

i D. *specim.* obscurans Sacc cith ram. Frax. om.

D. scabra Mke ra Plat. acrif.

i D. seposita Sacc. ra. Wilkei. chinens.

i D. ambigua Mke ra Pyn. comm.

i D. compressa Sacc petiot, Australg.

i D. alnea f. h. ra Abn. glut.

i D. *specim.* mendax Sacc. ra Albogii Juhl.

D. tadula Mke ra Brun. spm.

a D. quadrinudata (Carr.) in ramul.

i D. resicans Mke ra Spross. vulg.
specim.

D. inportata Mke ra Syr. barb.

a D. discolor (Bk.) ra. Ulu. can.

D. Rhod. Mke ra Rhod. Cot

p. D. ~~Lebiseyi (Dmy.) Mke~~ ra Negund.
specim. Valu Rhod. Costa etiam ex f. h. Med. h.

D. dubia Mke ra Aer. Neg.

an D. Lebiseyi Desm. f. orbol Hong.

bi D. Laudegheniae (Wort.) Mke
specim. ra Phi. ad. cor. et Scutzi

bi D. Ryeckholtii (Wort.) Mke ra Synchytr. rana

g. D. *specim.* trinucleata N. S. herb. c. Dupak. c.

D. cartaneti Mke ra. Cart.

Ang. D. triformosa (Bk.) c. Ep. bot

g D. *specim.* Epito. tri. f. h. caul. Epit. h. S. h. h. ex Oeder. f. loto B. h.

D. Asparagi f. h. et Mke c. Asp. off.
specim. *specim.*

ga *D. striatiformis* (Fr.) Mke caul. Epit. angustif.
Sphaeris s. Fr. S.M. Gotthid s. Fr. S. 88

g.a. *D. Livella* (Mong. Nestl) Mke caul. sp. Uhm.
D. ? idaeicola (Karst sub *Gnomonia*) ramul. sub. Nae

ga *D. pandalota* (Mtg.) Mke (L. Conwall. multif.
Rapathus)

D. circumscripta Otht ra Lamb. nigr.

ba *D. controversa* (Desm.) Mke Pax. excol.

D. Valerianae Fekl caul. Vel. off.
an *Rapathus*?

D. geographica Fekl ra Lyring. vulg.

D. ambigua Fekl c. Crost. biv.
= *Eustrophia ambigua* (L.) Fekl. ?
an *Rapathus*?

D. chrysoidea (Tut.) s. in var. caul. Cylind. hab. gill.
an *Cylind.* 100430. sp. 1st. ovato-ellipt. 10 x 6
1-1 1/2 ft. 2-gutt. hyal. Perithe. larg. f.
carner-cumate, mollenca

D. galericulata (Tut. Cap. II 203) in var. fag.
an ovato-ell. ; sp. dist. lanceol.
curvat. bilocul. utrumq. breve aristat.
19-23 x 6 1/2 - Com. note
omnis h. mult. *D. castanea*

68
3
H
49
44
217
218
8
193

Diagonthe!

a Diatrype undulata (Pers.) B. Br. var. ^{pub.}
(n. fr.) sp. ^{separat} uno ^{vers} ^{scat}
Louv. 10-17 g.

D. discreta (Cav.) ^{Valm} ex sp. M. fr. (n. fr.)

D. coronata Cav. = D. Kipphaum ^{bei Tul.}

D. farfaraea (Fr.) Cav. (Habr.)

a D. ^{paucilobata} ra ^{cont} ^{Ulzig} ^{cf} ^{W. Coq. D.}
D! Heparodey ra ^{cont} ^{Reuders}

Diagonthe (kleinere)

- g. ? D. carthageni, Fr. var. ^{exsic} ^{frond}
- Na Diatrype ^{sphaerodanica} B. C. ^{eller} ^{utro}
- Na Valsa ^{pennsylvanica} D. C. ^{keraj.} ^{peninsul}
- Na v. ^{obl.} ^{7. sept} ^{25 g.}
^{glyptica} D. at Cav ⁱⁿ ^{salic}
^{sp.} ^{sept} ^{font.}

66.

Kx
1.

de.

77.

de.

68

G

7

H

49

4

44

717

712

8

77

173

5

- Ceyl. *Dolichodea* & *Obij*: *Mk* f. *Sthace*
 Ceyl. *D. micrantha* B. Br. ^{1p. 1-sept}
 Ceyl. *D. aspidea* B. Br. ^{1p. ellips. orbic. (contin?)} u. *Fraxinifolia* of
 Ceyl. *D. Orbeckiae* B. Br. ^{1p. ellips. (contin?)} u. *O. virgata*
 Ceyl. *D. ?* ^{1p. 1-sept - in vegetat. alien.}
 Ceyl. *D. ? Tetraanthosae* B. Br. ^{u. T. Robinsonii & T. bicuspidata}
 Ceyl. *D. ? dolichogona* B. Br. f. *Dolich.*
 Ceyl. *D. ? edax* B. Br. ^{u. Teplungia}
 Ceyl. *D. ? calamigera* B. Br. ^{u. Cal. rudecta}
 Ceyl. *D. ? Calophylla* B. Br. ^{C. Wolkow.}
 Ceyl. *D. ? Parryanae* B. Br. ^{B. 1-sept}
 Ceyl. *D. ? Tetradeniae* B. ^{u. Tetradenia}
 Ceyl. *D. ?* ^{1p. obl. hypal (cont?)}

D. ? malampellae Dny - u. *Fraxinifolia*
D. hirtella Triana & Tul. (Ann. Sc. nat. 1858. p. 67)

Tex. *D. ?* *Obij*: *Eke* ^{cont. 742}
anobryoph. Sp. 30-10 *ellipt. hypal.*

- D. pensporoides*
D. seminata
D. venenata
D. atra
D. parviflora } ? Fr. S. M.
D. fuscata
D. scabra
D. bygonia
D. peruviana
D. monstrosa C. & T. var. *laev.*
D. rugeliana
D. picea
D. exaurans
D. myriophylla
D. adenantha
D. sphaerodes Eke!
D. Colutea
D. subcaudata
D. calyptrata
D. (Phragmites) *Magisteria* Eke
D. (Ophiod) *vorax* B. D. C.
D. (Pleod) *excelsa* C. & T.

6 arif *Bothriodes nitefina* (P.) Fr. ra Rob. ru. talpr.
Syn. *Bothriodes*, Rivis fikel

07 qd *D. Samburgi* (P.) Fr. ra Samb. ugr.
- *S. Keroneae* S. Dill.
Posi D? *melaena* Rabh Hedw. 1871 c. *Astrig. glumosa*
sp. combinat. obt. v. 25

6 ji *D. Mezgeri* Fr. ra Japhn. Mez.
9 *D. Anomphae* Rabh ^{Hedw. 73} ¹⁴⁰ *ca. A. fruticosa*

9 *D. frangulae* fikel ra Jaug.
9 *D. cellulosa* Waltr ra Phis, Syphing

ji *D. Herbordi* (Wahl) Fr. ra Herb. vlg.
ai *D. tetraspora* L. Fr. var. *Cyba nigri*
ulox et Daphne lac.

9 *D. Penicillina* fikel sar. Lon. Poite.
ny *D. Linderiae* Ger. Hedw. ⁷⁴ ¹²² *Cost L. Benzoni*
sp. 1-sept. 1871

is *D. nivalis* Waltr. sar. *Vittoriae*
D. Colpome (Lda) ¹⁸⁷¹ ¹⁶ *ca. Galiov.* 68
an. 4-1 par. - 1 pond. obt. 12 aud. 169. subsept.

ir *D. virgatorum* (Fr.) fikel. ra det. alba
= *Hypomyces* v. Fr.
D. flabellata M. U.

6 ar *D. Rosae* (Schl.) Fr. ra Ros. can. et prug.
? spoid. contin. = ra *Botryospha.* sept. sec. Cr.
spoid. v. cont. Kx.

iy *D. Hypogaeae* fikel ra H. r. hamin
D. Haerdenii M. U.

obi *D. puccinoides* Fr. ra fo. str. Boxi
i *D. struxa* D. Nts. sar. Lon. obsc.

fr *D. Rutae* M. U. caul. *Rutae*
(i. b. *D. Anoth.* Fr. caul. *Anoth.* gr. et *Petr.*)
spoid. ? - *Phm.* o. *phaerops*

11 Am. *D. crystallina* (P. C.) Fr. ra *Mactura aurant.*
sp. min.

(9-60 *D.?* *deparisides* Desm. fol. *Parisi* (cup)
Thylach? sp. obt. 2-sept. hyst.
sp. obt. hyst. *lingulata* Dny.

(- 6. *D.?* *genistalis* Fr. fol. *Genist.* sag. Hal.
an. clav. spoid? sp. obt. Cr.

(ob. *D.?* *decolorum* Fr. rem. *Mor. alb.*
Syn. *D. pleur.* *Mor.* *per* Kx. *Neckia?*

Guy. *D.?* *euglypta* M. 222 fol. *dej.*

Cay. *D.?* *rhopalina* M. 222 f. *Rhopal. guy.*
an. ph. *cayennensis* Fr. - - -

Bun. *D.?* *ampisimelaena* M. 222 f. str. *Jurani*
sp. *pleur.* 3-6 cont. *composit.*

Alg. *D.?* *oleandina* Dk. M. 223 f. *Neri.* *oleand.*

Cay. *D.?* *dermoniae* M. 223 f. *A. silvarum*

Tava *D.?* *Tobinsoni* M. 223 f. *vini*
sp. 1-sept.

Chil. *D.?* *Dynandii* Lev.
Cay. *D.?* *Phylloplacae* Kze et M. 221 fol. *dej.*

ra 962 i. *Ditrype* *Bigoni* (Hoffm.) J. ra var.
1816 *D. ph. undulata* fr. in lapp. s. d. d. d. d.
1816 *D. sp. Myxosporium crocum* ak pp.
Naemajunt unampoz *Ditrym.*
L. bellula betulinia Tul.

N.A. *D. platystoma* Sch. Mll. ra n. putr
fo a i 90 *D. disciformis* (Hoffm.) J. ra fag.
1. *depressa* Sow. 2. *grisea* Dc. etc.
- v. *viridans* B. *grisea* 31-95 var. *grisea* at *lati-*
ca 1816 *D. bullata* (Hoffm.) J. ra Pop. et Tul.
1st *depressa* Bolt. - *ph. Naemata* Tul

na *D. asterostoma* B. C. ra putr
D. polyzona *ph. l.* ra *Alced. opulif.*
N.A. *D. plagi* B. C. ra *Strios*
D. rimosa *ph. l.* ra *Crot. Bryan*

i *D. trichcha* D.M. Red. 481 ra *Pop. et Tul.*
i *D. DuRoiiana* D.M. Red. 481 ra *Mori*
an form - *V. reprecint.*

i *D. Berengiana* D.M. cont. fag.
i *D. acercola* D.M. *dec. camp.*
1816 *D. Circae* D.M. *Fic. Cer.*
1816 (?) *hypoxylodes* D.M. *Zust. reg.*
1816 *D. aneirina* *fr.* (*Popul.*)
1816 *fr.* 29

D. conicalata (Chr. ¹⁸¹⁶ fr.) *B. Br.*
mili videtur *Valm.* *contyphora* v.
coenobitrea

alg. *D. leucocera* M. *caud. v. rest.*
alg. *D. (sp.) Duvic* M. *cont. Querc. Mirbeckii*
~~1816 *D. (sp.) Duvic* M. *cont. Querc. Mirbeckii*~~
~~1816 *D. (sp.) Duvic* M. *cont. Querc. Mirbeckii*~~

Ceyl *D. russoides* B. Br.
sp. allant.
Ceyl *D. chlorosaria* B. Br.
Ceyl *D. pithoides* B. Br. = *Anthostoma*
Ceyl *D. thaloides* B. Br.
sp. allant.

Ceyl *D.??* *inax* B. Br. 67. 309
sp. fruit. 5-6 sept. *Melospium?*
Ceyl *D. guicoteata* B. Br.
N.A. *D.??* *punctulata* B. et R. *fr. in querc.*
gr. 31. p. 94

N.A. *D.??* *miniplaca* B. C. *Laur. Serot*
gr. 31. 95
N.A. *D.??* *hypophloea* B. et R. *fr. Magn. glauc.*
gr. 31. 95 *sp. oblong. nec allant.*
N.A. *D. mutacicola* Schw. c. S. *rotundif.*
sp. allant.

cafi *Dabryella* ^{ed.} *querana* (P.) Mke ra *Querc.*
D. Ranzelii Mth con.

D. pulvinata Mke ra *Querc.*
D. querana Auct. PP.
v → *intermedia* Karst ra *Querc.*

D. sordida (P.) Mke ra *Frax.*
na *Sph. sordida* Fr.

g.ia *D. aspera* (P.) Mke ra *Fag. et Querc.*
g *D.*

g *D. minuta* Mke ra *Cast. vesca*

Hayi *D. verrucifera* (Shr.) Mke ra *ver.*
6 *Sph. verrucifera* Fr.

rati *D. faracea* (Fr.) C. Mth ra *Bet.*
con. conyl.

D. melaleuca Mke ra *Bet. alba*

g. *D. exigua* Wri ²¹ *Waldw.* 139 ra *Salic.*

r *D. decorata* Mke ra *Bet. alba*

D. melaleuca (Kze) Mke ra *Fag.*

r a. g. *D. nigroannulata* (Fr.) Mke ra
Sph. angulata Fr. *Dabryella* ang. C. Mth

D. circumvallata (Nees) + ra *Cryt.*
4 Mke 82

r fi *D. Toxicaria* Mth ra *Abn. glut.*
con.

D. laevigata Fekl ra *Querc.*

i) *D. abnifraga* (Co.) C. Mth in *Abn.*
in *Cryptovalsae* spec.


D. Cretospermum C. D. et *verisimilit.*
quap *Sph. Cretospermum* Tode
est, *mas* *rupu* = *D. aspera* (Fr.) Mke.
un *huc* *Dabryella* *Hythix* (Tode?) Fr. *sed*
ex *Coke* *an* *Sph.*

N.a *D. Liriodendri* (L.) *Spich.*
D. aspera

N.a *D. Cephalanthi* Scher

N.a *D. rubiflora* B. C. in *Nyssa*

Tex *D. opaca* Ch *Not* *opac.*



- G. *Delitschiae didyma* Aud. ster. Capred.
 = *D. Anshaldi* Fiedl.
- G. *D. minute* Fiedl. fr. lepor.
- F. *D. bispoula* Cr. (Homosp.) fr. m. vucc.
- R. *D. haehnioides* Karst. Mf. 60 f. eq.
- abij. *D. elephantina* Pass. in ster. Elephant.
- a. *D. Wintorzi* Flou. fr. 1888 ster. cunic.

- R. a. *Daldinia concentrica* (Bolt.) C. D.
- g. ^{con.} *D. v. obtusata* (Fr.) Sacc. fag.
- a. i. *D. verrucosa* (Schee.) C. D. sig. fag.

a. g. *Lichæna strobilina* Fr. sicut abietis
 Dyer. Hendersoni strobilina Cav.
 Endosp. fusoid. curv. 3-sept. hylal.

a. s. i. *D. rugosa* Fr. cort. fag. et querc.
 Fr. Sacc. l. An. copios. paraph.
 12-8 spori - spondi ovate 25-30
 cuticula granulosa, subellipso.
 sec Kroye potius fungus quam lichen, quia
 neque punctis et gaudis pubib. extranea.

~~Dasyscypha virginea (Batt.) Fr.~~

~~Xendroctium microtorum Lau II 298~~

~~Xendrophoma vespispora II 433~~

~~Diaporthe crassiuscula Lau II 378~~

" ~~puella~~

" ~~detrusa~~

~~Diderma globosum Pers.~~

~~^{Allynomyces}
Didymium hemisphaerium (Nall.) Fr.~~

~~Didymospha. arundinula 2~~

" ~~socialis (Sphorae)~~

~~Diplodia tarmentorum Sm. I p 255~~

~~Diplodia humilacina Berk; Sacc I p 255~~

~~Diplodia pinca Kz. I p 256~~

~~Diplodia caricina Sacc. I p 256~~

~~Diplodia acicola Sacc II 268~~

~~Diplodia hirtella Sacc II 268~~

~~Diplodia allahoniae Sacc. II 268~~

~~Diplodia Anonae Sacc. II 269~~

~~" " ~~fulva~~ arundinacea (Pant.)~~

~~" " salicina~~

~~Diplodella fibrifera~~

~~Dicranosporium hispidulum~~

~~Dendrothidium furcoides~~

~~Diatrype Riggsii~~

Als. Jam. Egypto tearia Lév. (Zygoph. Nyan. ⁱⁿ Droych.
 Gall. alg. Dunoi Lév. (fl. ⁱⁿ Maudou)
 N. Z. " densa Berk. f. Antobelia
 Pensyl. " fusca B. C. f. Bidert. prod
 S. A. " Phlogis Schw. f. Phlogis
 L. U. " Chelone Schw. f. Chel
 Belg. " rensequia West. f. Stadyd. fol.
 " Gelepsioid DC. f. Stach. Galleg. lam.
 " umbelliferarum (Lév) Angel. Heract.
 " Astragal. DC. (Huc potus gran. Mumph.)

i Epicymeta Napmie Pap. i Meperic Comg.

- Ensiptea Linkii Leis (f. Artem. et Tanac.)
- 601. laevigata Lk (f. var. herb.)
- 601. graminis DC. (f. var. frans.)
- 601. Martii Leis (f. var. herb.)
- 601. Forbii Lk (f. Corn. lang.)
- 601. Montagnei Leis. (f. Senec. et Lapp.)
- 611. communis Schk. (f. var. herb.)
- 611. hornidula Leis. (f. Lymph. Asparag.)
- 611. ? Rub. Fekl (Loid.) Rub. idaci.
- 611. Ulmatae Drog. f. Spr. Ulm.
- 611. vernalis Karst var. vul. Alri incan. f. 8. Martii Leis.
- 611. Xanthii Kl. (an var?) f. Xanth. ikh.
- 611. Tuckeri Bk (na Sphaerostee) f. fol. Vit.
- 611. Prodi M. 253 f. Prodi. muschel.
- 611. Nitida Bk f. S. 1431
- 611. spadicea B & C. f. Xanthium

E
F
G
H
49

- 611. herbarium (Web) Lk (fo. lign. st.)
- 611. con. Aspar. glauc Lk (oc. dBy. Fekl)
- 611. repens dBy (fo)
- 611. conid. Asparagill. dBy
- 611. utensium Maja in nana localis
- 611. co. asp. glauc se Kx
- 611. chrysos M. 258 f. Ballota Mierzi
- 611. fructigenum Mart. ad fruct. Graf.
- 611. insigne Wint in frans
- 611. diplocystis P. Br.
- 611. eyxylon Wallr 2 lya.
- 611. pubescens Cha - 2 lya
- 611. coniosum Wallr
- 611. fuscum Beau var. Robur
- 611. Przymetia vulgaris Fekl in ap. Parm. subsp. (Mou) Cook.
- 611. verrucariformis Fekl var. Beyae
- 611. Licheni sordid (Mass) + ap. Lecanora
- 611. Poranthe (Mass) ad th. Poran. craft.
- 611. Variolanæ (Mass) H. Poran. com.
- 611. Phallophigla (Cook) th. Lec. subgrosea
- 611. ventosana Lindray th. Lec. ventosae
- 611. lichuroides (Mou) th. Lec. ventosae
- 611. 2-ocularis Bayard

44
717
712
8
79
73

Eriophaena Normiculanæ (Nees) hq pin
 Ceyl $\{$ *im. latior* B. Br. ^{B. 7.} 20
 ^{sp. 1-sept}
 i *E. exigua* Sacc. ram. Sol. babyl.
 g. *E. horridula* (Walt. ex Mq.) + *T. trunc. pyg.*
 ^{a. 65x10 - sp. 20-25. 10-12. hq.}
 i *E. rari-pila* Sacc. n. *dia. Ulm. camp.*
 ^{cum conid.}
 Ceyl $\{$ *nigrita* B. Br. sp. ell. 1-sept. Ulm. hq.
 ? *E. alligata* (Fr.) + *urt. ramor. de j.*
 ^{hmb. *E. nigrita* - Cf. Cuv.}
 a *E. investans* (Cooke) ra. putr.
 a *E. membranacea* (B. Br. *Grav. 30. 68*) hq. pin
 ^{sp. fusoid - ovate 1-sept 35x17}
 ? *E. canorens* (Fr.) ^{alt. D. M. Lher. 230}

Enchyosphaera pretorum Jkbl
 ^{in fusulis, fo. u. punct.}
 i *E. passerinii*, Sacc. *Sarr. Vitell.*
 R. ? *E. pilopella* (Kerst. sub. Sph.) *Stagn. Combi.*
 ^{sp. 3-sept fusoid.}
 ^{a. *Melanura*?}
 R. ? *E. hirtula* (Kerst. sub Sph.) *ram. Rub. id.*
 ^{sp. 3-sept fusoid.}
 g. *E. Peltzerae* (Jkbl sub Trichop.) *Al. Peltz.*
 ^{sp. 1-sept. 20x7. 2-sept.} ^{caus.}
 a *E. macrochaeta* (B. Br.) *fol. Cam. panic.*

a i *Enchyosphaera lanata* Fr. *ra. Bot. alb.*
 a i *E. inopruelli* (Kze) Nke *ra. Cuv.*
 ^{Sph. 8-12. 11. at Cuv.}
 ? *E. Friesii* Jkbl = *Sph. floergr. Fr.?*
 ^{ra. Samb. rot.}
 r *E. alniella* Kerst *ram. ut. Alb. in.*
 ^{conid.}

gr. Eleocharis myosu, subulatus, f. Tord. f. ell.
Co.: Tania brachista Schum. (v. Algar. putr.)

gr. Epichloe typhina (Pers.) Tul. va. Dact. glom.
Cyl. P. pulvinulata B. Br. u. Panic.
Cyl. P. strangularis (Walt.) sub Cordyl. Cuba Papp.
Cyl. P. cinerea B. Br. u. Fragr. Nutante
Cayenn.

F

G

H

49

44

717

718

8

77

193

- f a *Eutypa spinosa* (P.) Tul. fr. Jap. Jgh.
 cons. th. Carp. Jap. Curc.
 i v. *anomala* S. Mtr - cort. Jp. Car.
 polymorpha (Mk) + ra cort. v. docot.
 Plat. et ulm.
 uniformis (S.)
 cylospora (Mk) + lign. Jap.
 alg. *E. consobrina* M. ulm. Arum. Maurit.
 polycoeca (Fr. Mk) Kunz. ra. doc. Prun. sp.
 alg. *E. orthosticha* M. Salic. et Bet. (K.)
 Sali. et Ric. - common.
 f a o i f *E. Acharii* Tul. ex Ach. ra var. arb.
 conid. et spem. Jph. *Daosyomyces* Jap.
 Cay. *E. micromeria* (M 218) Cort. arb.
 i i *E. aspera* (Mk) Jgh. ra Sob. luc. et Lemnia.
 NAR. *salvatica* (Schw) B. Geo 97
 maura (Fr.) S. lign. Prun. spin.
 f. alg. *E. viticola* (Schw. MDR.) ra. ulm. lit.
 conid. *conjugat. con. spec. thom. G.*
 i *E. subtecta* (Fr.) Jgh. ra cort. Al. camp. d. B.
 conid.

E. crustata (Fr.) + ra Al. camp.

E. leprosa (P.) + ra Tit. eur.
 E. uberrima Tul.

 i *E. referiensis* (Mk) + ra Prun. Pad.
 E. subcutanea (Wahl.) +
 et h. h. s.
 a i o *E. scabra* (Bull.) *And.* lign. var. arb.
 conid.
 f a i o *E. flavovirens* (Hoffm.) Tul. lign. var. arb.
 conid. et spem. Jph. *mult. sp. low.*
 v. a i f *E. lata* (P.) Tul. li. et cort. var. arb.
 conid. et spem.

E. prorumpens (Wallr.) + ra lib. Jgh.

 i *E. laevata* (Mk) + lig. Salicum

E. macrospora (Mk) + ra. doc. et cort. *Sorbt.*
 spem. *vulg.*

E. Fraxini (Mk) + ra cort. doc. *Frax. etc.*
 = *Sphaeria Fraxim.* Curc. non Jp.

E. nitida (Mk) + ra cort. Sal. Apr.
 conid.

 a g. *E. Rhodi* (Mk) Jgh. ra. cort. doc. *Rhod. can.*
 spem. *et form.*

obs. fute Diak. Anomus (Fr.) Cur. *reymund.*
 neue V. Eutypa *Eudobundae*

i P. millionia (P.) + ^{at pag.} li. Quercus et Staph. pinn.

P. maurandea (Mk) li. et ra. Dec. Sabic.
_{sp. immensa Lau.}

a i P. lejonleca (P.) + ra Dec. M. camp.

i P. americana (Linn.) +
comp. cum Cryptoph. allepunit et vicinula

2. obj. ? P. tetragona (Duby) Cryptoph. l. et. C. D.
lobata - ost. prom. crass, acut. 4-entata

i P. arundinacea Lau. Culm. Dmac
_{conf. cum canadica foto S. latif. grandis D. M.}

obj i P. velutina (Wallr.) Sac. lign. et. camp.

i P. pumila D. M. (Koen V. 108 Vals.) v. lamb. nigra

(H) i P. heteracantha Sacc. ram. var.
_{in V. pumila D. M. arbor}

obj. E. ? lycina (M. 21) cont. fr. car.

i E. hypoxylodes (D. M. D. D.) Zugl.
_{in D. hypa? 71. 24}

E. petzingia J. u. Litt
_{ke Carr.}

N. A. E. Phypodes (B. et C. Hyp. 869) lign. querc. i.
_{sp. v. allantoid Nouvel.}

F
G
H

44
717
718
8

(H) Cum hac specie congruere videtur V. hyugweni
Coch. Fl. et. ne. ne. D. (Obkula) microtheca
C. et. Ges. 34 + 80 f. h. - et. phaeo
Lind. C. et. Ill. Fung. 1876 p. 5 (Am. in
ne. p.)

Endomyia Fekl.

h. *macrotoma* Fekl. ra. Dec. pu. qu. sperm.

r. a. *E. parallela* (Fr.) + h. pino.
ex Karst. sp. 10. 19. ^{et cetera sp. 10. 19. f. septica -}

g. *E. operculata* (A. S.) + lign. abietin.

g. i. *Uryachon sedis* (Kk) Fekl. c. l. d. max.

v. * *E. Rumicis* Karst. caul. Rum. Act.

? *E. Hellaris* (Fr.) F. f. Phyt. spic.
of Penn. placental et asterinis.

g. i. b. *E. Hellariae* (Lib.) F. f. Stell. hd.

E. ambros (Kk) Fekl = *Staph. ambros* Fekl

g. a. i. *Endothie gyroga* (Schw.) Fekl. cont. var.
sperm. ph. flav. low. arb.
v. r. Kk;

Exarmidan lykeniforme Karst. Gg. jun. et pin.

46.

Kx
l.

ide.

u)

du.

ii.

F

Fr.

G

H

49

44


717

718

8

779

778



~~*Excilia*~~ *Parkensis* Fr. II 242

~~*Epicoccum nigrum*~~ Link II 489

" *granulatum*

F

~~*Eutoloma sericeum*~~ Bull. ex. fr.

G

~~*Eurotium herbariorum*~~ (Lk.) W. B. G.

H

~~*Eurotium laevigatum*~~

" *lata*

" *leucomata*

I


J

K

L

M

N




2. G. 1/2
 Fenestella Pringaj Tul. Aln. glut.
 v. fenestrata B. & Br. Bot. Meer
 cum pamej. Cretae. Et et
 v. rubida Karst. mg. ts ra. Publ. Dae.
 a v. timingha (B. Br.) va. aln. gl.
 g. f. macropera Fuhl ra. Conyl. Zag.
 spm.

i. f. phaeospora Saa. ram. cot. Querc.
 f. Morgeotii (Pers.) ram. ac. Pseudot.
 f. curr.
 f. minor Tul. w ramis alneis tenuioribus
 f. media Tul. in ram. salicis
 p. 30-50 * 13-16
 f. papillata (Tul. sub. Volk) ram. carpin.
 a. 180-200 * 16-18. **F**
 p. 32-40 * 15-18, utrinque pallidiora.
 3-4 p. - muriforme
 f. melastomae Luf C. D. M. Brand 77
 valz **G**
H

I. Frachivaca heterogena Saa. ram. var.
 spm.
 NA. f. callista (B. Br.) Saa. w Carpin
 p. 1/2 dec. calappa Cucurb. c. B. & C.
 NA. f. ? brevis barbata (B. C.) +
 Cucurb. brevis B. C. Grev. Sept. 47 are poly/pa?

44
 717
 718
 8
 79
 79
 79



~~Favolus europaeus (L.) Fr.~~

~~Lufarium sinuatum Sav II 294~~

~~Lufarium obtusifolium Sav II 294~~

" Gymnocladi sp. n.
" ~~pyrochroma~~

~~Fomes lucidus (Lays.) Fr.
Sulla Tern~~

" ~~ignivorus (L.) Fr.
nei Fruch & Scler~~

16.
Kx
1.
de
up
dr.
G
H
44
717
718
8
198



[Faint, illegible handwriting in cursive script, possibly bleed-through from the reverse side of the page.]

46.
Kx
1.
de.
up
div.

G

H

49

44

717

718

8

77

19

71
3
de
de
de





46.
Kx
1.
de.
47
de.

G

H

49

44

47

48

8

48

19

5





46.
Kx
1.
de.
ap
dr.

G

H

49

44

116

212

8

78

198

5





16.
Kx
1.
de
up
dn

G

H

49

44

71

212

8

78

19

5





66.
Kx
1.
de.
ap.
div.

G

H

49

44

717

213

8

78

19





66.

Kxx
1.

66.

66.

66.

G

H

49

44

717

718


8

77

19

5





66.
Kx
1.
etc.
up
down

G

H

49

44

77


718

8

79

19





46.
Kx
1.
46.
47.
48.
49.

G

H

49

44

217


212

8

19

46
47
48
49
50
51
52
53
54
55
56
57
58
59
60

19



of Magnifera

187

- g. *Stemonis Chamazomori* (Fr.) Kant pet. Rubi Chamazomori
= *Sphaerella novicola* Awd
sp. *Dicoria* 118. (sic) 187
p. 3-107
- baig. *puberula* (P.) *Rubingya puberula* Schub. f. Carp. Bot.
- ig. *Ostryae* 1873 p. 49 f. Ostr. argimus
- rbai. *Confi* (Reb) f. Confl. Awd.
p. *Leptothymum Confi* Fekl
- g. *avellanae* (Schm, Plk.) f. Confl. Awd.
- rgbaig. *tubiformis* (Vad) f. Aln. glab.
sp. *Leptothymum cylindropedunculatum* Bon. et Awd.
Syci. *Dothidea alnea* Fr.
- gi. *amovea* (Nes) pet. Confl. Awd.
sp. *peridolum* Lib. et Carp. Bot.
- ai. *inclinata* (Dny.) Awd fol. Aln. *peridolum* Bon. et Awd. 1873
- fasciculata* Fekl pet. nov. Awd.
- g. *crustaticornis* Awd. fol. Carp. Bot.
- fga. *Anae* (Fl.) f. Sorb. Anae
su. Awd. et *Stapanus phaeoformis* Fekl.
- g. *Linnæae* Awd f. Lem. boreal.
- ischnostyla* (Desm.) Fl f. Al. *peridolum*
- ga. *Carastis* (Aves.) Awd
sp. *peridolum* Fekl sp. *ischnostyla* Dny. no Dny.
- amygdalurae* Fl. *caul. amygd.*
- g. *Rhododendri* Awd. *ran. Rhod. hirtat.*
- rbia. *statae* (P.) fol. Awd. Confl. et
187 Awd. huc quod putant. 9n. Prun. Fekl. -
emarginata Fekl - *g. vulgaris* L. det. *g. rugosa* Fekl
s. *ischnostyla* (Dny.) Awd.
- g. *pusilla* (W.) f. Lonic. Xylot.
- f. *ochroleuca* (Dny. 11. 19.) f. *Cydon. Crataegi*
f. *Rubi, Mesp. Fag.*
- g. *graphis* f. f. Rubi. frut.
- g. *Schoenoglyphis* (Rbh) C. D. Vermicul. Rbh
= *Drageulha*
- asia. *vulgaris* 1873 f. Confl. Awd.
- fg. *errabunda* (Rob. Dny.) Awd fol. *Fag. et prun.*
- g. *melanostyla* (L.) f. *Til. panof.*
- g. *pleurostyla* Awd f. *Til. pleurostyla*
ad off. *Fag. vinn.*
- Prun.* f. *Prun. vinn. et spin.*
- f. *ischnostyla* Dny. fol. *Fag.*
a. = *g. ochroleuca* Dny. (ad Awd.)
- vernigera* (W.) Fl. f. Confl. Aln. Carp.
- g. *uparia* Nyl. *caul. Epilob. hirt.*
a. = *g. pusilla* p. 3-107
- Rosae* Fekl f. *Ros. rubig.*
- g. *de Nonjane* Fekl. Awd. *lign. Fag.*
- emarginata* Fekl f. et pet. Bot. albae
- ig. *campylostyla* Awd. fol. Bot. albae
- g. *erythrotma* (P.) Fekl. f. *Carp. avin.*
- g. *nigella* 1873 *caul. Hyp. perfor.*
- bg. *leptostyla* (Fr.) Fekl f. *Rugl. regia*
- g. *Sestertia* 1873 fol. *Sest. caerule.*
- curva* (W.) Fekl f. *Rub. alp.*

G

H

44

717

712

8

79

79

79

79

79

79

79

79

See index = sicut *S. peridolum* Fekl, *Carastis* et *ischnostyla*

54

16. 3 *G. ciliata* (Rien.) C. D. - fol. Dip. alte
 Pleurocoez rfractum R. Hedw. 1854 1/10
 pho. compl. det. 1848 - f. fuscipunctata Hedw. 1854
 2 *G. perspicua* Karst C. f. gramin. (Rien.)
G. thurana Auct. in lign. pub. videtur Diogenes
 r *G. alviella* Karst f. Alvi
 3 *G. inaequalis* Auct. c. Lich. syl. f. Diogenes
 r. g *G. Epulobii* (Fekl.) Auct. c. Epul. ang.
 7 *G. tetraspora* Wint. 1872 ^{Hedw.} caud. Epul. Cypr.
 r. *G. usat* 15*5 1-1974 f. usat. Hedw.
G. lugubris Karst f. Comari pet.
 r *G. depressula* Karst ram. Rub. Hedw.
 r. *G. Comari* Karst pet. Comari pet.
 (Stegotoma)
 (?) *G. idaeicola* Karst ramul. Rub. Hedw.
 = Calophora? i. K. - a. Diogenes?
 9 *G. Dryadis* Auct. ram. Fr. ochroleuc.
 a *G. opharodes* (B. Br.) ram. Pleuroc.
 9 *G. Fleischhakeri* Auct. ram. Sen. Hedw.
 a. Diogenes?
 v. *Gnomonella polyspora* (Auct.) pet. f. abn. glot
 = *Sphaeria cryptophana* Fekl.
 a f. ? *G. fenta* (B. Br. Sph.) ram. Ulm. long.
 nec. Hedw. Hedw. 1754 = Hedw.
 Sed ex B. Br. ¹⁷¹ a. polyspora -

g Gibbera Vitz Schulz. in sem. Vitz
= Cryptosporia angulata = Schussii Vitz, Haged.

fr. 2 Gibbera Vaccinii (Sow.) Fr. con. Vacc. Vit. D.

fr. 3 G. Juniperi (Sow. Doth.) Awd. ra. Junip. con.
Gibberidea Uvae Fekl

I Microstylum Diplodia Uvae Fr. Sphaeria V. DC.
= Sphaeria adovirens, A.S.

II Gigasporium Cuthopora Uvae Soltm.

III " " cum spermatis sp. Fekl

49
44
717
718
8
1973
53

- o a i g. *Glonium lineare* (Fr.) Ditts ad lign. p. 100
- i. β ar. *gustichmua* Ditts lign. p. 100, cap. p. 101
- a i g. *G. amplum* (B. Br.) Ditts? Sava. Pub. 10.
- r. g. *G. graphicum* (Fr.) Duby. var. *vir. s. p.*
- = *conditum* Ditts? 100. Duby. *vir. s. p.*
- f. g. *G. confluum* (Wallr.) Dub. lign. p. 100, cap. p. 101
- r. *G. excipiens* Karst. lign. p. 100, cap. p. 101
- g. *G. confertum* (Ditts) Ditts var. *vir. s. p.*
- r. *G. pygmaeum* Karst. lign. p. 100, cap. p. 101
- i. *G. divex* Ditts lign. p. 100, cap. p. 101
- f. r. *G. emergens* (Fr.) Dub. fr. Pop. n. p.
- f. *G. vinctum* Ditts lign. p. 100, cap. p. 101
- r. *G. striola* (Fr.) Karst. Carb. Cerep. lign. p. 100, cap. p. 101
- Hyst. sub. Fr. 8. l. 10.
- Carol. *G. stellatum* Müllb. lign. p. 100, cap. p. 101
- Pyren. *G. coenobium* Duby. r. Sava. p. 100, cap. p. 101
- oblong. *G. lepidum* Duby. var. *vir. s. p.*
- f. *G. Castaneae* Cr. lign. p. 100, cap. p. 101
- sp. pyrif. 1-sept. - at *G. lineare* (Fr.)
- NA *G. chlorinum* (D. C. Gray 29) r. var. *vir. s. p.*
- sp. obt. *conditum* 1-sept. 7 1/2 g. lign. p. 100, cap. p. 101
- New *G. parvulum* (Ger.) + fr. *Ala. sord.*
- Texas *G. medium* (Cke) S. *decort. Berkoniae*
- a. *cap. v. s. p.* sp. 8-10 = 6. 1-sept.
- pen. *de. s. p.* sub *confluum* (Fr. *vir. s. p.*)

16.

Kx
1.

16.

17.

18.

H

44

L

44

V

117

V

118

V

8

119

1783

53

19.

20.

21.

22.

23.

24.

25.


26.

27.

28.

29.

30.



~~Galera tenera Quél. p 32~~

~~Galera ruforum Quél. p 33~~

~~Galera tener Schräff~~

~~Geoglossum umbratile Sau. I 444~~

~~Gloeosporium macropus Sau. II 449~~

~~Gloeosporium sphaerelloides Sau. II 449~~

~~Gloeosporium macropus Sau. I p 217~~

~~Gloeosporium Fagi Robich. Imp. I p 218~~

~~Gloeosporium frigidum Sau. II 168~~

~~Gloeosporium sphaerelloides Sau. I p 92~~

~~Gloeosporium affine Sau. I p 129~~

~~Gloeosporium nevvissequum Tuck. II 3~~

~~Gonatobotrys microspora Nind. 193~~

~~Graphiola Phoenicij Pat. Sau. I 53~~



166.

Kx
1.

de.

up

do.

H

L

B

F

D

G

I

K

M

N

P

R

S

83



16.

Kx
1.

de

ap


dr

H

L

B

83



66.

Kx
1.

de.


ap

du.

H

L

83




66.
Kx
1.
de
ap
dr

H
L



83




- Kalmusia decalbata* Sacc. liz. Cort. vestig.
 a *K. hemistaphra* (B. Br.) + a = decalb. liz. quon
K. Ebuli Nost.
 a *K. hypostephra* (B. Br.) ligni quercus
 fi *K. lipida* (F.) Sacc. ram. var. Thym. sp.
 na mtsu ^{alt.} sp. h. local, quercus, munit. Hederac etc
 ! *K. incrustans* Sacc. ram. var.
 g *K. Ebuli* Nost. caul. Saurubi Ebuli
K. ampinea (F. ex sp. Rosp.) -
 sp. b. local. in Pers. et munit. see Dillig
 ! *K. autypa* (Sch. n. 48 exp.)
 sp. ovnd. obl. plurilocul.
 wa *K. myriangioidea* (B. Br.) cod. Caprin
 sp. 3-sept. Sacc. 30-450

Kalmusiella : at *K.* see spord. munit.
 sp. *K. circinata* (M. et Fr. 236) x. aloni. pup.
 Terulopm
K. lina (Fr.) non Alty
 NB. hoc genus *Thyridia* reformata
 refero -

Kalkmania moniformis Kart. (Deltus)

6 *Kickxella alabarbica* Coen-
 cum curio
 a terra stercorea (usq. D'Agard.)



16.

Kx
1.

de.

ap

dr.

H

L

B

83

H. Pustula : spid. fusid. dem 3-sept. 22x5
H. bifrons : spid. obl. curv. inf 1-sept 12x4
H. ^{3. g. g. g.}immunda : spid. oval. obl. 1-sept 10x5.

Hypopila pustula (P.) Karst fo. querc -
(*Gnomonia* sec. Awd., Wint.) = *H. quercina* sec. Wint
= *Nothia* sec. Pbk
H. immanis (Fehl) sp. pleurovomis ^{atque} ^{at} *Sphaerella* f. *quercina*
= *Nothia* inna. Cooke ^{sec. Awd. = 101 cont. distincta} *Gnom. suspecta* Fehl

H. (Nothia) rhytismoides (Fr.) n. fol. Dryad.
+ *Sphaera* Dryad. Fehl
H. (Nothia) trifida (S.C.) Fr. fol. querc -
Dismid. sec. Awd. = *pustula* sec. Wint

Hepaticia rhenana Fehl in stram. polae
cum sp. m.

H. Rubi Fehl sarm. pu. R. Wier
an = sp. *Ruborum* Lib?
i.g. *H. Schredermayerana* Fehl n. xamb. nup
H. heterostoma (Karst) Sacc. lign. pin.
H. rhodosticta B.B. 7
sp. 1-10pt 2h. n. 7/6
H. Keitii (B. Br.) Hedw. 7/6 in chorda pub. v. 1
sp. fus. 30 x 6 1/3, 3-10pt

H
L

Hemithephaeria Clavaria (Awd.) Fehl.
= *Perallonia* Wint. n. litt.
Conid. et Pycnid. *Ind. Clavariae* C.D

5 f. *Hypomyces Linkii* Tul. in Agar.
Co. et chlamyd. : *Mycogone rosea* Th.

H. albus Gr. 29 in *Periza* var. ^{Canth. lactan}

H. cerinus Tul. in Helv. conp.

Co. et M. : *Mycogone conina* Dth.

Sub. 3. Ma *H. ? tomentosus* ^{Gr. 29} in Agaric.

f 6 i. *H. chrysospermus* Tul. in Bolet.

Chlam. : *Septodotium mycophitum* Mey.

H. ? legillum B. et C. Gr. 29 u. d. pin.

f 8 *H. asterophorus* Tul. in Ag. adust. et Hyt.

Chlam. : *Asterophorus agaricicola* Cde.

Cyl. *H. ! paucius* B. Por.

f 7 *H. Perizae* Tul. in *Per. leuorh.*

Chlam. : *Asterophorus Perizae* Cde.

Cyl. *H. chrysotomus* B. Por.

5 9 f a 4 *H. laterites* (Fr.) Tul. in Ag. distic.
= *Hypone deformans* Awd.

a i. *H. wellii* (A.S.) Tul. fo. ram. ^{bi} fung. pu.
Co. = *Trichothecium caudatum* Waller.
^{noctua albostriata Nef. Fr.}

a. *H. luteo-virens* (Fr.) Tul. in Boletis

6 I *H. roseus* (P.) Fahl. in cort. alba gl.

Co. ? *Botrytis carnea* Schum.

Cyl. *H. ! chumetia* B. Por.

a. 9. 1 *H. aurantius* (Pers.) Fahl. in Polypor. put.
Co. = *Trichothecium sicken*, Cf. Fahl.
^{Bombycia aurantia Schulz.}

a. *H. Prosnianus* Tul. in Polyp. ann.

v *H. violaceus* Tul. in Aeth. septre
cum conid.

iv *H. fulgens* (Fr.) Kart. cort. Pin. yls

Cyl. *H. ? stathier* B. Por. in Trichia
^{sp. fusca multisp.}

v *H. bombacina* (Fr.) Kart. in Polyp. tral.
= *Trichothecium bombacina* Fr. S. V.

v *H. viridis* (A.S.) Kart. in hymenii Lactaria

a. 9. 1 *H. formigosa* (Fahl.) + v. Lactaria
^{sub cortice}

an. *H. ochraceus* (Fr.) Tul. in fung. put.
in *Verbitium garinum* Cde.

H. ? hyalinus (G.)
^{cf. m.}

Carol. S. lactifluorum Schw. in Lact. proseret
Held. S. agnicola Char. p. in Ag. vetust

Hypoxis

ep. u. calce A.

L

- Na H. atramentosa B. C. fol. androgyn
Na H? rubrinis B. C. fol. putr. gram.
Na H. parviflora B. C. u. Hydrocnaceae
19 Hypoxis hemelloke (Schum.) P. li. Cap. B.
H. lobata (L.)
air H. gelatinosa (Tod.) P. li. putr.
Panicum H. abroicium Mlyn. lig. denud.
air H. rufa (Pers.) P. li. et ra. var.
Co. Trichodroma viride Pers.
a. umbra (H. lenta Cur.) - (lectio et sublatendi
Na H. lenta Torr. 10 Cur. et Bot. C. pin. et lat.
H. spinulosa Fock. caul. putr. Chelid. m.
Gay. H. phyllogea Mlyn. fo. viv. Conlanceae spec. off.
H. pulvinata Fock. in Polyp. self. pu.
Pottol H. hematoptera Mlyn. ad corticem
air H. citrina (P.) P. in terra, musc. fo.
r u. fungicola K. in Polyp. vetust.
H. lactea P. in Polyp. Med. p. pa.
Gay. H. fusca Mlyn. petiol. Maximilianiae
an H. alutacea (Voss) Tel. ^{regis} fo. Pin. 1 glo.
Gay. H? ^{Conyocaps} ^{potius Hypoxis} ^{regis} ^{fo. Pin. 1 glo.} ^{in Polyp. vetust.}
Gay. H. lanata (Mlyn. sub Cony.) cort. arb.
Na H. Petersii B. C. trunc. ? Guyanae
Gay. H. brevipes (Mlyn. sub Cony.) lig. putr. Guyanae
Na H? tubeniformis B. et Ras. C. Annularia

Na H? Richardsoni B. et Mey. hum. pagul.
 Na H? in dimpa B. et Rav. h. uln. soml.
 Na H? Ravenelii, Bk. d. ortyca, auv.
 q.v. Hypoleuca atrata Karst. 257 lign. pub.
 = H. repanda Fiebl
 an. H. perizonia B. Borr. sc. hinc; ram. curv.
 q. H. strigata (L.) Fiebl ram. et fol. pag.
 an ga H. delicatula Tul. h. abit.
 q. H. repanda Fiebl lign. pub. tel.
 i. H. armata Fr. in terr. uian.
 anas. i. H. fibrulata (Dill.) C. D. h. hinc arb.
 an H. ^{an = H. sericea B. K.} inclusa B. Borr. in Tubere pub. arb.
 an. ? H. villosa B. Borr. solum. Clem. Vit.
 spind. fusoid. Sept. - appar. hyl. 50-60 *
 (nub. hypocrea)
 Na H? conferta (Schw.) B. C. h. Liquidat.
 Na H? stercoraria (Schw.) B. C. h. Polypus Casteri
 Na H? chloropus B. C. hinc.
 Na H? solenostoma B. et Rav. h. Pachyma
 Na H? ochroleuca B. et Rav. h. Myrica cont.
 Na H? polypoides B. C. in tr. pag.
 Na H? armeniaca B. C. hinc.
 R. i. a. g. b. chloropus Tiliae (Fr.) Tul. ra. Til. eur.
 Volu. h. asine Can.
 Co. Exoponium Tiliae Sk.
 Pyc. Rabenhorstia Tiliae Fr.
 f. H? hinc Cr. ram. hinc Ag.
 Digen. sambur noto

a. g. Homoclegia adusta Fiebl th. Parm. saxid.
 f. = H. Pezomela (B. P.) Karst
 = ph. parviorlega Fiebl
Lichenicola Mess?
 q. H. lichenum (Lomm.) Fiebl th. Pelt. can.
 q. H. conorum Fiebl squam. conor. Du.
 part. - uniform. lat. 20 * 8

A. R. G. hypocreasia occidentalis (B. K.) Karst
 = Hypocrea parviorlega Fiebl hinc arb.
 in Whit.

2 a f i Hypoxylon coccineum Bull. r. fag.
Con: Anthracium flavivirens Fr. Na. umbrae
Haeuss. Hypoxyl. Kalkb. - Trestete acerformis
Sph. radian, Tode - Sycopod. vandygum Sow. Fr.

2 a i H. argillaceum (P.) Bk r. fag.
con. r. Fr.

i H. leucum Mke r. Conyl. Anst.

H. subtilem Tul. con. fag.
co.

i H. conrotatum Mke trun. Carp. Bot.

H. Botrys Mke r. Sal. Quar. Alen

2 a f i H. fuscum (P.) Fr. rar. et dur. var.
Con. Sph. tuberculosa Sow.
b. i. v. conflans W. (on Carya Pelt. fruct.) Carp.

H. Laschii Mke r. Popul.

i H. purpureum Mke h. fag.
Con. Dematiaceae virens et D. sp. phae-
nicum A.S.

2 a i b H. rubiginosum (P.) Fr. rar. var.
Con. H. macrosporum Karst. lign. salic.
conid.

H. fragile Mke lign. salic.

2 a f i H. cucurbitina (Des.) con. quere

H. perforatum (Schum) Fr. h. et
con. con. fag. sal. fag.

2 a i o H. cohaerens (P.) Fr. con. fag.

R. H. pauperatum Karst. con. Salic. S. Sal. huc
conid.

2 a f i H. multiforme Fr. rar. Popul. et al.
Sph. pellata DC. Hy. granulosum Bull.
Sph. multiforme Des.

i H. pulchellum Sav rar. fag.

H. unatum (Fr.) Mke r. Conyl.
conid.

2 a f i H. serpens (P.) Fr. h. var.

Conid. Sph. macula Tode - junior see Fr.

R. H. reticulatum Karst. u. Polyp. pinicola
conid.

H. aeneum Mke r. Conyl. Anst.
con.

i H. effusum Mke lign. salic.
r. Carter!

- g. H. sublaevanum Zehl rad. pag
 a. g. H. crinitum (Lam.) Mke liza. quon.
 et h. Polyp. 10/11
 f. a. i. H. atropurpureum Z. h. pagin.
 g. H. diathrauston Robt. Ab. 2/11. v. cort. Mke
 i. H. Michelianum C. D. h. d. d. d.
 H. semimorsum Mke liza. pag.
 Zph. ada. Aich. p. p.
 Conid.
 B. b. a. g. H. udum (Pers.) Z. liza. quon. ^{selic.}
 hum. (p. h.) et Conid. Zph. an. fl. u. Tode. Kz
 (Zph. - ord. n. e. Z. p.) Zph. sin. c. d. d.
 (Z. p. p. = M. l. a.)
 H. minutum Mke liza. quon.
 con.
 i. H. vogesiacum (M. N.) C. D. h. d. d.
 H. v. g. y. s.
 i. H. Natterae Mke (Vahlb.)
 i. H. bifrons Mke h. Laur. nob.
 y. a. H. marginatum (Schw.) Bk liza. p. d. d.
 H. rhopalodes Mke = Xylaria Mke
 H. sagraenum Mke
 H. dimorphum Z
 H. annuletum (Mke)
 N. Y. H. ^{3 de p. r. n. a} smitacilola Howe Hed ²⁵ ₁₈₈ h. u. c. t. S. u. l. a. c.
 H. pruinatum (Kl.)
 a. R. o. l. l. i. n. e.
 N. A. H. Sassepaj Z
 Guy. H. melanaspis (Mke) cort. ram.
 Cay. H. scleridema Mke liza. em. t.
 Guy. H. irradans Mke u. sylv.
 alg. H. mauritanicum DRM. cau. Cham. ^{rep}
 Insul. H. Berkeri M. liza.
 Juan Fern. ^{Insul.}
 Cuba ^{Brasil.} H. Bomba M. cort.
 H. ? Uranias M. fol. M. g. y. a. r.
 a. "Hypocistis"
 Siam. H. Comaropsis M. liza. p. d. d.
 Guy. H. profum M. cort.
 Guy. H. macrosporum M. liza. p. d. d.
 Cay. H. endoxanthum M. cort.
 Siam. H. ? erinaceum M. h. p. d. d.

Guy H! *Quercitana* Mbr. ram. deject
 Guy H. *exurgens* Mbr. cort
 Guy H. *lucidulum* Mbr. ad ligna
 Cay. H. *Scribbita* Mbr. ^{in Numm.} cort ram.
 Cay. H! *marbulae* M. ^{in Numm?} lign
 Cay. H! *restata* R. M. r. suberj et Yngl.
 Cay. H. *hypomiltus* M. li. putr.
 Cay. H. *virgum* M. cort. deject.
 Chb. H. *crocatus* M. lign.
 Cuba H! *polysperum* M. cort et lign
 Cuba H! *hematostoma* M. cort deject.
 Cay. H! *heterostomum* M. cort deject
 Cay. H! *macromphalum* M. cort ram.
 Simon. H! *microdictum* M. ^{in Numm.} cort deject
 Cay. H! *cycliscum* M. cort. ram.
 Cay. H. *foveolatum* M. cort arbor.
 Juss. H. *carupsochidum* M. cort ram.
 Na H. *Petersii* B. et C. fr. quere
 Na H. *malleolay* B et Rav. fr. quere
 Na H. *glomeriforme* B et C. cort quere nigr.
 Na H. *Murrayi* B et C. cort putr.
 Na H! *ovopepum* B et C. cort putr.
 Na H. *gammatum* B et Rav. fr. lign.
 Na H. *jeconomum* B et Rav. lign. ^{des. m. et 16. tan.}
 Na H! *floridum* B et C. fr. ^{des. m. et 16. tan.}
 Na H. *decoloratum* (Schw) M.
 Na H! *notatum* B. et C. fr. Celtij et Vid. dentat.
 Na H. *glomus* B et C. fr. hunc.
 Na H! *leucocera* B et Rav. fr. quere.
 Na H. *bicolor* B et C. fr. hunc.
 Na H. *enteromelum* Schw. in fr. fag.
 Na H! *xanthocera* B et C.
 Na H! *epithodum* B et Rav. ram. Ref.
 Na H. *tortinulatum* Schw.
 Na H! *callosifrons* Schw. fr. ^{Benjoni et Pini.}
 Na H! *Morsei* B et C. fr. Alm.
 Na H! *Blakei* B et C. fr. talic.
 Na H. *epiphacum* B et C. fr. ^{Mag. glau.}
 Na H! *subulatum* Schw. ^{ep. M. H.}
 Na H. *investiens* Schw.
 cf. n. app. A.

L

r. *Helia ferruginea* (Pers.) K.
= *Silva*

- Hysteroglyphum naviculare* K.
 - putaminum* Ch
 - formosum* Ch
 - Nezzeroglyphus* Aug.
 - grevilliae* Dr
- a i gr. *Hysteroglyphum conjugatum* (Wahl.) Pol. li. Jul. 1899
 - v. *acris* K. l. ac. pl. et.
- na H? *prolongum* (Schw.) ^{Hysterium} Grev. 29. lign. putr.
- o a i x q. H. *praxinos* (Pers.) D. H. v. prax. th. lign.
- na H. *fraxinea* (B. C.) + cort. Querc. et Celti
- flexuosum* Ch.
- non* Schw.
- na H. *Cynillae* B. C. ram. *Cynillae*
- (R. H. *impulsum* Spreng. fr. *Rhois* rad.)
- na H. *fusiger* B. C. lign. cor. pp. planispt. 1899
- na H. *depressum* B. C. lign. sicc.
- fr. H. *Taxi* Pers. Cr. li. lign. *Taxi* bar
- fr. H. *Cartanuae* Sch. Cr. to lign. Cort. ven.
- d. H? *Carnuchastrum* Bk cort. querc.
- Car. H. *amarum* ^{H. varium Grev.} lign. (Schw.)
- (i *Hysterium Epomedi* Ces. = Bk.)
- G fr. H. *Waltherii* Duby fr. *Pini* et *Mel.*
- Obiq H. *Mulleri* Duby ra *Myrt.*
- Hort 0 H. *La Rocheana* Duby cortic
- Lugo. Bot. fr. H. *australe* Duby trunc *Oleae*
- Car. H. *Curtisii* Duby ram *Vitis*
- Car. H. *vulgare* Duby
- Car. H. *muticum* Duby ram. *Somit*
- fr. H. *fraxinea* Sch
- foi r q. *Hysterium pulicariae* P. cort. crisp. var.
- (?) *phacis* Cort. *Urtic.* fr. *Mel.* - *Obischi* cort. *pag.* ^{fr. *Urtic.*}
- i H. *Triblidarum* D. H. lign. *Castan.*
- fr. H. *conmorphum* Sacc.
- i r H. *angustatum* (A. S.) cort. *Urtic.* var.
- = H. *Waltherii* Duby sec. *and*
- H. *complanatum* Duby
- r H. *lypionicum* Karst. li. oct. sal.
- H. *proteriforme* Duby u. *Querc.*
- r. H. *sphaeroides* Karst li. *Bot.*
- Obiq H. *embryum* Duby ram *on Rubi*
- r H. *enticulare* Karst li. oct. 0
- (Mex. H. *prolongum* Schw.)
- r. H. *curtum* Karst. lign. var. *pondus*
- ang. H. *varium* Fr. ram. *dec. Taxi*
- r H. *congenum* Karst. M. et H.
- a. H. *repandum* Stoe ^{fr. *Abiet* *excels*}
- r H? *divinile* Karst ^{fr. *Abiet* *putr*} lign. *dur.*
- f H? *Callunae* Cr. ram *Callunae*
- ^{fr. *cortic* *granul.*}
- g. H. *pinicole* Reb. ^{fr. *Abiet*}
- g. H. *lineariforme* (= *linearis* P. & R.)
- 4) = H. *aurumula* *Urtic.*

14. H. *fibrosedum* WR. Geran. lign. Polmar
 15. H. *virescens* WR. Geran. cort. ram. ignost
 16. H. *Hybericum* *Montii* D. Duby cort. Pyr. Mal.
 17. H. *funereum* D. Duby pal. Junip. in *Hybridis*?
 18. H. *Russellii* D. Duby lign. pines
 19. H. *grammodes* D. Duby lign. olea eur.
 20. H. *biforme* Fr. lign. querc. (cort. pyr. Petal. Duby)
 21. H. (*Glaucop.*) *decapica* D. Duby v. lign. cisti
 22. H. *ellipticum* Fr. cort. Salic.
 23. H. *acuminatum* Fr. lign. fagin. cort.
 24. H. *Typhae* Schreb. Cal. et fol. Typh. ang.
 (H. *typhinum* (Pers.) Fr.)
 25. H. *Moliniae* D. Duby (*Glaucop.*) calu. Mol.
 26. H. *pullum* (*Glaucop.*) D. Duby ran. Eup. arbore.
 Ohio H. *Lesquerouxii* Duby ran. Gledits. Trin.
 27. H. *Suepini* M. Fr. ad cort. Jax. et
 Alg. H. *Heuoparum* M. 191 caul. ex. Femlae
 Cay. H. *Uraniae* M. 191 f. Uran. guayanae
 28. H. *flexuosum* Schreb. v. Betul. Aler. Vitis
 com. Austr.
 29. H. *clatium* Pers. (cf. *clatum*)
 30. H. *curvatum* Fr. ad ran. Pin. Pad.
 Alg. H. *oryzaceum* Schreb. ran. Pin.
 31. H. *Verbasci* Schreb. caul. Verb.
 (H. *megalographa* Auct. cf. -)
 (H. *Persegerii* Lax.)
 32. H. *Hypodermis* *commune* (Fr.) Rub. caul. fol.
 spm. *Lophotoma* vulgare Fr. *Poulet*
 33. H. *ilicium* D. Duby f. *Querc. M.*
 34. H. *suspensum* DC. Cal. Supr. lacust.
 sp. *Sept. suspensum* Fr.
 35. H. *nitidum* (D. Duby) D. Duby caul. herb.
 36. H. *Hederac* (Morb.) D. Duby fol. d. pet. Her.
 37. H. *Corvi* (K. S.) D. Duby ran. Corn. alby
 38. H. *visulorum* DC. ram. Rub. Salix
 Hyst. Rub. Pers. *com. permog.*
 39. H. *persegerium* DC. fol. Ab. exalt.
 spm. *Septima* Pin. Jedd.
 40. H. *variegatum* ran. Viburn. Quili
 sp. *platanus* B. C. in *Lophodermis*?
 41. H. *myrtinum* Schreb. dec. strob.
 42. H. *Desmazieri* Schreb. fol. Pin.
 43. H. *congenum* (Fr.) *oske* strob. Pin.
 44. H. *Lauri* (Fr.) Schreb. f. Laur. nob.
 45. H. *argentum* (Schan.) Schreb. *Thun. & N. 73*
 sp. *Thun. & N. 73*
 46. H. *macroporum* (M.)
 Cay. H. *Uranica* M. f. *Uranica*

L

Lilaea nemorosa
 " *Vitis*
 " *Buxi* (Fekl. sub *Johann*)

Leontopitum - Ceratostema hyalo-didymum

Laetadia Rousoliana (Desm.) ^{Wilm. Dactyl. f.}
 ! *Leptoch. Rous.* (Dny) C.D.
 g. L. ^{hyalohirta} *mignoneana* (Det. Anapom det.) f. *Lept. f. det.*
 i L. *hyalospora* (Ces. Sp. Hedw. II. 24. t. II (11))
 spoid. sec. Cas. 20 * 10-16
 u. foliis *Salicium* cum *V. chlomp.*
 ga. L. *cooperata* (Dny) f. *Aur. coarct.*
 sp. ovoid. obt. $\frac{6}{2}$ g.

6 ga. g. L. *perpusilla* (Dny) + fol. *Phragm.*
 sp. ovoid-obt. 5 * 2-2½

f. b. ? L. *inconspicua* (Desm.) cort. *Ac. Plat.*
 usi? spoid. 3-4 g. ovoid. cort. 2-guttat.

L. *Reichenherstii* (C. D. sub *Phadde*)
Menyon *Kalar. Rehb. var. Euglenosa*
 78 258

i L. *Marii* (Dny, *phae* ^u) + *caul. Microt. Tab.*
 Red. 458

i L. *Callunae* *Dntz* (*phae* ^u) f. *Coll. v.*

f. b. L. *septemdec* (Dny Sp. ⁹) ^{sp. 100} pag. inf. *Ac. camp.*

f. b. L. *multiguttata* (Dny, *Dntz*) f. *Rhd. obt.*

alg. L. *videprocusa* *DR. m. 23* f. *Silva refuta*

guy. L. *phomalode* M. 243 fol. *deleg.*

alg. L. *Pupleuri* *DR. III.* f. *B. sp. sp.*

f. L. *circumbaza* *Dny* (*Stoth*) *caul. R. falc.*

g. L. ? *absplendens* *Pr. 717* ad *caul. herb.*
 (with *subulosa*) sp. ovoid. cort. *hyal.*

g. L. *Lupatorii* *Kirch* ^{sp. hanc} *caul. pub. Eup.*
 sp. obov. *hyal. cort.*

g. L. *Echii* *Kirch* ^{sp. hanc} *caul. Ech. vulg.*
 sp. obovate-obl. cort. *hyal.*

g. L. *Althaeae* *Kirch* ^{sp. hanc} *caul. Al. rosea*
 sp. 1-st. obt. 20 * 8, *hyal.*

g. L. *Cicutae* *Kirch* (*Sp. 114*) *c. C. vng.*
 sp. ovoid. *hyal. cort.*

Bol. L. *veneta* *Sp. 114* ^{var.} *subulosa* *Veneta* *Dntz*
 spoid. cort. 15 g. *Hedw. I. 46*
caul. Puc. Venet.

g. L. *Rosae* *Aur.* *Hedw. 19. 178* f. *Rosar.*
sp. hanc *Rosar. vng. syn. car.*

Tex. L. *gregaria* *Chet. Schumbr.* *tot. ign.*
 sp. glob. 1. 10 12 * 9 *hyal.*
 (*Hygnetula*)

Lasiobotrys Lonicerae Kze et Sch. (f. *Lonicerae*)

- Lophium mytilinum* Fr. IG (bi. et co pin.)
 i B minu. ^{DMK in l. p. lonicerae}
 G. u. *dolabriforme* Wallr. (v. Pyr. comm.) G. Jahn
 Fr. *elatum* Grav. Tan Prun. et Pyr.
 Fr. *mytilinum* (Fr.) Kze Cr. 30 cot abet.

- G. L. *laetevirens* (Fr.) S. fo. Carp. Bet
 G. L. " *Robertiana* (Fr. Stigmatia)
 = see K. *sporidiata* *trispicata*
 G. L. " *Cookiana* (Awd) S. f. Querc.
 G. L. " *Arcata* (Fekl.) S. f. Querc.
 G. L. " *punctoides* (Cook) Awd. f. Querc.
 Fr. " *contecta* (Dry.) ^{20 lg.} _{20 lg.} f. Querc. caup
 G. L. " *Buxi* (Dry.) S. f. Buxi
 sp. *Sphaeromyces* *Mutoli*: sp. 16 x 4-5 2-2 gutt
 i L. " *sphaeromyces* (Fehling) + f. Dryad. aty
 I L. " *Rhododendri* (Mbr.) f. Rhod. pin
 (? ob *sporidi magna*) a *Anthracinella*
 G. L. " *Rouxii* (Mbr.) f. Eric. multij
 (? ob *sporidi magna*) a *anthracinella*
 G. L. " *minutissima* Awd. f. Abn. glut
 L. *protuberans* (Fehl. *Sphaeria*) f. Abn. glut
 L. *Cryptosphaeria* (Fehl. n. *polyzona*) f. Abn. glut
 G. L. " *albica* (Fehl.) f. Abn.
 L. *pinastri* (Duby) f. Pinastri
 L. " *echinophila* (Ces.) sp. Castan.
 (? ob *sporidi subrotiformis*)
 L. *acrifera* (Cooke) peraff. L. *hyalopogon* f. Abn. glut
 L. " *Berkandi* (Mke) f. B. vult.
 (? ob *sporidi fusca*)
 L. " *Crataegi* (Mke) f. Oxyac.
 see Cook *sporidi* *trisp.*
 L. *Cephalariae* (Awd) f. Cephalaria
 de continet *sporidi* *subrotiformis*
 L. *Epilobii* (Wallr.) in cont. *Epilobii* *angustif*
 = *Sph. Epilobii* Fekl *versimilis*.
 L. *micropora* (Awd) in f. *Mili* *offici*.
 G. L. *angulata* (Fehl.) ^{subrotiformis} f. Berber. vult. per aff. wif
 L. *canifera* (Fehl.) in f. *Trif. rep.*
 L. *Systema solare* (Fehl.) f. Corn. saup
 sp. *Phyllotreta* *concolor*
 ob *orbicula* *schlofen* a *Ventura*?
 L. *circinata* (Fehl.) f. Rib. alp.

Labridae. 145
Leptophaea Audouin (Aud.) S. n. f. A. tetry.

L. pleuroneria (Dillw.) ¹⁸⁴¹ f. fol. querc.
L. b. g. myriadea (D.C.) f. querc.

Sphaerulium

ad *Sphaerellam* accedunt - (sp. ad 3. sept.)

L. serographa (S.R. M.) alg. f. querc. com.

cf. f. fol. app. 25.

L. gangraena (D.) sp. 2. sept. f. caln. Beauv.
L. Leightonii Bk. sp. 3. sept. f. Linn. com.

L. Quenwaldii S. (sp. ¹⁸⁴¹ *Leptophaea* Aud.)
ad cal. et fo. Aren. ciliat.

L. eriopora (Duby) van. hum. alp.

L. Digitalis (C. 28.) cant. Dig.

R.A.G.I

L. Sowerbyi f. fol. in cal. Scrip. loc.

Sphaeria maculans Sow. non Dmy.

Sphaerella macular Aud.
L. Typhicola Karst. f. latifol. T. latifol.

R. G. p

L. Typharum (Rbly) Karst. Typh. latif.

L. juncina (Aud.) S. cal. Junc. com.
L. Junci (Aud.) sp. c. Junc. glauc.

L. dampfiana (Vahl.) S. in sign. dampf.
L. Mochotii (West) cal. Junc. squar.

L. minoripica Karst. ad ung. alyp. prot.
= sept. culmorum Aud. in K.

L. Ralscii (Walt.) sph. Rosaceae
= sph. glauc. punctata Gray.

L. ? lacustris f. fol. (Juncus) f. Typhar. ang.

L. Hederacae (Sow.) f. Heder. bel.

L. hedericola (Dmy.) f. Heder. Hel.

L. (m.) Lathonia S. f. Heder. v. ind.

L. (m.) Aglaja S. f. Oxalid. strict.

L. (m.) Lucilla S. f. Pyri. com.

L. (m.) Lucina L. f. Cytis. laburn.

L. (m.) pomona S. f. Pyri. Mal.

L. (m.) Alcides S. f. Popul. alb.

L. (m.) Nyadecae S. f. Ambr. ped.

L. (m.) Yular S. f. Magn. fol.

L. (m.) nobilis S. f. Laur. nobil.

L. subtotia Wind Hedw. ¹⁸⁴¹ *Dica* can. fol.

L. heliicola (Dmy.) Nssl. f. Hed. Hel.

L. populosa (D.R. M.) S. ¹⁸⁴¹ *Bux* semp. ¹⁸⁴¹ *Smil.*
= var. *Sphaerella* Bux. ¹⁸⁴¹ *Costa*

L. petrobicola S. pet. Robur.

L. carpocena S. fruct. Veronic. et Gabry.


L. cerpophila S. caps. Toxicog. rad.

R.G. abod.


L. Doliolium (Nes.) S. Dillw. c. Kopp. Mt.

L. comoda (Dillw.) Sacc. c. Augst.

Sph. Helariae Cur. p. Costa

- Leptophaea lobata* (Fekl.) var. *Prim. dno.*
 Ft. L. ² *Craterium* M. 240 cult. arund.
L. pepincola (Fr.) var. Ross et Rub.
 Cay. *L. fusaricus* furr M. 242 fol. Bambus
 G.R. *L. cinerea* (Fekl.) var. lat. aur.
 a. *Melanomm.*
L. Idaei Fekl. var. Rub. Idaei.
 (? spand. 4 gutt. contin.)
 Ft. *L. Sempulicaria* L. M. $\frac{1}{5}$ 16 caps. Symb. ag.
L.?? apiculata (W.) var. lat. virell.
 ^{sp. r. obl. fung. 1-2 sept.}
 ^{sp. apiculata virell. per 1000 Est. abipalla puri puri fidei}
 ^{quid est color}
L. salicis (Ard) var. lat. pag.
 a. *Sagathe* 
L. depressa Fekl. var. Corp. Bot.
 spand. 7-sept. hyal.
 a. *Medicaginis* (Fekl. Phosp.) c. Med. set.
 Co. *Brachyclad. pennicill.* f. Med. Fekl
 Pycn. *Phoma lobata* f. *Medicag.* Fekl
 Ft. *L. Insularis* (Cob.) + ^{sp. Surt. asp}
 Ft. *L. pellita* (Fr.) ^{sp. fung. 1-2 sept.} caul. Pap. *Rhizom.*
 ^{d. 11. m. m. m.}
 Co. *Brachyd. pennicillatum* Cob.
 Pr. *L. Obionis* (Cr. ³⁶) ^{sp. 2-10 sept. flav.} caul. Ob. portulac.
L. Gnaphalii (West?) c. S. sect.
L. Incurorum (Cr. ³⁶) ^{Fehl} ^{sp. 3-10 sept} caul. *Incur. acutif.*
 Ft. *L. coniformis* (Fr.) c. S. c. *Duptr. lat.*
 ^{sect. lat. of acutif. (see 1st sp. along 4-8 sept.)}
 ^{simile L. Solis de Bedo will. de que Kaulst.}
 ^{72 p. 181}
L. Aparines (Fekl.) c. S. Ap.
 a. *Sagathe* *Rub. et Idaei*
L. Senecionis (Fekl.) c. Sen. remov.
 Pyc. *Phen. Senecionis* (Fekl.) ^{Heudebourg}
 i. *L. Solidaginis* (Fr.) c. S.
L. Nap. Fekl. var. c. Pr. *Napi.*
 Co. *Polydesmus exstipos* Kuhn.
 Ab. *L. Indij* (S. M. 243) fol. *Ind. f. l. d. m.*
L. Endusae (Fekl.) i. d. leg. S. his.
 Co. *Helv. thop. Endusae*
 Ft. *L. Nitzschei* *Rehm.* caul. *Cacalio*
L. Typharum (Rb.) f. T. latif.
 Pyc. *Phoma Typharum* Gb. Fekl.
 Ft. *L. Appleii* (Rb. *Mal.*) + *frond. A. septem*
 ^{spand. ut. L. Rusc. Mal.}

- Leptophloeia Ward (P.) ¹⁸⁴¹ culm fo N. stricta
- f. L. Ramoliniae (Druy. Rob.) ^{not ex} th. Ram. fortis
- L. Artemisiacae (Fekl) ¹⁸⁴¹ C. B. camp.
 pa L. helminthospora C. D. 1841
 Druy et micropycn. 28. 1825
- L. monitispora (Fekl) cal. et bract. lanugin.
- f. L. Juncei (P.) f. Kart. Cr. - cal. dum. off
- L. sparsa (Fekl sub H.) cal. et f. Agrost.
- g. L. Heufleri Nostl (Sphaerella) caps. Polypth. formos.
 17. 3. 1841
- L. macrospora (Fekl sub L.) C. Sen. nem.
- g. L. marginata (Waltz?) Nostl fol. Synth. secans
 cum sp. nem. et rugos.
- L. doliolobus (Awd) K. caud. Tanac. vulg.
- g. L. parvula Nostl fol. Ind. Pseudae
- L. Convallariae (Fekl) C. Com. multfl.
- g. L. Cynaracearum Awd et Nostl f. Carl. alaud
- ag. L. pontiformis (Fekl) cal. Cyn. Agrop.
 Co. Torul. rhizophtis. Cel.
- oa. f. L. suspicula (K.) ex Cope, Cr. C. Suspic. lac.
 na macrospora suspi. Fekl 17. 3. 1841
- L. graminis (Fekl) + culm. Phragm. C.
- g. L. neglecta Nostl f. sic Graminis
 3-sept. sublyal.
- g. L. epicalanus (Nies) C. D. Cal. Luz. max
- g. L. fusispora Nostl ran. Genist. trunc
 3-1841
- L. perparvula (Detm.) Kart.
 usua Leestade! f. Druy!
- r. L. Typhae Kart cal. Ty. latif.
- g. L. setosa Nostl caud. Angul. f. Kart
 4-1841 and. (Cep.)
- L. helminthospora C. D. 1841 caud. Arken
 1841
- g. L. spectabilis Nostl caud. Lycopitil
 4-1841 oliv.
- r. L. affinis Kart caud. Rhinaut
- g. L. megalospora Awd et Nostl caud. Samb. Ub.
 17. 3. 1841 oliv.
- r. L. Drabae (Nyl.) Kart caud. J. alpin
- g. L. Ruobekiae (Kunth) C. B. amplexic.
 1841
- r. L. Phormiae Kart caud. Ach. Phorm.
- g. L. Baggei (Awd. Nostl.) + ran. Salic
 17. 3. 1841 oliv.
- r. L. culmiferum Kart culm. Pll. prat
- r. L. coudey Kart culm. Calamagr.
- ag. L. planiaxula (Ries) C. D. C. Virgaur
- iga. L. optivousis (B. Br.) C. D. caud. Sen. Tac. etc
- r. L. unimund Kart fol. Pop. dom.
- B. L. Thieleus (West Hedw. 1773) caud. herb
 17. 40-50-75- 2-1841 f. Fekl.
- r. L. rustica Kart caud. Spil. Uln.
- B. L. Selysii (West v. 173) ran. calic

- Leptophaena coriacea* (Fekl.) var. *Prin. Don*
 J. *L. Craterium* M. 240 cult. arund.
L. spiniola (Fr.) var. Rosa et Rub.
 Cay. *L. Fusaris* var. M. 242 fol. Banby
 G.R. *L. cinerea* (Fekl.) var. Sal. aur.
 var. *Melanura*.
L. Idae: Fekl. var. Rub. Idae:
 (? spand. 4 gatt. London.)
 f. *L. Sempulanae* L. W. $\frac{1}{5}$ 16 caps. Synph. ag.
L.?? apiculata (W.) var. Sal. utell.
 ^{spor. obl. f. uny. 1-2 sept.}
 ^{Sp. apiculata Wall. f. c. M. 242 Est. Synph. f. uny. f. uny. f. uny.}
L. Salicis (Ard) var. Sal. frag.
 var. *Lagotke* 
L. Depressa Fekl. var. Carp. Bot.
 ^{spand. 3-sept. hyl.}
 a. *Medicaginis* (Fekl. Phosp.) c. Med. set.
 Co. *Brachylob. parvifl.* f. Med. Fekl.
 Pyl. *Phoma lobata* f. *Medrag.* Fekl.
 f. *L. Anulicis* (Cob.) var. *Sunt. asp*
 ^{pp. f. uny. 1-2 sept.}
 f. *L. pellita* (Fr.) var. *Pap. Rhoeo*
 ^{d. 11. uny.}
 Co. *Brachylob. parvifl. utellatum* Cob.
 fr. *L. Obionis* (Cr. ^{Sto}) cult. Ob. portulac.
 ^{pp. 3-sept. f. uny.}
L. Gnaphalii (West?) c. *G. auct.*
 ^{Fekl.}
L. Tuncorum (Cr. ^{Sto}) cult. *Tunc. acutif.*
 ^{pp. 3-sept.}
 g. *L. coniformis* (Fr.) c. *S. c. Duphr. lat.*
 ^{sec. Nutt. ad auct. (see 1st pp. Volong. 4-sept.)}
 ^{simil. L. Solida Hedro 72 p. 181 willdore que L. auct.}
L. Aparijues (Fekl.) c. *G. Ap.*
 var. *Gastron. Rebel. D.*
L. Senecionis (Fekl.) c. *Sen. remov.*
 Pyl. *Phen. Senecionis* (Fekl.)
 ^{Heubersanik}
 i. *L. Solidaginis* (Fr.) c. *S.*
L. Nap. Fekl. var. *Br. Nap.*
 Co. *Polydesmus extingus* Kuhn.
 alg. *L. Indij* (Sch. M. 243) fol. *Ind. f. b. D.*
L. Endusae (Fekl.) c. *alg. S. his.*
 Co. *Helminthop. Endusae*
 g. *L. Nitzschkei* (Rohm) cult. *Cacaloo*
L. Typharum (Rohm.) f. *T. latif.*
 ^{M. 3-4 sept. 1837}
 Pyl. *Phoma Typharum* f. *F. lat.*
 g. *L. Appleii* (Rohm. Nol.) f. *frond. A. roptia*
 ^{spand. ut. L. Rusci. Nol.}

- Leptophaea Ward (P. ¹⁸¹¹) cult. fr. N. stritica
- f.d. Ranolmae (Dny. Rob) ^{not. ex} th. Nam. fortg
- L. Artemisiae (Fekl) ¹⁸¹¹ C. G. camp.
- ^{pro L. hebraeorum C. G. 1811}
- ^{Pycn et micropycn. 28. 1725}
- L. monilispora (Fekl) cal. et bract. longior
- f. L. Junci (P.) fr. Kant. Cr. - cal. Junc. aff
- L. sparsa (Fekl sub N.) cal. et f. Agrost.
- g L. Neufleri Nussl (P. phacella) caps. Polyth. gornig.
- ^{sp. 3. 1811}
- L. macrospora (Fekl sub N.) C. Sen. nem.
- g L. marginata (Walt.) ¹⁸¹¹ not fol. Pycn. secant
- L. doliolobes (Awd) ¹⁸¹¹ h. cant. Tanac. vulg.
- g L. pan
- L. Con
- g L. Cym
- ag L. por
- lo.
- oa. fr L. sis
- nd
- L. gra
- g L. nez
- g L. epi
- g L. fus
- L. perp
- r L. Typ
- g L. Sen
- l L. helo
- g L. spe
- r L. affi
- g L. me
- r L. Drabo
- g L. Ru
- r L. Phas
- g L. Pa
- r L. cucurbit
- r L. couvetej Karst cal. Calamagr.
- ag L. planiaxula (Riesl) C. D. C. Virgaure
- iga L. optivoupij (B. Pr) C. D. cant Sen. fac. str
- r L. unimunda Karst fol. Pop. dom.
- B L. Thieleusii (West Hedw. 173) cant herb
- ^{40-50-75- 5-8 1811}
- r L. rustica Karst cant sp. Usm.
- B. L. Salysii (West v. 173) ran. cant

Clonus
 d. zine.

- 70 Sab. *L. modesta* (Dem.) Karst caul. herb. var.
 f. a. *L. sabuletorum* (B. Br.) + fol. *assurgens* grand.
 R. *L. nigricans* Karst caul. ar. Champ. alb
 alg. *L. inulina* (Dr. M. 233) caul. mult. in rose
 f. a. *L. insignis* Karst (1872) f. *Herz.*, *Alps* etc.
 alg. *L. Intybi* (Dr. M. 233) ^{sp. 5-sept. nodul. 40-50 x 12-16} caul. *Geb. Intybi*
 f. b. *L. caricifolia* Karst f. *Car. pulg.*
 alg. *L. physcalan;* Dr. M. 235 va *Olea* cum
 f. j. *L. junceoides* Karst in *Junco* bylans.
 alg. *L. ferulina* Dr. M. 236 c. *per. Comm.*
 f. b. *L. vagans* Karst fol. *Dr. proutia* *Pithe.*
 alg. *L. (Dexian) obovata* Dr. M. 239 c. *Stehje* unred
 f. a. *L. Equiseti* Karst caul. *Equis.* varieg.
 alg. *L. calaminaria* Dr. M. 239 c. *Annu.* *maur.*
 f. j. *L. Stenz* *acaulis* Dr. M. f. *Siber.* *caul.*
 g. *L. implexa* Pr. 217 *Siber.* *Cher.* *annu.*
 f. b. *L. micropyle* Karst ^{sp. obl. (3-locul.) tricola luteiflora} fol. *gram.* var.
 i. *L. dispersata* Karst ^{propius *L. custumae*}
 f. j. *L. consobrina* Karst f. *Caric. pullae*
 a. b. *L. echinella* (Cook) ^{Thun. M. U. 266.} caul. *Alps.*
 g. *L. (P.) acicola* Zell in *caul. Pir.* *1910*
 a. *L. Thwaitesii* (B. Br.) caul. *Umbellif.*
 a. *L. leyncei* (Zickl / Phasen) *app. II 22*
 g. *L. Libanotis* (Zickl) S. caul. *L. modesta*
 g. *L. Phytumatis* Zickl caul. *Ph. spirit.*
 g. *L. Eupedii* Zickl (Z.??) fo *Eup. nig.*
 g. *L. Millefolii* Zickl c. *Lab. Millefol.*
 a. *L. achillaeae* (non!) *sp. 10 x 5, 7-8 sept. fl.*
 i. *L. Gibbata* (Dr. M.) C. D. caul. *Umbellif.*
 g. *L. salebrosa* (Pr. 114) *Junce. Prout. crisp.*
 i. *L. grammodes* (Dr. M.) C. D. caul. *herb.*
 a. *L. hystrix* (Carr.) caul. et *caps.* *Trig. pal.*
 a. *L. hitorulosa* (B. Br.) C. D. caul. *Equis. hirs.*
 a. *L. vectis* (B. Br.) C. D. fol. *bid.*, *fol.*
 f. a. *L. fusella* (B. Br.) C. D. var. *Rose.*
 a. *L. cetrariicola* (Nyl. Grav.) *Her. Cetr. island.*
 g. *L. Rouselliana* (Emz.) C. D. var. *Ph. Nid.*
 g. *L. firmisecta* *Wint. Nedw. 1871* *fr. caper*
 i. *L. Achillaeae* (Nedw.) C. D.
 g. *L. pulchra* (Wint.) *Nedw. 1872* c. f. *Potent.*
 i. *L. subsecta* (Wint.) *Nedw. 1871* f. *Emz. can.*
 sp. 3-14 sept 28 x 5, *luteol.*

a *L. complanata* (Tod. hb.) C.D. caul herb.

a *L. deraja* (N.Br.) caul Jacob.

L. hirta (Fr.) C.D.

i *L. Epidictae* (L.f.) (Phaeocolla) ^{in squam Pannony lep.} _{sp. 22-26 + 41 - blaud. sublyt.}

L. intermixta (N.Br.) + ram. rose ^{sp. 20 + 41 - 3-sept.}

i *L. Noxae* (L.f.) (Phaeocolla) ^{in sq. P. decipiat} _{sp. 19-20 + 41 - 2-3 locul. pallid.}

i *L. Todomaca* (L.f.) (Phaeocolla) caul. S. Indog. _{Recl. 485}

g. *L. protopora* (Awd) caul. Phytomy. Scheudy. _{sp. 30 + 41 - 1-plum. sept. luteol.}

i *L. Rivinae* (L.f.) (Phaeocolla) phaeo th. Polty. Cariny _{Recl. 485}

i *L. Acanthata* (L.f.) (Phaeocolla) fol. gram. _{sp. 8-10 locul. - Phaeocolla in E.C.I II 291}

g *L. Hausmanniana* (L.f.) fol. Selen. acant. _{sp. 38 + 41 - 3-sept. luteol.}

i *L. leptopora* (L.f.) (Lac.) + C. Drauth abond _{sp. 1-61}

g. *L. Bardanae* (Walter non Fiedl. Rho.) caul Sappor

i *L. vacillans* (L.f.) (Sph. sp. 68) caul herb _{hyal. ut Diercke an?}

o fr. *L. (Diercke)* ^{in Indog. Ind. fol. ob caps Ind. solli.} _{sp. 2-30 + 5}

i *L. heteropora* (L.f.) (Sph. sp. 65) _{sp. 65} th. Ind.

L. dispersa (Schw.) Carr

g a *L. chionia* (Bellong.) + in Alie. ^{at Boudrotlat.} _{sec Carr. forma subent Mal. Puls. pyr -}

a *L. serpicola* (L.f.) cal. Semp. lac. _{sec. aut. = Rhapom Typh. et Car.}

a *L. persistens* (N.Br.) ram. Rojer.

a *L. intermixta* (N.Br.) ram. Rojer _{(+) = *L. repulchra* in Indog. Ind. sp. 2-30 + 5}

a *L. Ashwelliana* (Carr.) ram. abond

a *L. Timanica* (Grev.) ram. Tam

a *L. eushegia* (Cooke) ram. Jalicai

a *L. abbreviata* (Cooke) fruct. Rubor _{Dyca. Neuderino Rosae West}

b a *L. (Maculic.) centhoporoidea* (L.f.) ^{Awd.} _{sp. 2-sept.} fol. Laurony

a *L. Lunanae* (N.Br.) in ped. Laur. redd

f a *L. divensij* (N.Br.) caul. Partinay

a *L. glaucopora* (L.f. et Carr.) c. Art. Abmat.

g. s. *L. nigrella* (Fr. S.M. II 512) c. Galeops _{off. *L. dolida* var. sp. in Diercke in Umbellif. (Kx. Cooke)}

g. *L. Avenae* (Awd) in fol. Avenae

g *L. Helianthemum* (Awd) in caul. Helianth

L. Mülleri (L.f.) (Lac.) Awd. 112/167.

i *L. suffulta* (L.f.) (Lac.) ^{in agro Cariny. 1872} _{sp. 2-30 + 5} caul. Blaupont

b *L. albopunctata* (West.) ^{Dyca. Phragm. comen} _{sp. 2-30 + 5}

a *L. clara* (Carr.) in arundin.

⊙? = *Cucurb. nigrella* (L.f.) (Hed. p.) ^{caul. Pross. Rojer} _{sp. 20 + 41 - 3-sept. wellen}

(+) sine dubio = *Pringsheimia Rosarum* Schind.

- i.g. *Leptorphaea lupulae* Wint. Hedv. ¹⁶⁷² 146 fol. max. sp. 3-sept. ind. 19 x 4
- i.g. *L. scarpina* Wint. ibid. culm. sicc. caute sp. 5-sept. hyal. (Nunp.?) 33 x 8
- g. *L. striata* Wint. caul. l. v. latif. sp. 5-sept. bytt. ligul. struct. 35 x 5 ind.
- g. *L. hyperici* Wint. caul. H. perfor. 5-sept. luteol. 33 x 3
- g. *L. thalictri* Wint. ibid. caul. T. Aquil. sp. 2-sept. 21 x 10 hyal.
- g. *L. multisepta* Wint. caul. Lathyr. fol. sp. 8-11 sept. luteol. 50-65 x 5
- i. *L. involucralis* Pall. Hedv. ⁷³ 140 invol. Curt. sp. 3-sept. ^{plum.} 26 x 4
- g. *L. gizarum* Nyl. Hedv. ⁴² f. Cer. palud.
- g. *L. Fiedleri* Nyl. ram. Corn. lang. sp. 3-sept. 28-32 x 9-10 mex. L. Page & You. Hendersoni Fiedleri Balb. Jell.
- g. *L. Schimperii* Harst. caul. Verbasc. sp. 16-20 x 8-10 3-sept. flavog.
- g. *L. Niphoriae* Nyl. Hedv. ¹⁵⁵ (L. Euph. Cyp. sp. 3-sept. oliv. 21-28 x 7
- i.g. *L. Stereocaulum* Arnal. in St. alpini sp. ²⁴⁻³⁰ 3-sept. hyal. ^{fol. 7-8-11. 30-2}
- Caul. *L. neodes* B. Br. in f. Hydric. arctic. sp. f. an. 3-sept.
- g. *L. personata* Nyl. 75. 1923. and (ex. camp)
- g. *L. Kalmupii* Nyl
- g. *L. Hausmanniana* Nyl
- g. *L. haenulata* (Nyl)
- g. *L. guttata* (Nyl)
- g. *L. glandifera* (Nyl)

Leptorphaenae

- { *L. Vitis* Schub. (sp. frond. curv. 42 x 6, 5-sept. fusca) in Vitis vinea
- { *L. Vitis* (Schub.) sp. oblongo-ovate (26 x 7, 3-sept. luteol.) "
- { *L. Vitis* (Schub.) (Cucurb.) (sp. fr. obl. ovate 3-sept. 4 gutt. pallid. 22-25 x 6) "

- g. *L. Vitalbae* Nyl
- L. conferta* Nyl

- Caff. *L. affra* Th. Mill. 351. f. Maratus sals. fol. long.
- Toxop. *L. Tomilispur* Ch. herb. caul. 8 x 4, multisept. brun.
- Sol. *L. Rhizocarpis* Sph. (Th. Fr.) Rh. sp. sp. 28-32 x 9-10, blouat. fusca. Tain. Journ. Soc. Aug. 29.

v *Lizonia emperijana* (Awd) D.M. f. Polytr. com

v *L. distincta* Karst fol. gramin.
- *Sphaerella* Dist Karst
L. dissae (D.M.) C. D.
an *Orthia*?

Linopora caudata Fk f. Pop. alb.

v *L. arctica* Karst f. *Salix reticul.*

aig. v *L. lepraeae* (D.C.) Fk f. *Sal. caprea*
= *Trichia saligna* Bk f. *caprea* & *Sal. siner.*
Thoms Herit = *Phoma saligna* (Thoms) Fk.

L. vulgaris Fk f. *Sal. rubra* et *alba*

L. tigrina Fk f. *Sal. purpurea*

g *L. procumbens* Fk f. *Sal. viminalis*

(1) *Leptopora spermoidea* (Hoffm.) f. h. putr.
& *Leptopora* Awd
v *L. sorbina* (Myl.) Karst (Sporoph.) v. *Sal. auc.*
siral. *ovina* (P.) Awd h. putr.
- *β glabrata* Fk.

ab. *L. dequoyi* Pass lign. cortic.
L. radata Fk f. ra put. Carp.

a. j. *L. shigofa* (A.S.) Fk ra put. Carp.

L. caudata Fk lign. Betul. alb.
co. *Fructulina microspora* Sacc.

o. g. f. *L. cinnita* (Pers.) Fk li. pu. Carp.

a. j. *L. felina* Fk ra pu. Laricij
f. o. *L. ? insculpta* (fr. Oud.) ra. u. H. Aquif.
portusa (*Neurospora*)

(1) Aptus, cum *Laricophora* junger. d.
dum *L. spermoidea* r. *Fructula* est ex D.M.

r. a 6 *Lasiosphaeria Racodium* (P.) ligno fac. pu
 p. L. *Citraceae* Cr. *Yamuc. farm. Publ. put*
 p. o. b. i. *L. hirsuta* (P.) ligno. putr.
 sp. v. co. *Sphaerium rigidum* Pers. ex Pfl.
 l. g. a. - *β acinosa* (Nataf) ra. putr.
 a. i. *L. hypida* (Tode) li. putr.
 sp. n. *Sphaerium flavide* Fekl
 C. p. l. *L. hirsuta* B. P. $\frac{P. 7}{110}$
L. ferruginea Fekl Cort. Sob. id.
 sp. n. *Sphaerium concuum* Tode
 C. p. l. *L. acanthioides* (P. Br.)
 i. *L. minuta* Fekl li. pu. quex
 i. *L. porpentinae* Jacq. in lign. Jalic. v. tell.
 R. *L. crustacea* (Karst. sp.) lign. pin. sp.
 C. p. l. *L. calyculus* (M. 226) ad cort. arb.
 r. a. *L. canescens* (Pers.) Karst li. Bet.
 C. p. l. *L. tephrosome* B. P.
 a. r. *L. immersa* Karst li. muc. Bet.
 an *Leptopora*? - sp. n. cont.
 a. g. *L. mutabilis* (P.) Fekl d. putr. pag.
 g. *L. depilata* Fekl d. Abiet. putr.
 f. *Abiet. Montagnei* (P.) C. D. (H. alg.)
L. fluida (Da) + = *Nectria*
L. calostroma (Desm.) + *potius Chaetophari*
 a. *L. bifornis* (Pers.) lign. et len.
 a. *L. calva* (Tode) lign. putr. et ram.
 sp. ign.
 p. a. *L. scabra* (Cuv.) ^{Abt. 7. 5. 1245} in *Ulice*
 a. *L. paucispilis* (Cooke Hb. 863) lign. putr.
 an *Melan?* an *Hesperohid?*
 C. p. l. *L. regulina* B. P. an *Trichomyces?*
 sp. n. *oblong. curv. tenuis*.
L. arachnoides C. D. et *L. doctariorum* C. D.
 verae *Diplodiae* sp. nov.
L. chloronema B. P. $\frac{P. 7}{110}$ mult. v. infert.
 qu.

- Lophotum* (Hyf) Seeli Fekl. c. sed reflex.
 i *L. Maxiacum* Jac. Franc. Arden. vlg.
 i *L. (Hy) Brunidii* (Fr.) C.D. Culm Phragm. c.
 i *L. (Hy) pygmaeum* Jac. ran. Angulop. hed.
 R.Ia *L. (Hy) emulberum* (Desm.) C.D. culm Fite.
 i *L. (Hy) vagabundum* Jac. caul. var. praec. lab. ^{at Camp.}
 i *L. (C) impidopum* (Desm.) C.D. caul. var.
 i *L. (C) pteridifolium* Kyth. c. m. pteridifol.
 i *L. (C) (Col.) stenleianum* Jac. caul. Ost. Nor. Belgi.
 R.Iaio *L. (C) calicum* (Fr.) C.D. caul. var.
 i *L. (C) mendax* (Desm.) C.D.
 + i *L. (Hy) diminutum* (Fr.) C.D. ran. Rub. frid. ^{cf. Cr. 299}
 i *L. (C) dunetii* Jac. ra. Rub. putref.
 R.II *L. (Hy) Nucula* (Fr.) C.D. cot. Pop. pyr.
 i *L. (C) hypophyllum* L. tub. Ar. Donac.
 i *L. (Hy) myriocarpon* Fekl. cot. Plat.
 i *L. (C) perversum* (Desm.) C.D. ran. Arn. Mon. Pop. ^{Lonic.}
 i *L. (Hy) praemorsum* (Desm.) Fr. ra. Rub. Hed.
 a *L. (Hy) Jordanii* (B. B.) C. r. Rub. Hed.
 i *L. (Hy) pleurostrale* Fekl. cot. Pyr. Mar.
 Alg. *L. (C) dictyosperma* (Desm.) C.D. M. 231. caul. Calyc. ^{spinosa}
 i *L. (Hy) crenatum* (Fr.) M. ra. Corn. lang. ^{Rosa. Opul. Symplic.}
 Alg. *L. (C) dictyogramma* (Desm.) C.D. M. 231 v. dea. camp. ^{off. = dunet.}
 i *L. (Hy) alpinum* Fekl. ra. Lonic.
 g *L. (C) insculptum* (Fr.) M. ra. Corn. lang. ^{off. = dunet.}
 g a *L. (Hy) Hedrae* Fekl. ra. Hed. Plat.
 Alg. *L. (C) Crista-galli* (Desm.) C.D. M. c. Arund. maur.
 R.IIa *L. (C) macrodymum* (Tod.) M. l. g. quae d. ^{sph. subitum V. et Spl. lobum V. sic M.}
 a *L. (C) vindarianum* Cooke ra. Dec. Auer.
 i *L. (C) gregarium* Fekl. cot. Pyr. com.
 Alg. *L. (C) hexagramma* (Desm.) C.D. M. 231 fol. line. cocuif.
 i *L. (C) trinitate* M. cot. Pyr. Hed.
 i *L. (C) Balsamianum* (Desm.) C.D. cot. Pop. Hed.
 i *L. (C) ramorum* M. ra. Pua. spm.
 + i *L. (C) dolobiforme* (Desm.) C.D.
 i *L. (C) angustatum* (Pers.) ra. Seli. c. ^{see. Hille = longum p. l.}
 R.A. *L. (C) bicuspdatum* Cook. ra. Dec. Cot.
 R.II *L. (C) compressum* (Desm.) M. l. g. var.
 R.II *L. (C) quadrinucleatum* Kost. ran. Pua. spm. ^{Xyl. Hed. com.}
 o. a. *L. (C) excusuliforme* (Fr.) C. cot. Seli. c. ^{quere.}
 R. *L. (C) aevatum* K. ran. Pua. hed.
 + i *L. (C) rubrum* (Fr. 29) sam. Rub.
 R.II *L. dimittimus* Kost. ran. Pua. eur. Dulc. ^{sp. 8-102}
 i *L. (C) Vital. Arn. Achill.*

7 g. f. *Lophostoma* (*proleatum*) (Tod.) cont. Querc.
sp. nov. c. 1-1/2 x 1/2 ad Cr. ut cont.

RIG a *L.* (hy.) *maculata* (Sp.) M. ad cont. crass.
quasi. id.
i *L.* (c.) *absconditum* Pass. in pag. int., cont. Cr. ut

R. *L.* *duplex* Kent. var. lat. et orb.

g. *L.* (hy.) *pusillum* Fekl fo. Calan. Sp.

f. *L.* (co.) *granulosum* (Cr. 29) var. Cratay.

g a. *L.* *auctum* Sacc. var. Alm. Sals.
= *L. appendiculatum* Fekl.

g *L.* *acutopum* Fekl var. Crat. Cray.

i *L.* (col.) *cartum* (Fr.) C. D.

i *L.* (col.) *perversum* (Sltz) C. D.

g i *L.* (col.) *macrotomide*, (Sltz) C. D. var. Sals.

a i f *L.* (hy.) *injustitiam* (H. M.) Cook in Sp. 1847

a *L.* (co.) *proleatum* (Sltz) by name

a *L.* (h.) *sexnucleatum* Cook and Sltz

i *L.* (co) *graphydopora* Cray. cont. laevig. Cray.

sp. 30-40 * 9-10, 6-8 lowl., sp. 10-15 long.

f. *Lophiella cristata* (Nes.) n. n. Linc.
(Fr. Cr. 29) Part.

- o afr. *Lophosium arundinaceum* (Schrad.) Chev.
 var. cf. *puberula*
 culmigenum culm. fol. gran. var.
- g *L. apicalatum* (P.) Dill. f. *latum* Dill.
- g *L. laniginum* (Rob.) Drey. fol. Car. pan. et glau.
 f. *apicalatum*
 f. *carolinense*
- a flor *L. Pinarum* (Lam.) Chev. fol. Pan. sylv. d. l.
 exi
- i g *L. laniginum* Drey. f. *Lar. europ.*
 f. *septentrionalis*
 f. *puberula*
- a i g *L. juniperinum* (P.) Dill. f. *Jun. comm.*
 g. - *B. latifolia*
 f. *puberula*
- o se. i *L. cubanense* (P.) Dill. f. *culmigenum* gran.
- o i g *L. xylomodes* Chev. f. *Crat. com. et*
 oxyac. Armin.
- a i *L. breue* (P.) Dill. fol. gran.
- i a r g *L. meculare* (P.) Dill. f. *Vaccin. ulig.*
- a i g *L. melaleucum* (P.) Dill. f. *ram. Var. Vitif.*
- r *L. oxyocci* (P.) Karst f. *Oxy. pub.*
- a d r *L. seriatum* (L.) Dill. fol. *post. sylv.*
- g o *L. punctiforme* (P.) P. H. nov. mod. fol. *lan.*
- g *L. petroleale* P. H. pet. nov. f. *querc.*
 Hyst. - *pub. chif. - auct. no. f.*

g *L. Aconitiforme* P. H. culm. *Mel. com.*
 Spermat. *Aconitiforme* *gruvis*
 Kze

- a i *L. Rhododendri* (Ces.) f. *Rhodod.*
 L. sp. hanc. g. g. g. g. Rhododendri *Cochin.*
- L. Neesii* Drey. fol. *Nic. Aquif.*
- a *L. typhinum* (P.) f. *Typh. latif.*
- o *L. conispermum* (M. N. Hyst. C.) *shub. Pan.*
 f. *typhoides*
- a *L. Patersonii* (B. C. Geary) *in. citro*
 Hyst.
- g *L. lobatum* Fuchs. (*an. aporia*)
-) *L. Epimedi* (L.)
 L. ciliatum (L.) Spres
 L. phariades A. S.
 L. ~~Albinothyris~~ Fuchs
 L. Vaccinii Carver.
 L. variegatum B. S. C. v. *Audan*

19 fr *L. (Phacelia) Phacelia* Dill. f. *querc. cast.*
 Phac. coronatum
 7-9 f *L. dentatum* (Schrad.) Dill. f. *querc. cast.*
 Crucif. *L. Delta* (Kze) Dill. f. *Laur. madag.*

9a

9

1

Lothium mytilinum Fr. cart. Hb. Pini

L. delabiforme Wallr. cart. Pini comm.

L. mytilinellum Fr. auct. et var. Pini sylv.
= *Lophodermium mytili* Karst

g. Lecicographa (Opes.) ^{parasitica Norm!} ~~fruticosa~~ - Polun

~~Hebeloma testaceum Duf. p. 29~~

~~Hebeloma crustuliniforme Duf. p. 29~~

~~Hebeloma
Agaricus petiginosus Fr. II 242~~

~~Hebeloma rufosum Bull.~~

~~Hebeloma sarciniforme
" culm. etc. v. Bant. p. 2~~

~~Helminthosporium necropioides Sacc. I p. 1~~

~~Haplosporella sp. n.~~

~~Helotium indepressum 4~~

~~Helotium subcarneum Sacc. II 260~~

~~Helvella perisoides Afz.~~

~~Helvella clarkii Bull.~~

~~Helvella crispa (Pop.) Fr.~~

92

H

9

~~Homococcium nitidulum Sacc. II 451~~

~~Humaria scutellata (L.) Fuek.~~

~~Hydnum argutum Fr.~~

~~Hydnum farinaceum Pers.~~

~~Hydnum spongiosa Lau II 154~~

~~Hypospila pustula~~

~~Hygrophorum conicum (Scop.) Fr.~~

~~Hypholoma velutinum Fr.~~

~~Hypholoma velutinum Quel. p 36~~

~~Hyponyces coccineus (Dittm.) Tul.~~

~~Hyttarium vulgare~~

~~Hyroxylon coccineum Bull.~~

~~- serie K -~~

~~Hyroxylon affusum Ake. 183~~

~~Hyroxylon coccin: v. microray~~

~~" Serpens~~

~~Trocybe rimosa~~ Quél. p. 27

~~Trocybe askospora~~ Quél. p. 28

~~Lepiota citrina~~ Pass.

~~Lepiota clypeolaria~~ Bull.

~~Lastinella albo-violacea~~ (Wall. et Schaer) Fr.

~~Leptosphaeria rhotophora~~ 2

~~Leptosphaeria Conisthymus~~ Sav. p. 2

~~Leptosphaeria vagabunda~~ Sav. II 414

~~Leptosphaeria citricola~~ II 416

~~Leptosphaeria foliolinum~~
" ~~agitata acuta~~
" ~~sterospora~~
" ~~perulosa~~

~~Leptonia~~
~~Agaricus birrorarius~~ S. 270

~~Leptonia~~
~~Agar. Aethiops~~ Fr. II 248

~~Leptium figrinus (Ball.) Fr.~~

~~Leptothyrium protuberans Lau. II. 380~~

~~Lycogala Gidendum L.~~

~~Lycopodon Bovista L.~~

~~Leptotrema semilibrum~~

~~Leptotrema excipuliforme~~

- Ill *Miamphean extensa* C.P. f. *Querc. rubra*
 Sa *M. pulchra* C. et P. f. *Corni alba* f.
 Sa *M. Vaccinii* C. et P. f. *Vac. vacillans*
 Sa *M. diffusa* C. et P. f. *Desmod. caud.*
 Ill *M. tenuis* B. et C. f. *Cephalanth*
 Sa *M. Van Brouckiana* Gr. f. *caud. tenuis*
 Sa *M. Ravenelii* B. ^{1850 77. 119} f. *Gleditsia*
 Sa *M. Euphorbia* B. et C. f. *Euphorbia*
 Caly *M. fulvifolia* Cook f. *Spiraea*
~~*M. tenuis*~~

- v. *Microphaera divariata* (Lk) Lév (f. ^{Prunella} ~~Almi subalt~~)
- " *Hedwigii* Lév (f. ^{Landang})
- v. o. h. *paniculata* (Lk) Lév (f. ^{Almi et Vb. sp.})
- v. o. i. *Thunbergii* Lév (f. ^{Lon. tatar.})
- 690 i. *Grossulariae* Lév (f. ^{Grossul.})
- " *Astragalus* (D.C.) Trev. (f. ^{Astragalus}) = *Erythraea*
- v. a. 691 i. *Verberid* (D.C.) Cooke f. ^{Verb. vulg.}
- 66 p. i. *Dubyi* Lév (f. ^{Lonicerae D.C.}) f. ^{Lon. Caprif.}
- 6 " *comata* Lév f. ^{Rumic. et latif.}
- 6 i. " ~~alberic~~ *alberic* Lév f. ^{Rumic. et latif.}
- 9. " *Presii* Lév f. ^{Betulae albo, lignis castan.}
- 9. " *Mougeotii* Lév f. ^{Lygiae barb. part. herbae}
- Myktilidion *aggregatum* (D.C.) Dub. (co. Pin.)
- ec. ~~Winter~~ *M. rheuanum* Jekl.
- I. Am. " *fortile* (Schw.) S. (co. Junip. com.)
- f. *M. bystrichum* Cr. 30 lign. Betulae et Salic.
- M. rheuanum* Jekl cort. Pin. sylv.
- ? = *Lophium myktilium* Karst non auct. exp. ^{per se absque dubio}
- * *viridatum* K.
- c. *M. gemmigerum* Jekl in genum. *Lonic. aur.* ^{Hue quoniam J. myktil. Karst. ex. p.}
- M. lineare* Rehm
- r. * *M. viridatum* (Karst sub *Lophium*) ad cort. Pin. ^{ut var. L. myktil.}
- v. *M. laciniatum* Karst lign. fabr. pinu
- M. decipiens* Karst cort. Junip. com.
- Cont. *M. americanum* (Dybstreichn.) Lign. Liquid.
- Jr. *M. Dubyi* Cr. 30 cort. pin.
- M. pectinatum* Boppe by h. Pin. tatar.
- M. lantana* Jekl Boppe.
- M. Simonis* Thom

- 926 *Microthyrium microgicum* Desm. f. Bux.
- I G. Ga A. see Code Bux. 1p. 3-19pt.
- 9 " ? *lytisi* Jekl (lyals.) caul. Cyt. sagitt. et p. genit. f. inc.
- 9 " *Quercus* Jekl f. Querc.
- 9 " *Lunariae* Jekl App. II 33 (part. Micomy.) caul. L. reddi ^{admirat.}
- 5 " *Pinnatis* Jekl in fol. Pin. sylv.
- pr. *Lophium pinnatis*
- i. *Micranum* Dillr S.C.I 25. 996 f. ilic
- i? *Smitacis* Dillr caul. Smit. ^{sp. di. conch. ov. d. pallid. utinam}
- M. nitidum* M. 264 sub *Pumilio* ^{ped. Max. regia}

Micropeltis M (ut *Microthyr* sed sp. plurimost)

Ray. *M. applanata* M. 265 fol. Laur.

Ray. *M. marginata* M. 265 fol. Palm.

3 ai Melomastia Fresii Mke ^{at caul. herb. 1848}
 6 pro ^{alt.} ^{Vol. Ep. 1848}
 Sphaera quib. f.ekl. - 1. revoluta Mke ¹⁸⁴⁸
 f. h. Lonicerae Low. ? S. f. axinicola Low

Myriocarpa Cytisi f.ekl. in Cytis. sp.
 = Phaeocolla Cytisi Mke.

M. Lonicerae f.ekl. in L. alpej.

Melanospora renviciua (Derm.) Bk ramul. var. arbor.
 M. parasitica ^{colony} (Hav. 1848. 6) in Lamiis
 g M. leucotricha Cda f. longi. etc.
 M. Coemansii Wott.
 v M. lagenaria (Pers.) f. in Polyp. arbor.
 Cerat. f. kl. ^{igniar.}
 spum. ? S. pulchra vel capillata f. kl. in K.
 g x M. chionea Cda fol. Pin. sylv.
 Cerat. f. kl. ^(f.)
 spum. ? Sphaeria pilifera f. kl. in K.
 M. arachnospila f.ekl. in uran. emitt.

M. Lobeliae (Cda sub Microthecii) f. kl.
 = Cerat. beirrodii f.ekl. in Peziz. inis et Tel.

G M. Zamiae Cda f. L. pungent
 Berna M. arenaria Mke (A.S.N. 56) ^{XXV} in p. arca
 i M. barbata (Pers.) S. M.
 ? sporide innumera

g ? M. utrea (f. Cerat. f. kl.) in tub. Dalby
 asc. nulli! Cda
 M. coprina (f. Coch.) + in quib. sp. p. etc.
 an sp. hyal.
 a M. Helvetiae (Coch. Cerat.) in hymen
 cur nomen Helvetiae, si ^{grac. 1848} in Peziza? ^{B. h. h. m. sp. etc.}

g. M. Aesculi Tul. var. A. Hypo.
(Tha) g. M. ^{Dyem.} hypophaeae (Sollm.) ^{Thun} var. Hypo. ¹⁸⁶¹
g. M. Jacq. Fekl.

Pseud. Steganozonia speciosa list.

g. M. Corni Fekl var. C. long.
? *Saccosthele* - Corni; F = M. *maximiliani*
= *Cryptogramma* *fructuosa* Kull. var. *fructuosa*

g. M. Rubi Fekl var. Rub. frut.

g. M. marginata Fekl var. *Rub. corni*
Dyem. v. corni. *Scindium marginatum* (P. B.)
i. var. *Bertholdii* v. *fructuosa* - var.

g. M. gigaspora Fekl var. *Alor. camp.*

g. M. pyxidata (P. B.) C. D. & Al. *pyxidata*

a. M. holoxista (P. B.) C. D. var. *Alor.*

g. i. M. Hoffmannii F. ^{Dyem.} *Prothomium stellare*
^{Herw. 1861 n. 9.} cost. *Tillm.*

M. Kickxii (Ward.) C. D. ^{in litt.}
= *Pseud. Kickxii* ^{acidif.}

i. M. protusa (F.) C. D.

f. a. M. bifurca (P. B.) var. *curv.*

alg. M. [?] rhypta (Mtg.) var. *Jain. frut.*

g. M. Lunata Tul. C. D. II. 241 in *cont.*
an. oblong. ampl. 160 & 13-16. ^{frag. of leaf}
sp. 38-45 & 13-4 - *local. ext. mult.*
nerv. muc. oval. hyal. curv.

g. M. Pyri (Oth) in Tul. *Cap. II. 237* in *cont.*
Asi. 889. sp. fusid. 3-10pt, medi. subinfr.
52-55 & 13-16 (aff. ch. Ulm.)

i. *Melocannine conjugata* (Mtg.) ^{sp. 1, 64}
var. *Sopul.*

i. M. obduca (Mtg.) var. *Jais*
sp. 1, 66
var. = M. pulvis pygmaea var. *decat.*

a. M. Epochinii (P. B.) ^{sp. 1, 67} var. *Corkinij*

i. M. Veruciana (Mtg.) ^{sp. 1, 68} var. *Confi.*

a. M. rhytidode (P. B.) var. *fraxin.*
sp. 3-6 sept. loul. quib. 25-30 g.

a. M. Tenynsii (P. B.) var. *putr.*

f. a. M. *pauciloboma* (P. B.) var. *Ulm.*
sp. 4-10pt. 3-10pt. Cr.

a. M. obliquera (P. B.) var. *abot.*
sp. obov. 3-10pt.

- a i *Melanomma Aspergini* (Fr.) Fr. h. Bot. alb. ^{1. Rhiza, uti.}
- i *M. h. Camp. Jeli.* l. lij. fag.
- R.G. *M. h. ovoides* (Fr.) Fr. ra et lij. querc.
- i *M. h. dubia* S. lign. demum. fag.
- M. papillata* Fekl li querc.
- i *M. h. macrospora* Sacc. lign. dec. fag.
- R. a. o. i. b. *M. c. Dulcis pignus* (Pers.) Fr. ra et lij.
 con. Helminthop. velut mund. se. sp.
 ra mis
- M. conica* Fekl ram. Samb. ra.
- i *M. c. longicollis* Sacc. ram. dec. Citi. Limon.
- M. subsperga* Fekl cort. Pice. dem.
- g. *M. Heufler* (Carp.) Hedw. 1868, 1873. ram. dec. pini.
- i *M. c. fuscula* Sacc. h. ram. Samb. m. g. p.
- a *M. vilis* (Fr.) Fekl lign. Pice. reg.
- i *M. Cabellu* Sacc. li corr. fagineo.
- R. *M. juniperina* (Karst. sub. sph.) li. J. unum.
- i *M. Ovar* (Dillig. sphaeri. Murr.) lign. Fr. orn.
- R. *M. conicina* (Karst. sub. sph.) cort. L. te. tar.
- ja *M. collabens* (Karst.) in cort. et lij.
- R. *M. sanguinaria* (Karst. sub. sph.) li. vel. Cort.
- ja *M. ordinata* (Fr. B.B.) ra dec. querc.
- R. *M. Holmskjöldii* (Karst. sub. sph.) li. Cort. Dec.
- sc. *M. rhodophthalma* (Bk.) in lignis
 = *Sph. rhodop. sp. nov.*
- R. G. *M. cinerea* (Fekl) (Karst. 91) an. Lycopod.
- R. *M. dijuncta* (Karst.) + li. pinus.
- a. i. *M. pulvinata* (Carr.) + in lign. var.
- R. *M. emergens* (Karst.) + lign. Popul.
- a *M. seriata* Carr.
 M. pusilla (Carr., sph. seriata C. L. Tr.) in lign.
 = *calidula*
- R. (3 M.) *M. impuncta* (Karst.) lign. muc. Alb.
- ja *M. Pastula* (Carr. sph.) li. pice.
- R. 5? *M. pygmaea* (Karst.) lign. Hipp. rha.
 et telu.
- f. i. *M. circumscripta* Dillig. ram. Laric. uice. et hui.
 et ren. lign.
- R. 5? *M. borealis* (Karst.) lign. Ravip.
 an. Phomaform. ? Uronaria b. K.
 = *Siphonophora*?
- g. *M. aterrima* Fekl trunc. fag. syle.
- B *M. Sauerii* (Wort. Hedw. 1773) r. Callun. vulg.
- g. *M. fissa* Fekl ram. dec. Alb. camp.
- g. *M. Rhododendri* (Pohor. an. r. Phod.
 f. alu. und. age. 1874) r. alu. in.
- g. *M. sparsa* Fekl li. pinus.
- g. *M. rhodomele* (Fr. Hedw. 1869, 85) lign. pice.
 sp. 3-4 sept. melleo.
- r. *M. pilasella* (Karst.) Sacc. f. V. S. III.
 an. Eucampyl.
- M. brachyphala* (B. Br.) ra. dec. Samb.

M. pumila - pice. et f. Ampyl. sp.

i Melancon; Carthagen Tul. ra. Luj.
Wüstenei Tschelid. d. d.
Co. Melanc. ^{an} jufardmen. Kze

je i M. Anrysobrona (Fr.) T. v. Carp. B.
= V. xanthobrona Mitzg.
Co: Mel. broloß ramulorum Cde

fg. i M. Spodicea Tul. v. Carp. Bot.
Co. Mel. broloß Cde

ai M. alni Tul. ra. aln. glt.
Wüstenei Tschelid. d. d.
Co. Mel. ^{Wüstenei Tschelid. d. d.} sphaerodeum Lk
Lyon. magnet. Melanc. affect. Felt. d. d.

ga f M. sudovic Tul. ra. Carth. ves.
= sph. beauria Carr. ife. Felt. 109
Co. et sparsus.

R. G. Ia b M. Hilbostoma (Fr.) ra Bot. alb.
Co. Melanc. betulinum. Sch. et K.
Spon. Lbarkelle betulina Desm. Felt.

M. (Calopora) occulta Felt. ra. Pop. hom.
Spon. Cgspora ... Felt.

ga M. (Calopora) aucta (B. Br.) f. r. Aln. glt.
Mabani aucta C. D. sec. D. B. sp. etiam 3. sept.

R. M. fenicia Karst. ra. Lsb. fern.

fi M. dolosa (L. W. Valerani) v. aln.
~~109~~ ^{Fi 54}
a seq. infecta apparet. et guttata. ifet

y M. alniella Rehm. v. alni v. v.

Obs. Suspensum M. alni, dolosa, alniella et aucta
ejus. per an. formas esse

3iv *Mazzantia Galii* ^(Guasp) *Mazz. Cant. G. Ap.*
sperrn.

g. *M. Gongobiana* (Ulloa) *Fekl. c. Galod. lat.*
sperrn.

i. *M. Napelli* (Ces.) + *c. M. Nap.*
= M. Lyoderi *Past.* *et a. Lyoderi*

i. *M. rhytidomides* *Griseb.* *caul. Valer. Tript.*
sp. continus (semper?)

i. *M. Picchiana* *Griseb.* *caul. Lupin.*
can. spm. spm. met. 1 sept.

i. *M. Deplanata* *Griseb.* *caul. Rumer scutet.*
(Mazz.) Jambelle
are. facti, an spex asiformis?

(*M. Johnstonii* *B. D. sub Doldice*) *fol. Epilob.*
caul. Sphaerella - sp. Sept 20 G.
= Venturo

M. hirculi *Thun.*

a I *Melanops Talamoi* *Mazz.* *ca. cort. querc.*
= sp. quarant. Fr. S. S. 143 p. Tul. pag.
Dothidea adnata *Ces.*
Pycnid.

? *Melanops mirabilis* *Fekl.* - *Querc.*
sperrn. Cythpora pisiformis *Duby*

? *M. aterrima* *Fekl.* *tr. cort. Alb. camp.*
Macropyta. - *an. o.*

? *M. ferruginea* *Fekl.* *hum. Alb. glab.*

gb. fr. i. *Melogramme Bulliardii* *Tul. re. Carp. D.*
Vandiere melogramme *Bull.* *sperrn.*
M. vagans *Griseb. (1857)*

i. *M. spiniferum* (Walt.) *tr. pag. sylv.*
= M. apertum *Ces.*
= Sph. podoides *Griseb. Can. M. podoides* *Griseb.*

M. Fockelii *Mazz.* *logn. Sabr.*
in Fekl. S. m. 227

ex ip. Fr. ost = Sph. meligramma Pers

Melogr. campyloporum Fr. cont. frag.
an = M. vagant B. & M.?

Melogramma
a. sc.

M. homaleum Fr. = S. homogramma Fr. cont. p. 10
 Tubis ob sordidi ellipsoide-oblongo. C. 3
 3-sept. curv. sept. 1/2. 2 sept. antr. 8 x 3 S. 10
 nob. Encumb. 10/11

M. fusiforme Fr. = M. usque p. Bk. 10/11
 (1849) Sph. fusiforme Sely B. & M. 10/11

M. leptoporum Fr. = Caloglyphum angulatum B. & M.
 ? M. Quercum (Schw.) Fr. = Melogramma
 = Sph. pulchrum Pers

M. sordidum (P.) Fr.

M. poltun Fr. = Botryophani

a. M. rubromaculatum B. Br. cont. Ulm
 Nazaria (Leprieux) Tul. sp. obl. 1. 5. 34 p.
 Pycn. Phenac. ulmivole Bk.

M. ? crenulatum (Bk s. & Hyp.)
 cf. ms. n. Sph.

M. ? fusiforme (B.)
 cf. ms. n.

M. podoides (Pers) = M. spum
 Kc. Cur

aleys M. cylindropora Rbly Hedw. an Vani?
 1871. 25
 sp. 15-18 x 4 1/4, 3-7 sept

g M. Tackii Rbly van Laburn.
 sp. 27 x 4, 3-sept, athera

- Na M. ? Meliae (Schw.) Geost. 3/18
- Na M. ? Calycanthi (Schw.) Geost. 2/18
- Na M. ? rhizogenum B. red. Gladstsch.
- Na M. ? ambiguum Schw. f. Rhois
 sp. hyal. conchif. 37/9.
- Na M. ? horizontale B. C. in Scypho
- Na M. ? Gladstschiae Schw. x Gladstsch.
 cf. oblonga Geost. 2/18
- Na M. ? Hibisci (Schw.) Geost. 3/18
- Na M. ? Van Vleckii Schw. in Bign. red.
 sp. fusif. hyal. 15/9.
- Na M. ? grayi Teun B. et Rav Myriac.
 sp. fusif. hyal. 20/9.
- Na M. ? Dichaeuodes B. C. in quorum
 Dragotia? sp. 25/9. hyal. 1/9
- Na M. ? subagellum B. C. in sicut
 Dragotia? sp. 1-sept hyal. 27/9.
- Na M. ? insidens Schw. in Fossin.
 sp. 1-0 2-sept., obl. 1-sept 7-8/9.
 v. Sph. collansteres B. C.
- Na M. ? Prague B. C. in sub.
 sp. clav. 3-sept + mult.

Surin. *Meliola cymbiperna* M. f. *Smilglotte*
 Surin. *M. Nasae* M. f. *Uranip guyan.*
 Cuba *M. amphitricha* (Fr.) M. f. *fol. coriac*
 M. Araliae (Sprngl.) M. f. *Araliae*
 Tail. *M. Moreuhouiana* M. f. *Alixia bellata*
 Cay. *M. oligotricha* M. f. *Olyz*
 Phil. *M. urallina* M. f. *Dryniis filif.*
 Ceyl. *M. mollis* B. Br. f. *Syzygium Tambolau*

Micula Mongeotis var *Rham alp*
sphaeici *Micula* Fr. *II* 101 of *M. U.*

Microthelia ?
Melanotheca ?

~~Masaria foedans Fr. & Sav.~~

~~Masapinus caepitens Fr.~~

~~Masapinus epiphyllus (Pers.) Fr.~~

~~Masapinus cancellif (Pers.) Fr.~~

~~Melanospora leucotriche Cord. 3~~

~~Melanospora Amphitriptaria~~

~~Merulius pulverulentus (Sow.) Fr.~~

~~Morchella hybrida (Sow.) Pers.~~

~~Morchella esculenta Pers.~~

~~Microstroma leucospermum II 543~~

~~Microthyrum Smilacif D. Det. I p 245~~

~~Mucor Mucedo L.~~

~~Mycena dryophila Vogl. p 17~~

~~Mycena lineata Zwill. p 18~~

~~Mycena lactea Zwill. p 18~~

~~Mycena galericulata Zwill. p 19~~

~~Mycena Dissiliens Zwill. p 19~~

~~Mycena Adonis Bull.~~

~~Mycena capillaris Schum!~~

~~Mycena filipes Bull.~~

~~Mycena acicula Schaff.!~~

~~Mycena rufota G.~~

~~Mycena amicta Zwill. p 20~~

~~Mycena tenerima Zwill. p 21~~

~~Mycena corticola Zwill. p 21~~

^{Myces}
Agaricus lacteus Pers. I 438

Myriococcum praeceox Fr. I 367

Mycospora miniata Sav. II 381

Metasphaeria ~~*septicola*~~

" ~~*corticola*~~

" ~~*populosa*~~


lib.
Kx
l.
de
u)

du.

N
O

44

11



lib.

Kix
1.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

N

O

44

44



66.

KX
1.

de.

4/3


dr.

N

O

44

41




bb.
Kx
1.
bc.
ap
br.



N
O

14

11




bb.
Kx
1.
bc.
ap
br



N
O

14

11



111

lib.

Kx
1.

lib.

u/s

don.

N

O

44

71



121


16.
Kix
1.
ak.
a/3

du.

N
O

44

41



lib.

108

1.

de

de


3

N

O

44

41



46.

KX

1.

alc.

47

div.

48

49

50

51

52

53

54

55

56

57

58

59


60

N

O

44

45



lib.

KX

1.

lib.

u)

du.

u

u

3

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

N

O

44

41



lib.

Kx
1.

sk.

up

du

u

u

3

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

u

N

O

44

44



16.

Kix
1.

16.

17.

18.

19.

20.

21.

22.

23.

24.

25.

26.

27.

28.

29.


30.

N

O

44

45



lib.

Kx
1.

lib.

u)


du.

N

O

44

71



66.
Kx
1.
alc.
up

dr

N
O

3
i
de

44

41

Nectriae

Nectrella sp. continua odora
Nectria sp. d'opine odora
Calonectria sp. 2-multisetate odora
Pleonectria sp. muriformia odora
Chilonectria sp. continua murata (cop)
Ophionectria sp 8 filiformis

Nectrella sp. continua
Cep N. muriformis B.Br.
sp. glob. murata.
Cep N. Bambusae B.Br.
sp murin.
A. N. Heikii B.Br. caul. brassicae
sp. contin. 5-6 $\frac{1}{2}$

continuj.

- Nectriella Sacc. non fekl. a Nectria differt sporidijs
- N. Powelliana (Mkgn.) f. Buxi.
- " = N. carneae (Dry) f. Buxi (fol.)
- " con. Fusidum (Ramularia) Buxi Schm.
- " macrocon. Chaetosporium Buxi Cla
- N. perpusilla (N. 225.) in clavis Xylar. allact
- N. (Chlonecthia) myriaspore Cr. 27 fimo equo
- N. (Nectriella) chlonia Cr. 27 caul. parv. Angol.
- N. Anysites (Wallr.) cort. Geuist et Yphantis
- N. digitalis Cr. 27 caul. Digital
- N. carneae (Dry) fol. Luzul. et Can.
- N. (sac. Chlonecthia) umbelliferorum Cr.
sp. furca. gran. cal. Oenanthe, Angol
- N. (Nectria) (Wallr. Cr.) caul. in Dauco.
- N. ? myriaspore (Cr 22) cort. Ligustr
- N. (Calen?) thalipriste Cr. 258 cort. Latic
- N. affusata B. et C. v. thibisc. Syria
- N. fusiformis B. et C. v. caul. Persimonia
sp. wate 3 1/2 - 5 G.

- g Nectria (Cryptodiscus) charticola fekl. in charta
- g N. (Nectria) indiana (Arn.) Rehm
- g N. (Cryptod.) paludosa fekl. f. Tych. pat.
- Exp N. flavolauata B. et C.

- N. (Cryptod.) (carnea) fekl. th. Pelty. can.
! = trichocicola Ces (an ter.)
an = N. Roberti Desm. (N. 224)
Co. Mloporium carneum fr.

- (N. (Cryptod.) Ketchumii fekl.)
- g. v = N. erythrella (Nyl) Tul. symb. n. 177 sub n. 4
- Co. Mloporium ... th. Pelty. can.

- N. (Cryptod.) coccinea fkl. = coccinella
in th. de spott. Hagen. citiaz.
Co. Mloporium coccineum fr.

- ? N. sulphurella Dkth. rau. Abiet.
alt. myriasp.

- o g. b. N. anysites (Wallr.) Bkth. to Groxvi
sp. in. w. in. 1cc Kx
- g. v. N. cinnabarina fr. ra. ra
stet. scuil. = N. decolorans (P.) Fr.
- Co. Tuberculana vulgaris Tode

- i N. squamulifera Sacc. rau. Sal. et Rob
con. Tub. pusilla
- i N. Doornagerii Dkth. v. Buxi. temp.

- Co. Fusarium ... fekl. (v. repul.)
- Co. Tuberculana verpider Sacc.
- Ab. N. Bogoracum Pat. cort. Acaacia.

- g. f. l. Nigrica fr. ra. Hed. Hel.
- Co. Tuberculana tarmentorum Fr. p. p.
- " Iphaeroneura Hederae fohl.

- i N. abundata Sacc. rau. cort. Ulu. camp.
- i N. lecanodes Ces. th. Pelty. can.

N
O

14

fb a jr N. Bezaz (Tod.) fr. li. at cort va.
a N. aurea (Gre.) Cooke
= ~~see third form of N. granatensis~~
N. finicola Feh. fr. vaccini
fr. N. bryophila (R. Dry.) + in musci
sp. ellips. 20-25
1 fr. N. cosmariospora Mth. in Polyp fr.
= Cosmariospora coccoea Abh.
an N. granatensis Wallr.?
g. N. auricoma (Wall.) Mth
N. Resinae Feh.
a N. namumoides Stow. fr. ^{gum.} ²⁷ from Alicij
sp. 1-sept 25 x 10
gf N. dikissima Tul. cort fog.
N. coccoea Auct. pl.
Con. Tuberculans crassa-
sp. tub. sp.
na N. ochroleuca Schw. fr. Mori multicaulis
fb g a N. punicea (K. et S.) Feh. Rh. frag.
sp. cont. 100 Kx
na N. dematopu Schw. fr. Mori rubra
g. N. Conyl. Feh. ra Cir. Auct.
Cuba N. pyrrodes M. 224 cort ram.
asc. 4 sp. - sp. 22 gm.
g. chil. N. discophora Mth. cort pu. Alicij
Chil. N. australis M. 225 cort fr.
g. N. citrina Fr. (S. Gibbon Wallr.) l. Alicij
alg. N. jucunda M. 225 ra Cort. Alicij
sp. cont.
ba jr N. coccoea (P.) F. cort. lig. Ulm. da
fr. N. azefolia (Fr.) Tul. van Agnes
aut psych. l.
af g N. Cucurbitula (Tode) F. cort Pir.
sp. 100 g. on pom. tub. (g. vult 20-11)
see Cury. sp. 100 g. contin. vult
see Mth. in Wallr. sp. 15-16, 5-6 sept.
fa jr N. epiphyasina (Tod.) Fr. fr. Bot. Alicij et
na N. Poponum B et C. in cucurbit. pub.
sp. 1-sept
aj r N. sanguinea (Libth.) Fr. lign. pu.
na N. aglaeothele B et C. fr. alni
(N. helminthoica B. Br. in Polyp. aff.
an Helminthosp.
= Caluochia
N. varicolor Feh. li. Salic. da
na N. Roussolii B et C. fr. Ulm.
N. mobilis (Tode) Fr.
sp. 5 sp. mobilis Tode?
f. N. carneae (Desm.) Tul. fo. Caripal.
Co. Pilonis Pellucida Desm.
N. obvoluta Karst. fo. Calamagr.
N. pyrochroa Tul. f. Plat. or.
Co. Faisarium Platani Mth.
sp. fruct. cursul. 3-gutt. (3-sept?)
ven Caluochia 50-60 + 7 1/2

Myces

N! Dalmiana Mts. sp. i. 7 ram. Lenth. lignar.
N! Hercule Cr. 38 caul. Her. sp. hnd
N! appianata Jekl ram. cont. Cap. Bet.
Pycn.

In N. tenestus Cr. 38 in muris
N. turbata Jekl h. Polyp. appl.
N! helminthozola Jekl na B. Br.
N! tubida B. et C. ram. vlt. vinf
ai N. citrino-aurantia Lacr. ram. salic.
N. obt. 7¹/₂ - 8¹/₂ 9. continuo?
!a N. inaurata B. Br. ram N. aquif-
alg. i N. miltona Mty. fol. em. Agav. aur.
i N. Cratii Mty. in musci; (Lorano)
= Calamocha
i N. gopunfis Es.

N. arenula (B. Br.) (C. D.)

g. N. Citrum (Wallr.) Mty. = Citrus sp! ^{trunc. alb. asc. polyd.} sp 1-1000⁺ 10x4.
? N. ochracea (Grob) J. in ram. puct.
= N. chrysothrix Wallr. loc. KK
g. a N. panicea (Schm.) Tul ra. Rham. Jang.
a N. aquifolia Bk ram. Aquif.
a N. Ralfsii B. Br. ra. Jaz. et Vltic.
a N. rosella B. et Br. low. fol. frostul.
sp. cont. of Curr. 7. 52 f. 3.
? N. flavida G. trunc. puct.
? N. Partoni (Jeu.) Curr. in Vltic. alietis
? N. umbra (Bk) J. caul. Phaeod.

Cep. N! baccata (Grob) B. Br.

(6.0 N! aurantia (Wallr.) KK non J.
sp. cont. 15-5. 205 (Cera et spor. ? KK) trunc. p. x
if Hypomyces

o B. N! Ribis (Tate?) KK! + 70 Rib. sub.
sp. cont. bicocular. KK. cf. Chlococh
N. examinau Bk (Curr) = Botryoph.
? ob sp. contin.

Cep. N! stenopora B. Br.

Jr. N. viticola Cr. 38 in vlt. canis

o N. Citrum Wallr. loc. Oudemans
= Citrus fr. nec 100 Mty
an. 8 sp. 14. bicolor. 11-14 * 4¹/₂-6

g N. pyrochloa And = Phaeoactis
cf. Botum Hedw. 1869 p. 88

i N. (Chlococh) Rosellini Carrot & Abiet.
Hab. Hedw. decolor. Hedw. pectin

Cep. N! haemorrhoea B. Br.

N! N. diploa B. et C. in sphaerij ad Alkum

Cep. N! utlogera B. Br. in fungis

Cep. N! fuliginosa B. Br.

Cep. N! bicolor B. Br.

Cep. N! nigridiscula B. Br.

Cep. N! subquaternata B. Br.

Cep. N! aurantiicola B. Br. van Aurant.

Cep. N! dealbata B. Br.

0

44

71

R. i. *N. humulana repanda* (P.) M. & D. det.
Abry. *N. tenuis* Pass. fragm. lign.
i. *N. repandens* P. det. frag. Troad.
N.A. *N. Broomeana* (B. C. Hypox.) Lign. p.
g. a. i. *N. succenturiata* (Tode) M. & D. ex. det.

g. a. *N. lutea* (A. S.) M. & D. b. abn.

i. *N. discreta* (Schev.) Tul. det. frag. Lign.
con.
ph. *Dianella* Schev. f. c. Tul. Bot. all.
= *Hyp. numulana* Eub. c. i. 295 / M. & D.

f. a. i. *N. Pulliardi* Tul. re. frag. Lign. det.
ph. *antennaria* Schmidt. Lign. det.
con. - 3 M. & D. det. Lign. det.

i. *N. mediterranea* (M. & D.) S. det. frag.

i. *N. regia* (M. & D.) S. det. frag. Lign.

9. *N. dryophila* Tul. Op. II 48. w. det. frag.
A. 50-80-10-13 - 1p. det. 16-6-1/2
M. & D. pulv. det., amb. det. 1-1/2 det.
D. det., 2-3 det. cr. det. non p. det.

66.

Kx
1.

de.

up

dr.

1

3

de

de

de

de

de

0

44

44

R.

1111

~~Naucoria pediculus Fr.~~

~~Naucoria tabacina Fr.~~

~~Naucoria tenuiserialis Bull.~~

~~Naucoria conspersa Pers. aliquando~~

~~Naucoria pediculus Quil. p 31~~


~~Nectria congesta Lau. II 256~~

~~Nectria cuneiformis (Tod.) Tul.~~

0

44

71



12 13 14

16.

Kix

1.

de

17)

du

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

—

0

44

71



46.

Kx
1.

abc.

u)

div.

is

3

abc

ku

ku

u)

abc

0

44

41



lib.

KX
1.

de.

u/)

dr.

is

3

de.

ku

ha

ey

h

h

0

44

41



166.

Kix

1.

de.

43

de.

72

71

3

de.

de.

de.

de.

de.

0

44

71



66.

Kix
1.

alc

up

dn

21

3

1

kn

kn


1

3

0

74

71



bb.

Kx
1.

abc.

xyz

don.

11

3

1
do

11

11

11

11

11

0

14

11



881

66.
Kx
1.
de
a)

do.

is

3
de


hu
hu

cy
de

0

44

41



29. *Oshoya cinerea* Fr. (ra prox. Syr.) Cusp.
 30. " *cuticularis* (Fr.) Fekl (ra prox. Syr.)
 " *oculata* (Muhl.)

Comyces carneo-albus (Lib.) Bk (fo. Airg carp.)
 (= *discomyces*)

9 *Othleria modesta* Fekl ad rad. fagin.
 9 *O. obduca* Wint Hedw ¹⁸⁷¹/₁₈₂ lign. hiae?
 9 *O. rugulosa* Fekl lign. pu Carp. Bot.

9 *Othia Rosae* Fekl. va. *R. canina*
 = s. *spura* Wallr. 100 Fekl
 Pycn. *Diplode Rosarum* Fr.

9 *O. Acanthi* Wint Hedw ¹⁸⁷¹/₁₈₂ ram. Aln. plat.
 Pyc. *Diplode Acanthi* Fr.
 9 *O. Pruni* Fekl va. *Prun. yprinf.*
 Pycn. *Dipl. Pruni* Fekl

9 *O. Alni* Wint Hedw ¹⁸⁷¹/₁₈₂ ram. Aln. gl.

9 *O. populina* (Pers. (?) Fekl Pop. pyr.
 Pycn. *Diplode populina* Fekl

Cyl/O? *ligajode* (P. Br. b.) 311)

9 *O. Spiraeae* Fekl va. *S. opulif.*

9 *O. Phleae* Ralt. ⁶⁷/₃₁₉ r. Pt. trifol

9 *O. urceolata* Fekl va. *Pib. alpin.*
 cum macrostyt.

9 *O. Quercus* Fekl va. *Querc.*
 Pycn. *Diplode Quercus* Fekl

ix. 9. *O. conyina* Karst va. *Conyl. Aneth.*
 ph. *conyina* Karst. *Othia Conyl.* Fekl
 Pycn. *Diplode Conyl.* Fekl

9 *O. Pyri* Fekl ram. *Pyri. comm.*
 Pycn. *Dipl. Pycn. & Diplode* Fekl

9 *O. Hübneri* Fuhl. var. *Lon. Xiphid.*
maetortyl. spangos. et pygmae

9 *O. Crataegi* Fuhl. var. *Crat. Crataeg.*
Pycn. Diplodia Crataeg. Fuhl.

10 *O. Lisa* (Mtz) (+) var. *Berk. vob.*

Abq *O. Soberae* Pass. (*Cucurbit.*) var. *Soberae*

Na *O. Strobilicaria* (Schw. Bk) H var. *Strobilicaria*
sp. 1-sept. onto. Grav.

a. *O. Symyzae* Cooke f. 6. 11. 18. / *Nist. ra. Symyzae*
Hedw. 76-2
an Diplodia

(+) loc. Tul. Cap. II. 29

area ampli, abradis; sp. 5. *Strobilicaria*
ovata-obl. v. f. var. s. p. conula, 1-1 septata
32-62 = 13 *Strobilicaria fusa* - *Strobilicaria*
numm. rugosa, long. 1-septata

166.

KX
1.

166.

167.

168.

169.

170.

171.

172.

173.


174.

175.

176.

174

175



281

~~Amphalca fibula~~ ~~Duch. p. 22~~

~~Amphalca fibula~~ ~~Bull. v. candida~~

~~Oospira raso-flava~~ ~~Sau. II 545~~

~~Oospira hyalinula~~ ~~Sau. II 453~~

~~furcamentis~~ ~~Beuderi~~ ~~misc. 49~~

~~Optiobolus~~ ~~Antoniensis~~ ~~Duch. p. 12~~

~~Optiobolus~~ ~~de patricis~~ ~~Sau~~

~~"~~ ~~porphyrogaster~~

~~"~~ ~~penicillatus~~

~~Okidea~~ ~~cochleata~~ ~~(H.)~~ ~~Frick~~



bb.

Kx

l.

alc

41

div.

u

21

3

1


h

h

P

44

41



Podospaera Kunzei Lev. (f. Prunor. Vaccin.) = bradyi
 s. myrtilina et Mozzi
 60 " landolina (Lk) Lev. (f. Oxyacanthae)
 " truncata C. et P. f. Hamamelis virginica
 " Schlechtendalii Lev. (f. Salicis alb. et v. m.)

Phyllactinia guttata Lev. (f. var. alb.)
Candollei Lev. (f. Nyssa)
 " Schweinfurthii Lev. (f. fol. Quercus laetifl.)

Perisporium vulgare Cda (li. putr.)
 " typharum S. (fo. typh.)
 " funiculatum Pr. (li. putr. querc.) et maria
 = formae Fleischhackeri Aud - Fleischhackeri laevig. Aud
Perisporium laeve Aud

P. Kunzei (f. l. sub Prun.) Ag. II. 18 li. chora putr
P. punctatum Aud. (Fleischhackeri) lign. querc. putr
Ob general pathecium operculatum dehiscentis ob
arisy paraphysatej generis Orizubeta meretur

Phoridota Carkii S. & S. f. Cell. Tala et ovid.

Plagiotheca ^{guommo!} Suiphociae Fickl caul. Euph. pal.
 = P. devexa lec. Aud.

P. petiolicola Fickl petiol. Tit. parif.

P. suspecta Fickl neov. fol. Querc.
 = Notula pustul. Lec. Aud.

P. devexa (Desm.) Fickl caul. Perisporii ^{Ag. II. 18} Galt.
 f. a P. curvirostra (Nouv.) caul. Umbellif. **P**

Plerontoma Tul. Pantheii hypocistis; membrana
sphaeroides; artola lobuli sublongi. popillati;
axi ovoid. reniformis in stipitibus ramulis;
fulva, myrtili; pendi oblongum emissum
spum. ut I ad Calophorae vulv. caula
P. Candollei Tul (S. laevigata, et c.) in lynguray 44
a. 40-53 sp. 3 1/2 ly oblong.
1316

Papirivula candida Sacc. in Thyrid. Volva et

- i P. *Sarcocolla* G. & Griff. var. g. steae
 Co. *Maon* p. *Sarcocolla* G. & Griff. var. g. steae
 i P. *alternaria* G. & Griff. var. g. steae
 Co. *alternaria* G. & Griff. var. g. steae
 B. 6 p. 193 *Pleopora* herbarum (P.) M. B.
 (f. 6 bell.) G. & Griff. *Phoma* herbarum West. 2
 alg. P. *Chamaecypis*, R. M. 241 fol. C. *herbarum*
 a P. *venustum* (Carr.) n. *ramulis* arb.
 sp. 3. P. *pentamera* Karst. f. *culm. gram. var.*
 g P. *ternariae* F. & G. c. fo. *H. glab.*
 g P. *Viciae* (Kovsh.) +
 g P. *Salsolae* F. & G. c. fo. *S. kali*
 g P. *Tridactylidis* (Alv.) +
 g P. *Samarae* F. & G. in *S. Al. plekhar.*
 G. & Griff. *Phoma* *elliptica* F. & G.
 = *Hysterium* *Samarae* F. & G.
 g P. *Chrysanthemi* K. & G. c. a. *Leac. var.*
 19. 0 P. *Pis.* (P.) F. & G. *caul. vitor.*
 Con. *Stemphylium* *polymorph.* (Cda) F. & G.
 P. *Mithotii* (West.) + fr. *Leptoph.*!!
 P. *Leguminum* R. & G. *leg. leucae* S. G.
 G. & Griff. *Phoma* *leguminum* West.
 alg. fr. P. *gigantea* (M. B.) + *agav. d. cur.*
 #1 P. *Agave* M. B. fol. *Agav.*
 i P. *Dracontis* M. B. *caul. Dracontis* Arn.
 Sp. 11. *Anachyta* *Dracontis* L. & G.
 i P. *Notandii* L. *caul. D. pulch.*
 Cuc. *Notandii* M. B. 11. 89
 P. *albicans* F. & G. *caul. Hypochoer. var.*
 G. & Griff. *Phoma* *albicans* L. & G.
 i P. *papaveracea* (M. B.) G. & Griff. *caul. Pap.*
 P. *pacholomum* (Desm.) F. & G. *part. leucae*
 G. & Griff. *Phoma* *pacholomum* Desm.
 i P. *Rabizae* M. B. in *peduncul. Sp. am.*
 P. *Clavaria* F. & G. *seva. Vitis*
 g. a P. *argyria* (M. B.) R. & G. *caul. Hypochoer.*
 P. *Peltigeriae* F. & G. *th. Peltig. var.*
 G. & Griff. *Phoma* *Peltigeriae* (Cda) L. & G.
 i Alg. # P. *Solorinae* M. B. *th. Solor. var.*
 R. a P. *phragmitis* (M. B.) R. & G. *Agav. am.*
 P. *infectoria* F. & G. *caul. gram.*
macroc. so. R.
fo. P. carmicola (D. P. P.) C. D.
 P. *Cyrtis* F. & G. *caul. Cyrtis*
 G. & Griff. *Phoma* *ref.*
 P. *Pteridis* (R. & G.) C. D.
 P. *Wormii* F. & G. *fo. W. eur.*
 i P. *Asperagi* R. & G.
 P. *Gnaphalium* (Fr.) F. & G. *fo. R. & G.*
 P. *Elynae* (R. & G.) C. D. *caul. Elynae*
 R. P. *populata* K. *part. Acer.*
 P. *divosa* (M. B.) C. D.
 09 P. *Armeriae* (Cda) C. D. *caul. St. Armer.*
caul. Armeriae

- o a P. [?]nigerrima (Blom.) + in parth. *Dichyrea*
 cf. *Homostegia* 20-25 G. hyal.
- P. *Jungalae* Fekl. fo Rh. Jung.
- P. *excavata* cf M. 239.
- P. *Syringae* Fekl fo syr. vulg.
- P. *Syringae* Fekl fo Ph. Jung.
- P. *heterospora* Mltz, fol. et cula. Car. fohtg
- P. *charitatum* Fekl. in charta. putre
 Jung. conid. *Dicocum truncatum* Eds.
- i P. *leguminum* Rbh.
- R.G. i P. *scripta* (R.) Karst Cal. S. lacustr.
 = *heterospora* S. Fekl. *Strop. scripta* C. 2 Mltz
 ? Co. *Spondesma scripta* Fekl
- i P. *allii* (Rbh.) C. 2.
- R. Spiz P. *Belokhoridj* Karst f. Cal. sp. H. pelud
- Spiz P. *arctica* Karst f. Poae *colpodae*
- Spiz P. *deflectens* Karst f. Poae et Trist.
- i P. *aucubae* (West.) C. 2. var. *Aucubae*
- i P. *macrospora* (Mltz) C. 2.
- g. a P. (*Syringae*) *phaeocoma* (Rbh.) f. *Hole. la.*
 Conid. = *Sph. capillata* Grav.
- P. (*Syr.*) *religiosa* (Fr.) C. f. *Sac. cerea*
Strop. polytricha (Walt.) Tul.
 Co. *Vermicularia religiosa* Fr. (Conid. hyal
 Ota. loc. rep. Mltz. S. polytr. Walt. asc. polytr. sp. conid.)
- li P. (*Syr.*) *bichostoma* (Fr.) C. 2. f. *culm. fr.*
- ? P. (*Syr.*) *inclaya* (Desb.) ca. Sol. tub.
- g P. (*Syr.*) *Seuicella* Fekl. caul. *Louanij* vulg.
 Spm. o. pycn. *Stroma seuicellae* Fekl et *ling. calid.*
- ig P. (*Syr.*) *comata* Nool. f. *Andr.* 194
- i P. (*Syr.*) *Andromae* Fekl. *amb.* *armani*
macrospora Sae. f. *Silva* *alport.*
- P. (*Syr.*) *phaeospora* (Duby) +
- i P. (*Syr.?*) *pellita* Rbh.
- i P. (*Syr.*) *mendax* Car. i Mltz, f. *Saxif.*
brya.
- i P. (*Syr.*) *Venzianae* Sae. fol. *topil*
parchi. lance
- f P. (*Syr.*) *spagnocetrada* Cr. 27 in *Sp. com.*
- i P. *pyrenophoroides* Sae. f. *Festuc. Brom.*
P. pyrenophora Tul. I. 62. in *caul. Pycn. et*
a. 110210 i pnc. 3-lyt. murif. folij. 22-21210
- f P. *cladivola* Cr. cal. Cl. *Marisc*
- a P. *californiana* Cooke *culm. gran*
sp. slope 25-35 G. 3-1 sept - 11 gites pallid. fr.
- g P. *orbicularis* Awd. *Widw. 68.* *ra Berkenij*
1114.
- g P. *pachyascomy* Awd. f. *Erugineiscomy*
- i P. *per septantis* Carst. f. *C. sept.*
sp. oblong. pleuroseptatis, dunt.

Pleuroperone ~~caesia~~

- g. 2. *S. pilata* Pr. ad caul. herb.
- g. 3. *S. Cepae* Pr. fol. Cepae
- g. 4. *Pleop. Nova Schult* $\frac{30}{15}$ musc. div. nom. Mo.
- i. *P. Asperulae* Pass. in caul. Als. Cyren
- i. *P. Campanulae fragilis* Pass. in caul.
- g. *P. Berberidis* Kze ram. Berberidis
- g. *C. Cytisi* n. s. herb.

R.G.I. a. *Pseudovalsa laniformis* (Fr.) C.D. v. lobata

- Co. *Coryneum diviforme* Cde
- Dyco. *Hendersonia polygrapha* B. & C. ex. Carr
- Co. *Coniothecium botulinum* Cde
- = *Sphaeria foraminifera* Fr.

f. g. a. *P. Berkelaai* (Tul.) S. v. alb. camp.

- Co. *Scleropora macrospora* B. & C.
- Dyco. *Sphaeria* ^{fr. 1882} _{app. 2. 1883}
- W.C. *Sphaeria virginiana* B. & C.
- Haplospora truncata* Juhl.

f. ai. *P. longipes* (Tul.) S. v. querc.

- Co. *Coryneum Kungii* Cde
- An. *Sphaeria quercus* fr. *Uromyces quercus* Berk.
- Valeria arcuata* Carr.

i. *P. macrospora* (Tul.) S. v. camp.

- P. Scleropora* ^{div.} ₁₈₈₂ ¹⁸⁸³
- Co. *Scleropora argutata* Berk.
- Ob. *Uromyces* ¹⁸⁸² ₁₈₈₃

i. *P. umbonata* (Tul.) S. v. querc.

- Co. *Thezauronium clavatum* Berk.

(Calopora, co. ign.)

g a P. ^{Hapalocystis Berkeleyi Zyl.} hapelocystis (B. et Br.) + var Plat.
Sperm. et pycnid. Conf. f. h.

a P. ^{var} congens (Fr. Cur.) var. Plat. occid.
Comp. Sp. 4. 185.

a P. ? aglaeostoma (B. Br.) var. Alm.
Sp. 4-10 ft obl. 20-25 lg.

b P. Kicksii (West. ex Kx) var. Plat. acrof.
Mass. K. C. 2.

f. a. P. coniformis (Pk.) var. Alm. glut.
of ~~Draper's~~ f. Cr.

g P. Lycii (Deuby) Melchior. Hedw. 1869 r. d. barb
co. ¹¹⁵ pubescens Lycii Kuhn.
pycn. ~~Staurapharia~~ Lycii Rebh.
an = Cucurbitaria variegata Hartzl. Hedw. 1872
ad hanc cl. non ut formae secundariae affert 180
Stauraph. et Sporesm. Lycii

n. a. P. Titan B. et Rav. var. Carp.
Sp. max. 6-10 ft.

44

- Cepl. Ph. stenozyne (N. D. Roth 711) fol. Panic. typ.
- o b a i o Phyllochora graminis (P.) Fekl +
 = Stypantha 1a Wint.
- i. a ? Ph. arauj (P.) + Cani.
- o v P. Junci (P.) Fekl. Cal. Tunc ff.
 Non. Bothidia Junci Cortezog = Leptophora
- 8 P. Bromi Fek fo. var. Bois
- 9 Ph. agrostis Fekl fo. agrost. strobil.
 Co. Hadriaticum 47 II 39.
- 9 P. helvetica Fek f. Agrostis
- i P. fallax L. f. Andry. Tschau.
- ? P. gangraeus
 f. Leptophora
- i P. Saxifraga f. ve. Sotav. glauc.
- b g a v. P. betulina (P.) Fekl
 f. Dymop.
- r. - * Ph. Bekulae nanae (Wohl) K.
- b g a i o P. Ulni (Sow.) Fekl f. Uln. amp.
 f. Leptone. Ulnae Jv.
- a g i P. Poleidj (Reb.) Fek f. Uln. amp.
 f. Uln. amp. = Uln. amp. P. 133 - Halck.
 in Calc. Mon. elong. 3-Sept. hyal. 2-3-gutt.
- o a i x (? P. Trifolii (P.) Fek fol. Trif. vov.
 Co. Polytrichum Trifolii Kze + Hm.
- a i x P. Podagranae (Rth.) Kartt.
- Agropodi (P.) Fekl f. Podag.
 f. Leptone. Podagranae
- ? P. Mortherii Fekl f. Chas. ma.
- o i v ? P. Angelicae (Z.) Fekl f. Ang. typ.
 Can. Paspalum depress. (Bk.)
- a i ? P. Heraclei (P.) Fekl f. Heracle.
 f. Leptone. Heracle. ab.
- ? P. abarton (Berm.) f. Sat. cur.
- ? P. Xylister (P.) f. Xylister
- ? P. Campanulae (DC.) fo. Cam. Trich.
- ? P. punctiformis Fekl f. Sat. typ.
 Ph. Chamaemeli (P.) f. Leu.
 f. ovoides, 8, hyal. 3-4-gutt.
- Calc. P. repens (Cela IV t. 123) fol. P. repens
 f. ovoides 1-hued. 15-16 g. hyal.

Spinnigam
 testas

ORI

Phyllocolpa viventes
Demissa
annulata
simulima
ambrosia
melampyloea
orbiculata
Rhoris
Xanthii
Phytolimoides
acannulata
latitans
Abellae
atramentaria
Scutellae
Depositoris

Cynodontis
Hydradra S.S.
Epitrypha etc

Prof. Pisomyxa Thacondis de, Cole. Jr. I. priv. orb.
in app. operum? ant. 753

46.
 47.
 48.
 49.
 50.
 51.
 52.
 53.
 54.
 55.
 56.
 57.
 58.
 59.
 60.
 61.
 62.
 63.
 64.
 65.
 66.
 67.
 68.
 69.
 70.
 71.
 72.
 73.
 74.
 75.
 76.
 77.
 78.
 79.
 80.
 81.
 82.
 83.
 84.
 85.
 86.
 87.
 88.
 89.
 90.
 91.
 92.
 93.
 94.
 95.
 96.
 97.
 98.
 99.
 100.

44

a g si Polystichum subtruncatum (P.) DC. f. P. subtruncatum
= P. subtruncatum (P.) DC.

i g a si P. ochraceum (Wahl.) + f. P. subtruncatum
= P. fulvum (P.) DC.
o. - β aurantiacum West f. P. subtruncatum

Tex & Physalopsis punctata (Ck.) var. punctata
sp. 20-23 x 10 feet.

Tex — var. minor Ck. var. radiata Yucca
sp. 12-15 x 5 feet (anther?)

nubilosa Auct. + 12 p. 157

— Raxii Mart. Cat. Hort. VIII

— Goyonii Mart. Cat. Hort. VIII

R g. 10. Porenia punctata (L.) P. f. P. punctata
= P. glaberrima W. - P. punctata (L.) P.

i P. Oedipus Moench f. P. punctata
= P. punctata (L.) P.

Ob. P. capularis (P. Schaefer) DC. var. punctata

Capularis P. H. Schaefer M. p. 209. f. P. punctata
sp. bitoc. recedit. f. P. punctata
et f. P. punctata. f. P. punctata

P. puberula (Bk) P. f. P. punctata
M. p. 209. f. P. punctata
et f. P. punctata. f. P. punctata

v. *Pseudographis elatna* (Lich.) Syl. cort. abiet.
- *P. crispata* (Pers. sub. Hyst.) ad ram. ab. Senes

- vi. g. *Pleuroctene Larnyji* (Dms.) f. rau Herb. uel.
f. *P. Lichouzele* (Cr 256) thell. Lichouzele pagin.
g. *P. Ribis* (Tode. Pers.) f. ra. Pub. Rubr.
h. *P. pyrochloa* Cued. Hedw. 1869. 88 - ram. Alor cany.
i. *P. 18x9*, ov. myrtoideae polyblastae, pollicis
g. *Neophragma leporum* Phil. f. pr. lepor.

- vii. *Phanetopora Bartleyi* Sau. ram. var. et aut herb.
f. *P. therochila* (Dms.) + cat. Yun. cortic.
Sedan *P.?* *Mollugin* M. 238 aut. Sat. Mollay
Goy *P.?* *phasolina* M. 279 hab?
Alg *P. Lathyrifolia* M. 261 fot. Lath. amplis
an laestadia? cany
g. *P. oblonga* Cr. 25 aut. Ob. portul.
i. *P. ovalis* (Pers.) Sau. aut. Saui. Cort.
A. *P. (superf.) ostioloidea* Eke gr. $\frac{76}{113}$ par. in Datyp.

ab. *Phanetopora abyssinica* - Sav. cort. viv. aut. permat. arbor.

(+) Sec. noc. Senes. spp. 22-30 u 8-7
3-12pt. 4 mod. C. pluvigutt. Hyal.

~~Panaeolus papilionaceus Berk.~~

~~Panaeolus campanulatus L.~~

~~Panaeolus ferrugineus Berk.~~

~~Peronospora pygmaea dby. I 36~~

~~_____ Vogl. misc 32~~

~~Pestalozzia funerea Depm. p. 19~~

~~Pestal: fun. v punctiformis Lam. 20~~

~~Pestalozzia funerea Depm. II 284~~

~~Periconia pycnospora Fres. II 467~~

~~Periconia chlorocephala Fres. II 470~~

~~Periza Chatevi Lam. alt I p 69~~

~~Periza pratensis Cooke & Lam. I p 70~~

~~Peziza puncturella Cooke & Lam. I p 71~~

~~Periza tuberosa Bull. II 164~~

~~Periza cerea Saw. II 164~~

~~Perz. domestica Saw. II 164~~

~~Periza tuberculosa Saw II 163~~

~~Periza cyathoides Bull.~~

~~Periza carpophila 4~~

~~Periza fistilis Saw II 257~~

~~Penicillium glaucum Link.~~

~~Phoma paccans~~

~~Phoma Vetricis~~

~~Phoma Toleriae, sp. n.~~

~~Phoma viduata~~

~~Phoma occidentalis~~

~~Phoma dolichopus II 427~~

~~Phoma iners II 428~~

~~Phoma sepulta II 431~~

~~Phoma stenostoma II 432~~

~~Phoma Cinnamomi Saw II 274~~

~~Phoma Hesperidarum Cott. II 274~~

~~Phoma hysterella Saw II 275~~

~~Phoma importata Saw II 380~~

~~Phoma Xicopyri Saw I p 258~~

~~Phoma Ulaeagni Saw I 254~~

~~Phoma eustaya Pers. Lan 15~~

" ~~phoma aptis scopula~~

" ~~berbarum~~

" ~~Euphorbiae~~

" ~~actinellae~~

~~Phyllactis Peron. Fuchs. Lan 3~~

~~Pholista praecox Pers.~~

~~Phyllosticta aromaphila Lan II 276~~

~~Phyllosticta aucupicola Lan. II 276~~

~~Phyllosticta profusa Lan I 260~~

~~Phyllosticta marginalis II 425~~

~~Phyllosticta Jansythiae Lan. I p 93~~

~~Phragmidium Notarum (Bl.) Fuchs.~~

~~Phlyctaea Pterisphorum
Pers.~~

~~Physopora rubiginosa Fr. II 287~~

~~Pisaria badia (Pers.) Fink.~~

~~Pleosphæria inaequalis~~

~~Pleurotus ulmarius Bull.~~

~~Pleurotus ulmarius Luf. p 23~~

~~Pleospora herbarum (Pers.) Tul.~~

2
~~" infectoria~~

~~Puteus umbrosus Gill. p 25~~

~~Pityya cressina Fekl. et al. p 69~~

~~Polyponus squamosus (Huds.) Fr.~~

~~Polyponus hispidus (Bull.) Fr.~~

~~Polyponus laevis (Leyss.) Fr.~~

~~Polyponus equarius (L.) Fr.~~

~~Polyponus zonatus (Kees.) Fr.~~

~~Polyporus pulchellus L. 272~~

~~Specimen Lau.~~

~~Polyporus venetus p. 52~~

~~Polyporus obducent Pers. II 52~~

~~Physoara ^{Myrmecoloma} citrinum Schum. II 166~~

~~Phytomyces ^{Myrmecoloma} intans Pers.~~

~~Psathyrella gracilis Fr.~~

~~Psathyrella disseminata Pers.~~

~~Psathyrella gracilis Quil. p. 39~~

~~Psathyrella disseminata Quil. p. 40~~

~~Psathyra ~~radico-~~grisea Schiff~~

~~Psathyra obtusata Fr.~~

~~Palliota campestris L.~~

~~Palliota campestris v. umbonina p 35~~

~~Pilocybe ceruua Luid. p 37~~

~~Pilocybe spadicum Schaff.~~

~~Poria foveolata Schwein
sulle cortecce di quercia
Pom. obscurus Fr.~~

~~Puccinia Allii (DC.) Rud.~~

~~Puccinia Graminis Pers.
2~~

~~Puccinia Vincae Berk.~~

~~Puccinia obtusa Schroet. II 245~~

~~Puccinia Senechii Rob. et Grev. I p 241~~

~~Polystrictus zonatus Fr.
nei tronchi di Populus, Betula ecc~~

~~Pustularia cupularis (L.) Fries~~

~~Pustularia veniculis (Bull.) Fries~~



[Faint, illegible handwriting in the upper portion of the page]

[Faint handwriting on the left edge of the page, possibly from an adjacent page]

48

lib.

Kix

1.

lib.

u)

div.

is

is

B

,

lib.

lib.

ha.

g

g

Q

B

S

J



lib.

Kix
l.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

Q

B


S

J

J

J

J



lib.

Kix

l.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

lib.

Q


B

S

J

J

J



66.

KX
A.

66.

66.

66.

66.

66.

66.

66.

66.

66.

66.


66.

Q

B

S

J



66.

Kx
1.

66.

66.

66.

66.

66.

66.

66.

66.

66.

66.

66.

Q

B

S

J



bb.

bx

d.

etc.

u.

dr

ri

o.

de

ha

ha

ry


h.

Q

B

S

J



lib.

Kx
A.

lib.

u
p

lib.

u

u

B

lib.

lib.

lib.

lib.

lib.

Q

B

S

J

J

J



bb.

Kxx

l.

lbc.

u. p.

dr.

ri

an

B

lbc.

lbc.

ha

ry


l.

Q

B

S

J



66.

KX
A.

66.

66.

66.

66.

66.

66.

66.

66.

66.


66.

Q

B

S

J



bb.

Kx

d.

bb.

cu

bb.

cu

cu

B

da

da

da

da

da

da

Q

B

S

J



91
60
Qualternani Persooni (Pers.) Tul. ra fag. lib.
phani qualternani Pers. com. qu. 1811
Co. the Glasmaspon cruce M. N.
! pr. f. h. = A hortella fag. n. Desm. f. ex. B. 1811

oga Q. *disrupta* (Pr.) Tul. ra Ulm. europ. lib.
10.
= *ph. stypta* Carr., S. latissimus, Low.

Q. *regularis* M. ra. Alm. glab.

Q. *Mortimeri* Fekl ra. ut quere.

Q

B

S

J



lab.

Kix

al.

lab.

al.

lab.

al.

al.

al.

lab.

lab.

lab.

lab.

lab.

lab.

B

S

J



lab.

KX

d.

lab.

lab.

lab.

lab.

lab.

lab.

lab.

lab.

lab.


lab.

lab.

B

S

J



lab.

Kix

d.

lab.

u. 11

lab.

u

u

B

lab.

lab.

lab.


lab.

lab.

B

S

J



bb.

Kxx

.l.

etc.

u. p.

du.

u.

u.

B

u.

u.

u.


u.

u.

B

S

J



- (4) *Rhaphidophora pellita* Fekl. c. Ball. nigr
 specim. *Phoma acuta* Fekl. pp.
- o ai *R. Urbicae* Robt. cant. Urbig
 spec. *R. acuta* Fekl. f. Urbig
- ai *R. erythraspora* (Pils.) Gred.
R. terpotiltha (Fr.) X.D. = *R. sacrorum* Mlyn.
 specim. *R. acuta* in culm. *Cerealiae*
- i *R. graminis* Sacc. culm. *Cynod. v. agryp.*
- ai *R. umbellae* (P.) cant. herb. major.
- i *R. montelliae* Sacc. cant. Melilot. off.
- fi *R. fruticum* (Prober.) C.D. = *R. ononidis* Gred.
 i *R. Herpoidis* Sacc. cant. *Ononidis* an-
 spor. *Herp. mat.*
- ix *R. radii* (Ries) *fruticum*. c. Erri et Trifol.
 specim. (Kant)
- v *R. flagrantifera* Karst. cant. Ran. acr.
R. Dithamni: Fekl. (Dit. Prax.
 specim. *Phoma Dithamni*: Fekl
- i *R. Vitellbae* Sacc. cant. Vitellbae
- ba i *R. Carduorum* (Walt.) Tul. c. *Cirs. et Card.*
 = *Sphaeria acuminata* Sw., *Sphaerob. Niverrinensis* ^{Ries}
- a *R. ulmaspora* (Cooke) + cant. Urbig
- g. i *R. Bardanae* (Walt.) F. (Lapparun
 = *R. rep. Mlyn. 1857* ante *Sphaerophoria*
- f. *R. Solymi* Mlyn. A.S.P. 1856 - cant. Solymi
- R. Georginae* Fekl. c. *Georg. variab.*
- f. *R. Peridymeni* Cr. Sph. 24 var. *Loni*. Per
- R. Tanacetis* Fekl. fol. T. vulg.
 - v. *Odeuricae* F. fol. Ach. Phum.
- pi *R. persolvae* Cald. et Mlyn. cant. herb. fol.
- i *R. amata* C. D. non Tode
- Gay *R. verrucosa* M. 252 petiol. Palm.
- g *R. Pousillay* (K. et S.) C. D. cant. Lina. vulg.
- Guyana *R. ? oedema* (Mlyn. Sph. 240) C. D.
 non *S. oedema* Duby
- fr. *R. ? longipila* (F. et G.) petiol. Maur. et
 i *R. porphyrosoma* (Sacc.) C. D. cant. *Sol. tub.*
Leptospira var. *R. B. Hed. n. 18.*
- f. *R. culmorum* Cr. 26 ad basin culm. *Phoma*
caen.
- f. a *R. eucrypta* (B. Br.) C. D. fol. *Car. junc.*
- a *R. cariceti* (B. Br.) in *Car. caespit.*
- a *R. helicopora* (B. Br.) C. D. fol. *Cyperac.*
- Sinnar. *R. Presii* M. 251 cant. arb.
- R. Mathieui* (Walt.) C. D.
- fr. *R. ? sphagnum* Cr. Sph. 24 in f. *Sphag.*
- R. Hübneri* (Robt.) C. D.

(4) *Rhaphidophora* de requit, quia extat
 inter *Alcanthaceae*, a *Neesio* conditum ab
 Endlichero (n. 4098) et in *Prod. de Cand.*
 XI p. 499 constructum.
 nec *Rhaphidophora*, quae genus *Amideorum*
 ergo *Rhaphidura*

- ga. i *Rapheophorum Polyzonae* Mtgn. Hb. Polk.
 - i *R. thalictroides* G.M. Hb. Polk.
 i *R. xanthii* (Larh) C. D.
 f *R. dactylophora* (Cr. 26) + f. *Carex* sp.
 i *R. Ceratiana* Mtgn. C. D. cant. Polk.
 f *R. litoralis* (Cr. 27) f. *Agrostis* sp.
 i *R. isiacae* (Cen.) C. D.
 g *R. Detourgei* Kuhn cant. det. her.
 i *R. Montagneana* Lacroix. C. D.
 g *R. brachycaucis* Winkl. Hb. 24/129 cant. det. her.
 - i *R. incompta* G.M. Hb. var. *R. puberula*
 i *R. meunieri* Sau. var. *R. frax.* Hb. Polk.
 a *R. bacillata* (Cooke) Lign. pub.
 p. *R. oculata* (Fr. et M. 730) (cont. var. de comp.)
 g. *R. Oenotherae* Awd. cant. O. her.
 a *R. arizonicae* Cook *sp. nov.* cant. pub.
 sp. 112 lg. multisp. *puberula* Hb. Polk.
 g. *R. tenella* Awd. cant. Hb. Polk.
 g. *R. Ononidis* Awd. = 100 flk. *puberula*
 g. *R. Hypericifolia* Hedw. 26/193 cant. Hb. Polk.
 sp. 11 1/2 - 2 1/2 x 50-65 cont. gullet.
 f. *R. Velutina* Polk. 190 can. Hb. Polk.
 g. *R. compressa* Polk.

Champhoria = *Ceratostema dictyosporum* by Lofgren

- R. subcylata* (S.) aff. *legit*
 h.g. *Roellina Northieri* Fekl ra Hed. Hel.
 i *R. Tassiana* C. D.Mtz ram. Moror.
 h.g. i b. *Aquila* (Fr.) D.Mtz ra. et lig. var.
 g. i *R. medullaris* (Wallr.) C. D. ^{cy-alytonium pustulif. dk.}
 i. *R. tholera* (Fr.) Rabh. ^{in hunc aln.} cort. abiet. ulm. etc.
 = *R. andromedae* Les. sec. D.Mtz lign. var.
 26 a. i *R. marmifera* (Pers.) CD. ^{li.} rad. pin. abiet.
 Con. *Sperulium griseum* Tk. 10 H. ^{et et gl.}
Hypox. globular. Pult.
 26 a. i b. *R. pulveracea* (Chr.) Mke ^{liq. va}
 + *R. lybraea* S. ^{Sph. myricariae Fr. - Sph. hypoxylonis, Sj 10 Carr} li. putr. aln.
R. velutina Fekl li. Salic. ulm.
 i *R. viminea* Robt. ram. Lych. rad.
R. minima Fekl et Mke ra Bot. alb
 sp. hyal.
 g *R. Platani* Fekl (ov. Plat.
 g. i *R. malecotricha* (Awd.) N.S.H. cort. sal. vitell.
R. subcylata Fekl cor. abiet. gl.
 i *R. ambigua* S. ram. Samb. rosem.
 26 g *R. abietina* Fekl li. Ab. exc.
 i *R. dipanella* (Myl.) Karst. ^(Myl.) cort. Pop. tremul.
 fig *R. lignaria* (Fr.) Mke ^(Fr.) li. et va. var.
 i = *Sph. asperula* C. D.Mtz (S.N. 1857) ^{rain dec.}
 sec. Cr = *S. hispida* Tode.
 i g *R. Clavariae* (Awd.) Wind et Sac. in Clas.
 = *Helmantroph. Fekl*
 g *R. conglobata* (Fr.?) Wind et Sac. ^{liq. var.} cort.
 = *Cucurbitula* Fekl ^{Plat. alky}
 g *R. Myricariae* Fekl (Cucurbitula) ^{liq.} ram. M. geran.
 i *R. melanota* (B. Br.) Karst ^{liq.} lign. querc.
 an *Anthothome*?
 i *R. protuberans* Karst ^{an Anthothome?} lign. salic.
 g *R. Nuclei* Awd. ^{liq.} lign. Berber. vuly.
 i *R. euzollis* Karst li. vet. Pop. hem.
 g a i *R. Sordani* (Fr.) Rhen. ^{26 b. (mit det. R. Sordani) var.} ram. Querc. ^{liq. et pin.}
 g a *R. Desmayeris* (B. Br.) + ^{sp. 30-35 = in brunnea guttula.} ad. ^{folia punct. etc.}
 a *R. papaveraceae* (B. Br.) + ^{in hunc punct.}
 i *R. locci* (D.Mtz sub Sord. Pacl. 400) cort. Corof.
 i *R. micromyrica* (D.Mtz sub Sord. Pacl. 400) ^{in libro Gray}
 i *R. Pseudo-Doubandi* Sac. lign. querc.
 i *R. Gagliardi* (D.Mtz. Sord.) ^{liq.} caul. herb.
 p a *R. capitifera* (Carr.) ^{liq.} in *Cortex* lign.
 a *R. Rotula* (Cooke) + ^{liq.} in *fragm.* lign.
 a *R. morioidea* (Carr.) ^{liq.} in lign.

a R. reticulata (P. Br.) v. vestitus piki
an chaetomium?
Swan River R. dispersa (P. Br.) v. liza
P. C. Carr. errata
Alg. R. sublimbata J.R.M. 288 cult.
Arund. marit.

g. R. sanguinolenta (Wallr. ex) var. ^{long} _{7/11}
v. ^{M. Sp.} _{1/11} ^{long} _{7/11}
Alg. Rosellina pseudohirsuta + liza
Sph. hirsuta M. Sp. (non P.) 1/11

J. R. ~~reticulata~~ (Cr. Sp.)
Ceratostroma

g. R. Rosarium Nyl. var. densi P. Br.
et lat. organ.
g. R.?? plana P. Br. liza vet.

Born. R. Beccariana Ces. ad corticem

Born. R. nitens Ces. ad cort.

I. & Sord. R. Marcucciana Ces. var. f. l. l.

I R. pyxidella Ces. Sarm. Rud.

i R. Cladonia Aug. v. opoth. C. de P.

? = { g. R. ^{sp. 4-6-27-30 x 12-15} pulvis. cont.
ap. Hazst. 132 x 141 th. aspr. v. l. l.
a R. carbonaria Flew. v. areol. cort.
Gen. B. 187 sp. ovoid 22 x 7 1/2 Hyal. app. fusca

g. R. callosa Wint. Hedw. ⁷⁶/₁₃₅ Cort. q. v. l.
p. p. Tannauer

g. R. homida Sord. Hedw. ⁷⁶/₁₆₁ v. occ. v. l.
cum conid. = sp. 18-25 x 10-13

Cyl. R. brudei (P. Br.) P. Br.

a = R. Beccariana 310

Cyl. R. euzenae (P. Br.) ¹²⁷/₂₁₀

Cyl. R. bothriina (P. Br.)

Cyl. R. histioides (P. Br.)

Cyl. R.?? Tetradoniae P. Br.

Cyl. R. ^{spor?} Calvariae (P. Br.)

Cyl. R.?? rhypana P. Br.

'p. col?

su R. lacinate Ck. & Ellis, phos.
Sicula. 1877 p. 93. In Cedo.
sp. 12-7 brunnea

su R. arctozpora Ck. & Ellis 1/11
Gen. l. c. sp. desig. 15 x 6 brun. 2. ^{Arctozpora} ₁₀₀₀

f.v. Rhopogonchus plicatus (Lam.) like shape fl
 fern. Leptostoma lithyosum Desm
 " plicatum P. sept.
 axosp. 6-sept per Cr. — pyen. 3-sept.
 = Homalium plicatum Dillé
 sp. 3-sept, fusoidula var. Dillé

- R. Rhynchospora coriacea K. cont. Bot.
- Alg. R. pachyeras (DR W. 234) ra Clem. cirrhos
- R. R. exasperans K. li vet moll, Lat. Cyp.
- g. R. badius P. 315 ad ramos Populi
 sp. 1-sept, axosp. 2-sept, fusc. ostrop. cylind.
- R. R. minutum K. li duro sum. p. Comen.

r. Rebenkshia pomiformis, Karst lod. Alav. plat.

i R. Massalungi (Mly.) +

a R. unicaudata (B. Br.) + ravn. Clem. Vitk.

i. a R. appendiculosa (B. Br.) + ravn. put. Rubor.
 Anthonella

Rhizon unica (Tubercul. laqueata Tul
 alia (see Tul)

R alboprus Tul. Carp. II 258 in lign. al
 peli-salicis Gallie

A. laqueata (L.) Desv. - sp. phys. ravn
 uni tenu. 3 1/2 cr. Tub. laqueata
 in lign. albed. innum.

Guya. Rhizomorpha guyanensis J. S. ^{in J. S.}
= Xyl. Rhizomorpha M. J. S.

lib.

KX

ul.

lab.

cu.
6.

ediv.

as

ca.

3

2 da

the

ha


ny

1/2

S

J

X



~~Ramularia Kiggelaviae Lau II 286~~

~~Ascellaria chordirola Lau I 342~~

~~Rustula heterophylla Fr.~~

~~Rustula integra Fr.~~

~~Rhabdospora ptonatoides~~

"


~~erectiuscula~~

"

~~Felt Bot C~~

"

~~flexuosa~~



lib.

KIX

ul.

lab.

un/6

abr.

as

ca.

lab.

lab.

lab.

lab.

5
J
x



lib.

KX

had.

fab.

ru
s.

redr

pas

93

redr

abu
a


ha

ny

th

S

J



lib.

KX
ul.

lab.

un/6

edv.

ai

ia

3

edv.


thi

ha

ny

thi

S
J
X



lib.

Kix
al.

calc.

un
6.

edov.

ei

car

3

id
edov


th
ha

ing

de

S

J



bb.

Kix
ul.

alc.

u
s.

edv

u

u

u
u

u

u

u

u

S

J

Sauantia Martin Ell. & Lau. f. Lau. Lau.
" quoniam Cts f. Lau. Lau.


- Sphaerotheca pannosa* (Lk) Lev. (f. ca. Pofar.)
 " *Eufobii* ^{var} f. *Eufobii*
 " *Carthageni* Lev (f. de var.)
 " *detorta* (Lk) Kx fol. *Agropy. ad Emg.*
 " *pruinosa* Coch et Vuk f. *Rhizis glabrae*
 " *Moss livea* (Schw.) Cest. Guss. f. *acinus* Vlt
 " *Nicolii* Thun f. *Soti anis*
 " *composita* (Fr. Sigm.) fol. *Vacc. ulig.*
 " *puberula* (Fr. Sigm.) fol. *Polyp.*
Sphaerula Ranunculii (Fr.) Karst (Sigm.) f. *R. vivat. et pulchra*
Sphaerella Geranii (Fr. Tul. sub Sigm.) f. *G. pusill.*
 " *confertissima* (f. ekel sub Sigm.) f. *G. sylv.*
 " *Stictomorpha* S. (Sigm. maculifor.)
 " *Sphaerella conglomerata* (Walt.) see Cest.
 " *mi* (Pers. p. p.) f. *Alm. sic.*
 " *Sphaerulata* Thun f. *Alm. sic.*
 " *Pulsatillae* (Lamb) f. ekel f.
 " *Thuriferae* f. ekel f. *Tur. cyan.*
 " *Petasitidis* Rth (Lamb. pennis) f.
 " *Atomus* (Desm.) f. ekel na Dng f. *Yag. sylv.*
 " *acerina* (W) f. ekel f. *A. Pandipl.*
 " *sperm. Septoria aceris* Bk
 " *sparsa* (W) f. ekel f. *Tiliae parif.*
 " *Ligustici* (Desm.) f. ekel f.
 " *Corylaris* (W) f. ekel f. *Coryl. Avell.*
 " *pumiformis* (P.) f. ekel f. *Querc.*
 " *Vincae* (Fr. W.) f. ekel f. *V. min.*
 " *Leptodes* (Fr.) f. ekel f. *Vacc. Vitis i.*
 " *Baxii* (Desm.) f. ekel f. *Laetadae*
 " *sperm. Sphaeromyces Miritelii*
 " *agulinia* (Fr.) f. ekel f. *Phend.*
 " *agulinia* (Fr.) ^{aw} f. ekel f. *Phend.*
 " *perpusilla* (Desm?) f. ekel f. *Phragm.*
 " *molinae* f. ekel f.
 " *Oryzae* (Guss. sub Scop.) f. ekel f. *Oriz. satup*
 " *vaginae* (Lsch) f. ekel f. *vag. Phragm.*
 " *caricicola* f. ekel f. *C. ripar.*
 " *Tofieldiae* Thun fol. *Tof.*
 " *graminicola* f. ekel f. *Trit. rep.?*
 " *Carusolice* Nstl f. *Stabe ciliat.*
 " *major* Nstl f. *Stabe ciliat.*
 " *canifera* f. ekel f. *Trit. rep.*
 " *eriophita* Nstl f. *Stabe ciliat.*
 " *Gypsophylae* f. ekel f. *G. mus.*
 " *var. Maeranthi* c. *S. annu.*
 " *adusta* Nstl f. *caul. Cons. arvens.*
 " *Cerastii* f. ekel f. *Cerastiorum.*
 " *conid. Benignis pusilla* Pres.

- G 6 i + *Sphaerella variphora* (Desm.) f. f. Sell. var.
- " *conid.* *Stysanus punctatus* Fekl
(*Phacellium nobonense* Bon.)
- " *sporang.* *Seytoni* *Stellariae* West.
- G I. p. S. *Stellariae* Fekl f. S. hol. et germ.
- " *conid.* *Stysanus pelleroyi* f.
Sec K. 2 sup. cad. sunt.
- f a S. *communi-pula* (R. Br.) caps. Sordid.
- G S. (?) *Oenantheicola* Fekl ^{sp. nov. phacellia} caul. Phl.
- a S. *planiuscula* (R. Br.) caul. herb.
- I 6 a S. *superflua* (Awd.) caul. var.
- o a S. *Cruciferarum* (Desm.) caul. Sord. off.
- I 6 ! S. *Equiseti* Fekl caul. Equis. p.
- G a S. *pinodes* (R. Br.) ^{E. 1947} caul. Pisi rut.
- G i S. *glicium* (Danz.) f. macul. f. As. Ph. w.
- G i S. *Tyrolensis* Awd. f. Polyp. vider.
- G o S. *Polypodii* (R. Br.) f. mac. f. var. fl.
(*Asplenium hauss.* f. e. Awd.)
asci peridi. R. Br.
- G 2 ! S. *Rumicis* (Danz.) f. mac. f. R. rumic.
- " *con. Ramul. obovata* f.
- a S. *Johnstonii* (R. Br. Dotterid.) fol. Epilob.
^{Vesutaria Johnstonii} 1. septat.
- G S. (?) *Carlisi* Fekl (hyalosp.) ex. Auct.
- a S. *tostris* (R. Br.) caul. pub. Sp. lob. hist.
- G i S. (?) *Epilobii* Fekl ex Danz. sp. macul.
- G i S. *Epilobii* (Fekl sub *Sp. parvum*) caul. sp. unguat.
^{Sp. macul. form. f. f. phacellia}
- G S. *Mercantii* (Lich.) f. m. f. M. porem.
- f. S. *Desmezerii* S = *Solium maculiformis* Danz fol. Epil.
sp. 10 1/2. ^{Rept. oliv. 14 Nov. 1892}
- G S. *Turba* Fekl mac. f. Sel. anita
- f S. *Hepaticarum* Cr. f. f. Lumentonia
sp. abt. h. gutt.
- ! S. *emerensium* Fekl f. Lob. ania
- G " *con. Ceropora Ariae* f.
- ! S. *majoribus* f. Lob. ania
- G S. (?) *myriadea* (DC.) f. f. Querc.
- G S. *clandestina* Nth. f. Pom. minime
- G ! S. *macularis* (Fr.) f. fo Pop. trem.
- ! S. *crassa* Awd.
- G S. *Vitis* (R. Br.) f. fo Vitis.
- " " *con. Ceropora Vitis* Sou.
- G S. *marginata* W. H. Hedw. ¹⁸⁷² f. Sord. Secan.
^{Septoria f. marg. 1875 Hedw.}
- S. (?) *pedem* (Lich.) Fekl f. Vitis off.
f. Merid. Sect.

(+) = *Sphaerella Fuchelii* Pass. h. c. i. Ser. II

- 7 ! *Sphaerella longuini* (Kze) f. *Long. eur.*
 9 *S. Primulae* Awd et Hauff. (*Sphinctes*) u. *Prim.*
 1 ! *S. sentinae* (Fr?) f. f. *Pyr.*
 = *Sphaerella pyrae*
 " " *spec. Sept. pyrinae* (Awd)
 " " *pyren?* *Cambesira geographica* (Dc) f. *Abn.*
 9 *S. Carliniae* Wint fol. *Car. vulg.*
 Hedw. 1871-1872
 10 ! *S. Eryngii* (W.) f. f. *Eryng. camp.*
 " *spec. Cambesira reticulata* (Dc) f.
 " *lydora Eryngii* Wint
 var. *L. lanosty* f.
 " *spec. Asteroma (Amanita) foliicola* f.
 9 *S. Turritagium*; *Rehm* f. *Turrit. f. ab.*
S. Areola Fekl (? *hyalosp*) f. *Querc.*
 = *Laetadria*
 61 *S. Canadensis* Wint Hedw. 1872 = *Can. C. latung*
 145
S. Crataegi Fekl (? *hyalosp*) f. *Agac.*
 = *Laetadria*
 var. *Cookei* *spec. Crataegi*
 67 *S. Berberidis* (Wk) f. f. *Berber. vulg.*
 " " *spec. Phyllosticta Berberidis* Rebh.
 = *Laetadria*
 6 ! *S. Lantanae* (Wk) f. f. *Vib. Lant.*
 6 *S. Viburni* (Wk) f. f. *Vib. Opuli.*
 " *spec. Asteroma dendriticum* (W.) f.
 9 *S. Canadensis* Wint Hedw. 72 p. 145. *Can. Can.*
 6 *S. Mori* (Wk) f. f. *Mororum*
 " *spec. Sept. Mori* Lév.
~~*S. compta* (Drey) C. Mt. f. *Querc.*~~
 6 *S. Aethiops* Fekl f. *Querc.*
 ! *S. fuscivaria* Awd f. *Querc.*
 6 ! *S. pseudomecaliformis* (Desm.) Awd f. *Poter. S.*
 " *conid. Scoticotichum bulbosum* f.
 9 *S. Nuxellii* Awd Wint. f. *Lycop. auratum*
 = *Lycop. alga* *Wint.*
 5 *S. Vaccinii* Fekl = *Venturia Myrtilli* Cooke
 var. *mill.*
 6 *S. vagabunda* (Desm.) f. f. *Clem. Vitalb.*
sp. obt. bi-auct. Drey. et *Agac.*
 6 *S. salicicola* (Rebh) f. f. *Sal. triand.*
 " *spec. Septoria salicicola* Wint
 6 6 ! *S. conglomerata* (W.) f. f. *Abn. glut.*
 = *Sphinctes maculiformis* f. *Cooke*
 6 ? *S. circularis* (W.) f. f. *Abn. glut.*
S. mult. W. est = punctiformis

- 660 ! *Sphaerella maculiformis*; (P) Aud. fol. ad. an.
 spm. Sept. - spm. car. - asc. -
 i v. *Cochlearia* Cooke f. abn. v. v.
- 6 ! *S. Typhae* (Loh.) fo. T. latif.
- 6 ! *S. longissima* Fekl. ^{na. f. v.} fo. Brom. asp.
 = *S. Bromi* Aud.
- 6 *S. angulata* Fekl (? hyst.) f. Roth. v. v.
- 6 *S. ferruginea* Fekl (!) f. Artem. v. v.
 spm. Phomam ref. conid. Cerc. ferrug.
- 6 ! *S. Populi*: Aud. f. Pop. ditet
- 6 (= ! *S. Populi*: Fekl. (non macul.) f. P. v. v.
- 6 ! *S. Vulnerariae* Fekl. f. Ant. Vuln.
 spm. Ancochy. Vuln. f. conid. Coep. v. v.
- 6 *S. Adoxae* Fekl (?) f. Adox. M.
 spm. v. v. Septoria..... Fekl
 conid. Functum Adoxae Rbh.
 ascoph. v. v.
- S. recutita* (Fr) Fekl f. Dact. glom.
 (? non sporide usque 1-3 sept.)
 (! see Cook spm. 1-1 sept)
- ! *S. Asplenii*: Rbh. Mierl. f. Aspt. sept.
 (^{exco} sp. contin. 4 gutt. deis. sept.)
 (not Vorar. 121 sp. at. Sept. Ant.)
- ! *S. Pseudocaciae* Aud f.
- ! *S. petrobicola* (Fr) Aud pet. Fasin
- ! *S. gemiflexa* Aud f. Salis. eth.
 spm. x polon. Karst f. Salis. polon.
- ! *S. millegranae* Cooke f. Cap. Tit.
- ! *S. Dryadis* Aud. f. D. octop.
- ! *S. biberwierensis* Aud f. Dryad. et.

- ! *Sphaerella laureolae* (Drey) Awd f.
- ! *S. spinarum* Awd n. sp. *Arhagal. aristata*
- ! *S. Hartkenjis* Awd n. f. *Ret. alba*
- ! *S. latebrosa* Cooke n. f. *aur. Pseudopl.*
- ! *S. Cytisi sagittalis* Awd n. ra.
- ! *S. Myrtilli* Awd n. fo.
= *Vaccinii* Cooke
- ! *S. Auerswaldii* (Fleisch) Awd. n. f. *Com. sang.*
- ! *S. granulata* (Fr.) Awd n. fo.
- f. *S. melanoplaca* (Drey) Awd f. *Sci. arb.*
cf. *Phymetoe melanoplaca* Nost. n. hab.
- g. *S. Hyperici* Awd. cant. H. perfor.
- ! *S. Bryoniae* Awd n. cant. B. Dori.
n. = *Sph. Bryoniae* Fekl?
- g. *S. Compositarum* Awd n. cant. Vich. Carling
- ! *S. leptocarpus* Awd n. cant. Umbellif.
- ! *S. umbelliferum* Rth n. c. *Pauc. Orceol.*
- f. *S. operata* (Drey, Not. 16) + cant. Aug. 1978
sp. 14 x 4 1/2 
- ! *S. lusitanica* Awd. n. c. *Sauc. lusit.*
- ! *S. aethopyrenioides* Awd. n. c. *Papav. Purst.*
- ! *S. Salicorniae* Awd n. c. *Salic. herb.*
- ! *S. melaena* (Fr.) Awd. ad cant. var.
- S. festucae* (Lib.) Awd ad f. *Fest.*
= *Plasmod. pyraeophor. S. verisimill.*
- ! *S. Agrostidis* (Fekl) Awd f. a. *stolonif.*
= *S. Graminis* Drey. *Phytkarb. Fekl.*

91 !Sphaerella jugubis Awd. v. f. Glycos. sp. t.

!S. lineolata (Rob. et Dmy) Awd. f. flamm. ar.

!S. pusilla Awd. fo. Carex ten.

!S. Tashiana DMy, f. Carex picea
see Karst. in foliis plurima plac. n. v. d. 1841

!S. Sasp. lacustris Awd. cat. Scrp. 1.

ag. !S. Indij Awd. fol. Ind. pum.
S. Indij (Dmy.) fol. Ind. pum.
sp. Ind. obt. (cont.?)

oij. !S. albicoma (Fr.) Awd. in stap. Albin.

!S. Schoenografi Awd. f. All. Schen.
Sp. Verm. (Sensum?) see K.

~~!S. subradians (Fr.) Awd. f. Convolv.
= Sph. brunnula Fr.~~

R. !S. auricola Karst. in Galeop. vers.

R. !S. lichenophila K. cat. Lausanna?
= velleus Vautour de setis sp. n. v. d. 1841

R. !S. minor Karst. cat. Sp. Ind. august.
= Sph. micropila B. de Br.

R. !S. graminiformis K. f. Arch. alp.

R. !S. Chamaemori K. f. R. Cham.

R. !S. fennica K. pet. Titia parvif.

R. !S. Trifolii (Fekl?) K. var. n. v. d. 1841

R. !S. proximalis K. f. Carex. acut.

ag. !S. Solidagini (Fr.) K. = Anisopon Fekl
(Sphaeria carbonum?)

ag. !S. brunneola (Fr.) Cooke f. Convolv. maj.

S. ? malanoplaca (Dmy. DMy.) fol. Verat. nig.

ag. !S. Arthonia (Fr.) K. f. Polygon.
= Sph. subradians Awd.

R. !S. innumerata K. f. Convolv. pul.

S. ! malanoplaca (Dmy. subvar.) fol. Ges. wick.
v. d. 1841 altera sp. n. v. d. 1841

Sphaerella obliqua Cooke f. *bractea. vena*
= *S. maculiformis*, *aut. p.p.*

S. arcana Cooke f. *Castan. vena*
= *S. maculiformis*, *aut. p.p.*

S. simulans Cooke f. *Aurea.*

S. inaequalis Cooke f. *Sorb. Ariae*

S. erythrina (B. Br.) Cooke f. *Hop.*

ib. f. *S. brassicicola* (P. & C.) M. B. f. *Brass.*
~~*Phaeostemma*~~ *Brassicae* Chev.
(? *an sporidia continua?*) *sporidia 1-sept. 2-3*
in Dothidea Brassicae?

S. anarithma B. & Br. f. *Air. caesp.*

S. (m.) Lygia S. f. *Rubi. pub. ref.*

S. (m.) Gejauira S. f. *Spinea Arane.*

S. (m.) Selene S. f. *Oxalis strictae*

S. (m.) Circe S. f. *Phytol. decand.*

S. (m.) Hermione S. f. *Helleb. virid.*

S. (m.) Paris S. f. *Tamul. Garof.*

S. (m.) Ceres S. f. *Sorgh. vulg.*

S. Lachesis S. f. *Helleb. virid.*

S. Venfrans S. f. *Garof. lanceol.*

S. Cinxia S. f. *Lili. candid.*

S. Maturus S. f. *Lili. candid.*

S. Najas S. *glum. Junc. lampoc.*

S. phyllochorites S. f. *Agrostid. ab.*

S. Galatea S. *caul. Valer. off.*

S. Paley S. *in caul. Hemeroc. fulva*

S. Thais S. *caul. Semp. lac. et big.*

ib. f. *S. Fragariae* (Tul.) + (m) f. *Frag. vena*
Conia Stysana *Groenland. phyllochorites* D. G.
Spenn. leptocoma fragariae D. G.

S. Ribis (P. & C. Sphaeria) f. *Rib. rub.*
na macul.

g. *S. Hellebori* (Charall?) *caul. Helleb. foet.*
in Didymopanax
p. s. (*Dothidea*) *Vrostii* D. G. *caul. Helleb.*

ib. g. *S. haemiteles* (Desm.) *caul. Clem. Vitis*
in Didymopanax = *leptocoma*
per herb.

- 1980 *S. Robertiana* (Fr.) n f Ger. Bot.
 ex. K. ^{etiam} spon. ^{recept!}
 sp. *Saeviana* ^{affinis plantis nostris.}
- sp. *S. hypostemae* Karst (sub sp.) f. *Andr. tithy*
 g. *S. palustris* (Mtg.) ^{as n. n. n.} f. *Blot. palustris*
- sp. *S. eucarya* Karst f. *Poly. virgata*
 g. *S. Gentianae* Nost. caul. g. *antepid.*
- sp. *S. Taraxac.* Karst f. *T. phymatocarpa*
 g. *S. badensis* Nost f. *Poa bad.*
- sp. *S. confinis* Karst f. *Daba.* *Thyris*
 i. *S. Winteri* Pass. (Hymal.) n. f. *vir.* *Rub. compl.*
- sp. *S. Pedicularis* Karst f. *Pedical. hirsuta*
 i. *S. Meggator* Pass. n. fol. *cap. off.*
 sp. *S. perexigua* Karst (n. n. n.) f. *inc. h. h.*
- i. *S. parviflora* Pass. fol. *Tag. n. n.*
 sp. *S. distincta* Karst f. *Glyceria Vahlk.*
- i. *S. circumdata* Pass. f. *Platan.*
 g. *S. angulata* Fekl f. *Perb. vulg.*
- i. *S. Micromeriae* Pass. caul. *M. tenuifolia*
 g. *S. ferruginea* Fekl f. *Aster. vulg.*
 co. *Canop. ferr.* - *Syca. Phoma*
- g. *S. Myricariae* Fekl (Hymal.) f. *M. gen.*
S. rhenana Hedw. I
 g. *S. Arvensis* Fekl
 m. *Ranulana* ... Fekl
- ga. *S. Leguminis* (Dmy.) C. D.
S. Doryenii (Mtg.) C. D.
S. cooperata (Dmy) C. D.
 l. *S. Emmeri* ^{Laevand.} ¹⁸⁸¹ ex f. *Cor. Emmeri*
 ? *S. mobilis* C. D. (n. n. n.) ex sp. *Charl.*
 Ex icon *Tod. videtur Melanoma v. g. s.*
 ex f. *h. h.*
- i. *S. laevigata* Fekl, et *Car. var. Als. af.*
 g. *S. orthoceras* Nost herb. *vid. ante*
 i. *S. Leppenum* Dnt. et *Car. cent. var. Lepp.*
 g. *S. Purpurearum* (Ard.) ^{Recl. 186} *Leptoph.* f. *S. purp.*
 i. *S. Euphorbiae* ^{7. 12. 1871} *pinosae* Dnt. var. *P. sp.*
 i. *S. Picenii* Dnt. ram. *Abet.*
 i. *S. Almu-vindis* Dnt. et *Car.* fol.
 i. *S. Leptopleura* Dnt. var. *Sec. coal.*
 g. *S. immanis* (Fekl) ¹⁸⁷¹ *Coth. 110th.* f. *quar.*

S. Hellebori Awt Lepidopt. t. 12. p. 169 - fol. Helles.

f. 6 S. circumscissa (Dumr.) rug. Arum. Phrag.
sp. 8 ^{ovoid} ^{rimulsi} ^{quadrif. 1-septata} KX

a f. sp. nebulosa Pers. (Curr.) Land. Rum. Scrophul.

f. S. circumscissa (Dumr.) Dry. ^{an = circumscissa} ^{caut. nigra}
? sp. papif. 7 1/2 lg. inton? ^{Medic. fab.}

f. S. ? septivida, (Dumr. 13 Not.) fol. Acer. cam.
Lutali? sp. cylindric. 5 lg. 2-gutt. f. Helles

f. S. succinea (Dumr. 16 Not.) f. exs. Querc
sp. 10 lg. ovoid. 1-sept. (Rehyn?)

f. S. (maub.) phaeocolora (Dumr. Not. 17) f. Phaeod.
sp. 15-25 x 5 - 1-sept.

f. S. (maub.) hedericola Dry. f. Hederic.
sp. cylindric. 4-guttul. 10 lg.
Specim. Septone Hederic

f. S. parviflora (Kell) (punctiformis?) fol. gyno-
non sphaera p. Cr.

g. S. ? Phaeocolora, Sollm. scap. Pl. medic.
conf. in bot. Zeit. XXII 7, 1881. Nott. 1881

g. S. (Phaeocolora) hageriana Rehn Th. Hag. citia
sp. 8-14 x 3-4

g. S. (Phaeocolora) congesta Kell.

g. S. polygramma (Fr.) ^{of Rehn} ^{caut. Ballet rug.}
sp. sphaer. pot. 7-8

a f. hedericola (Fr.?) Cooke Grav. 26. f. Helles
sp. 1-sept. hylal 10 lg. ^{of Sept. hedericola}

i. S. mammothella Aug. (Lepidopt.) Th. Pathy
sp. 13-15 x 4-6 1-sept. hylal. ^{caut.}

i. S. Schaeferi (Ellis) Aug. Th. Leidi ^{Hederic}
^{ma. ija} ^{liba}

g. S. aranea Rehn b. 302 Th. Ochul. hederic.

Cyl. S. Cleidonia (P. B.) G. 311 f. C. javana.

Cyl. S. chionantha (P. B.) G. 311 ^{ran. C. polygramma}

i. S. Maydi Pers. f. Zea Magn.

g. S. Pinnulae Rehn Act. 295 fol. 101 P. g. hederic.

g. S. serrata Wint. Symmet. ^{of Rehn Act}

1. Fragaria (Tul. Cap. II) of Iowa

Texe S. exatae Cfa 2 folia Pers. a
sp. 2-2 x 4 1-sept hylal.

oi v. *Scirpus* *musca* (M.L.) Moe Jov. Moe
co. *Hadr. trichum* *Phragmites* 7/61

rd *Depauperata* (Desm. ut var) 7/61
pari. see Kart var. *plumbea* *panic.*

i? *S. Poae* 7/61 J. Poae 7/61

Insub. C. S. *Castanea* (M.L.) Moe c. *Squ.*
7/61 *Striformis* *Niant.*

r 1/0 *Lilia formigera* (Pers.) Kart. v. *longifolia*

insubrica *Dunctum* *Moss* *v. pub.*

Coy *Shizostoma* *Montagne* C. D. *calm. ar.*
1/61 *shizostoma* *Mont.*
Coyl. S. *pachyphala* (P.P.) 7/61

- 6.9. *Sordaria mordana* (Fr.) Awd. *frim. Cunic.*
- ag *S. equorum* (Fekl.) Wint. *f. eq. et capred.*
- Rab. *S. fimeis* (P.) Wint. *f. eq.*
- i *S. vagans* ^{D.M. Red (1867) f. lep. var. et}
^{an identica cum *S. discospora*}
- IRy *S. macrospora* Awd. *f. lep. ov. eq. mur.*
- ^{Hypoc. stercor. Fekl}
f. S. macrotheca (Cr. Sp.) *frim. vacc.*
- S. Reichenostii* Nstl *f. Caprear. lep.*
- Speiberg *S. aviana* (Kerst Hypoc.) *+ ut anserino*
- Iaf *S. finicola* (Rob.) C. D. *f. eq. vacc. can.*
 90f ^{Hypoc. stercor. Fekl}
- g *S. papuicola* Wint. *cart. putr.*
- g *S. discospora* Awd. *f. vacc. lep. ov. an.*
var. major Wint. *st. lep.*
- g *S. humana* (Fekl.) Awd. *st. hum.*
- g *S. fermenti* (Fekl.) Awd. *in form. vin*
putr.
- g *S. bombardoides* Awd. *frim. lep.*
- g *S. gigaspora* Fekl *frim. vacc.*
- g b. *S. maxima* Nstl *frim. lep. ov.*
^{an sp. stercor. DC!}
- g *S. appendiculata* Nstl (non Awd.) *f. lep. mur.*
- I.R. *S. fimeis* C. D. *f. eq. vacc. lep.*
^{Podosp. finicob. Cr. in Herbar. vulg.}
- IRa *S. coprophila* C. D. *f. vacc. eq. lep.*
^{Cenoph. surab. Fekl}
^{et pub. phaen. bovill. Cooke}
- g *S. lignicola* Fekl *li. fag. putr.*
^{= *S. candida* Long. ex. sp. Wint. (non immulga)}
- fr *S. lanuginosa* Cr. *ves. c. Cisti. palustri*
- g *S. decipiens* Wint. *f. vacc. et eq.*
- g *S. pleiospora* Wint. *f. lep. et eq.*
- g *S. tetosa* Wint. *f. anser.*
- g *S. myriospora* Cr. ^{an?} *f. vacc.*
- g *S. carrolli* Wint. *f. murino*
- I g *S. anserina* (Rab.) W. *f. anseris*
Malu. voris a. Rab. *- et opuno!*
^{*S. paucicete* C. D.}
^{sp. paucicete C. in Kl. an hoc nomen}
antiqua?

S. minuta P. bl. f. mur. lep. vulg. ^{at curial.}
S. tetraspora Wint.

1 a. g. *S. cornuta* D. By f. eq. vad. mur. ^{lep. et mur.}
S. appoulatata Auct. p. p. un. det.
Coryphæa cornuta P. bl.
Xodopyx pumila Karst.
Schizothecium pumilum Cda

1 C. R. a. var. *cornuta* W. = *Mal. benielii* P. bl.

v. *alobata* W. = *S. alobata* P. bl.

i. *S. superba* D. M. W. Rec. 419 f. in. Auct. mur.

P. o. g. a. *S. Brassicæ* (Kl.) Cr. ^{hum. Brassicæ}

a. *S. = S. Curneyi* Auct. ^{et. longib. P. bl.}

a. *S. scabrigera* (P. R.) ^{in pino equino}

a. *S. caudata* (Curt.) ^{lygn. p. bl.}

f. v. *Squamulosa* Cr. f. in. v. a. c. et ad. ^{lygn. cant. D. By}

a. *S. waldsporen* (Cooke Orbicula) ^{in chart. p. bl.}

a. *S. (v. Rosellina) testamicola* (Leight. ^{sp. hyal. (num.?)} *Phospori*)

Cooke Orbicula) ^{in rimis th. Lecan. testam.}

S. ? dispersa (Bk Sph.) C. D. M. W. = *Rosellina*

i. *S. paucipeta* C. D. = *aurifera*

ab. *S. lasioderma* (D. R. M. 727) ^{caul. p. bl.}

a. *Rosellina*

f. *S. Cirsii* Cr. ^{caul. Cirs. p. bl. p. bl.}

f. *S. ? minutissima* (Cr Sph.) ^{f. in. vaccini}

^{sp. ovoid. hyal. (ca. unip.?)}

g. *S. conica* (Pr.) C. D. M. W. ^{in stram. p. bl.}

^{an eadem ac aliqua precedentium?}

n. a. *S. ? equina* (B. et Rav. *Hypox. 847*) ^{f. in. eq.}

^{p. 15-19.}

P = *Arnivium lanuginosum* (Pr.) Nke ex sp. N. bl.

IRA *Sperornis intermedius* Aud. f. *equinus*
S. vernalis Aud. ^{Ned. 1185} f. *capreoli*
₁₃₇

IR *S. minima* Aud. f. *eg. vacc. et can.*
sp. - stercoraria Cur. non fr.

S. lagopusformis; Zibl. f. *equinus*
i *S. ulniscolor* Wint. ^{Ned. 1185} f. *ulni*
₁₃₇

S. megalopora Aud. f. *capreol.*

i *S. proxima* Carst. in *Rel. ZL. n. 1236*

IR *S. Notarjii* Carst. f. *Tetrani Tetr.*

g i *S. pinetaria* Dltts. f. *im.*

S. octonera Aud. f. *ovino*

i ? *S. ovina* (Desm. sub *Homopora*) an = *octom.*
= f. *ovino*

sp. 6 *S. heptamera* Aud. f. *cunicul.*
et *ansor. (R.)*

g *S. vernalis* Wint. f. *im. cunicul.*
^{Ned. 1185}

S. Fleischhakeri Aud. f. *est*
= *Pomporium funiculatum* Pr.

g *S. gigaspora* Zibl. a *lym. ornithogalli*
prague

R. *Pomoga Ledii* (Fr.) Kunt. cort. ram. d. p.
Hyst. 2117.

9. fr. ad. *Ladophila* (Lév.) Duby. ram. Vacc. Myc.
2 Hyst. Vaccin. 2117
Ar. Sc. S. *degeneran* (Fr.) De. ram. Vacc. ulg.
Carol. S. *Andromeda* Th. ra. Anst. Cori.

9. *Sphaerobolus flavovirens* Fekl. in Nivo. Bot. Ark.
Fr. i. *S. conophita* Tul. ram. cort. Lami. 2117
in *minorum conophita* Dry.
9. *S. fusca* Fekl. ad rad. Jag. 2117
Mancosid. Jussiparum sanguineum. Fr.
Cori. 2117.

9. *S. caespitosa* Fekl. cort. Ulm. camp.

Fr. *S. aurantica* Tul. cort. Ulm.
in *18th. aug. pica* Bot.

9. *S. hyalina* Fekl. cort. Salicin.

Cori. 2117.
Cayl. 2117. B. Br. in *Artocarp. integrifolia*

9. *S. sanguinea* Fekl. cort. Salic.
Cori. 2117.

Car. A. *S. flammula* (Fr.) Tul. cort. Salic.
in *atractum flammula*

Fr. b. *S. gracilipes* Tul. ram. *Rhizomorpha* 2117
in *18th. 2117*

6. *S. erythrocephala* in *Stem. Cori.*
in *18th. 2117*

NA *S. pseudobrichia* (Schw.) Bk


NA *S. cinnabarina* Tul. ra. Rhod. 2117

Cayl. 2117. B. Br.

9. *Sphaerobolus theleboloides* Fekl. in *terra p. 2117*

Card. *Loraj spongiosa* Fr. Mgi 257, ad fagey.
Betula, spongiosa Sz.

Schizothyrium Druy. quo differt ab *Aponia*?
p. *S. acinum* Druy ram. Ci. Nequid
an *Strobil.*? sp. obt. 15*10, tenuiter d-sept.
v 2-nucleata
o fr. *S. Platanus* Druy fol. caul. *Platanus*
o 10g. *aponia*



Sphaeria ignota v. *uortii* -
 Ceyl. *S. Rothlerae* B.Br. a f. *R. quadrivoc*
 Ceyl. *S. perusta* B.Br. foliol.
 Ceyl. *S. (conf.) albifulta* B.Br.
 Ceyl. (conf.) *epixantha* B.Br.
 Ceyl. (conf.) *hypoleuca* B.Br.
 Ceyl. (conf.) *Steno* B.Br. (sp. tot. ellips.)
 Ceyl. *S. (obtus.) Clivianth.* B.Br. v. *C. zeylan.*
 Ceyl. *S. penej* B.Br. - (foliolate)
 Ceyl. *S. plicatula* B.Br. (conf.) *Rosellinae?*
 Ceyl. *S. (Vill.) chlorovena* B.Br.
 Ceyl. *S. (Bystr.) Tetradeniae* B.Br.

Sphaerocae dubia
 A *alopauri* alvear
aquilinaria albifulta
araneosa acinosa
atrigata ^{pitui Officia} _{= Rinophoria} abnormis
atellana _{= Guemonia} aractina
atrodica antrochodes
atthiops aliena
atlinis _{= Valsa Sw.} arbuticola
abstrusa affata
atro-rubens arctopora
atroviridis _{= Ruzi} _{= Rosellina}
aurula _{= Tridrophora} dianthostoma
atropunctata _{antustona} _{= Anthrac. th. Kunt.}
adusta _{antustona} _{= Aphanoz Kunt.}
audomede _{antustona} _{= Mycophila Sw.}
atramentosa _{antustona} _{= acuta Kunt.}
asteromorpha
 B *brachystoma* _{antustona} _{= Petuli = Pseudobry}
brassica
basitricha
bombardella
brachystemony
biserialis
Bromeliae _(Plumular.)

	<i>Conularia</i> ^{mej Kuhl}	
	<i>conycta</i> ^{Cher.}	
	<i>cochlea</i> ^{Kuhl}	
C	<i>compar</i>	<i>circumscissa</i>
	<i>Cephalanthi</i>	<i>clandestina</i>
	<i>Cinaceta</i>	<i>crypta</i>
	<i>calva</i>	<i>clavata</i> ^(Hb.)
	^{= <i>Luziph?</i>}	
	<i>conferta</i>	<i>capsularis</i> ^(P. R.)
	<i>capeneusis</i> ^{subita}	<i>conglobata</i> ^(C. R.)
	<i>Chloromela</i>	<i>ceratina</i>
	<i>canosa</i>	<i>contexta</i>
	<i>ciliifera</i>	<i>convergans</i>
	<i>curvirostra</i>	<i>crassifolia</i> ^(Hb.)
	^{= <i>mon. P. R.</i>}	
	<i>cytispala</i>	<i>cellulosa</i>
	<i>coarctata</i>	<i>congregata</i>
	<i>chararum</i>	<i>complicata</i> ^(Hb.)
	<i>Cucurbitacearum</i>	<i>corniculata</i>
	<i>Clasterium</i>	<i>cladospirifera</i>
	<i>Collinsii</i>	<i>consuetudo</i>
	<i>concentrica</i>	<i>Cartanea</i> ^(Hb.)
	^(audita Hb.)	
	<i>convexula</i>	<i>Caryophaga</i>
	<i>cutijata</i>	<i>Clonima</i> ^(Hb.)
	<i>Cacti</i>	<i>crabroformis</i>
	^(audita Hb.)	
	<i>corrugata</i>	<i>constricta</i>
	<i>colliculosa</i>	<i>carlincola</i>
	^{= <i>hypogla?</i>}	
	^(audita Hb.)	<i>colliculata</i> ^{= <i>Uls. L.</i>}
	<i>conycta</i> ^{Hb.}	<i>Caculata</i> ^(Kuhl)
		<i>Cerka</i>
D.	<i>disticha</i>	<i>depitata</i>
	<i>Dopyr.</i>	<i>Dorumbent</i>
	<i>dispar</i>	<i>dimorpha</i>
	<i>disteminata</i>	<i>Detura</i>
	<i>Deustrodes</i>	<i>Dupivora</i>
	<i>Decumbent</i> ^(Hb.)	<i>deformis</i>
	<i>Delphium</i> ^(Hb.)	
E.	<i>excavata</i>	<i>exusta</i>
	<i>exasperans</i>	<i>epimyces</i>
	<i>exuberans</i>	<i>epiphylla</i>
	<i>euphorae</i>	<i>Erumpens</i>
	<i>eremita</i>	<i>enteroleuca</i>
	<i>epipagrea</i>	<i>Erica</i>
	<i>epixantha</i>	<i>Erumpens</i>
	<i>Egret</i>	<i>Epilob. litor.</i>

8.	frabilis	foveolata
	flouosa	flavescens
	fur ^{Enclonus Friesii}	fascicularis
	fissa	fragilote ^{stellulata}
	fulvotens	fulfaracea
	spit ^{Fenesletta}	fraxincola ^{Diop.}

9.	grogalis ^{Nabaria}	galbana
	Gomypti ^{Nechnice}	glauca
	gonistoma	glomeraria
	griseo-tecta ^(Droste!)	granati
	gramme	

11.	halonia	hemidula
	Heridium	Helicij W.
	hemetorhyche	Hedera ^{Mang} _{W.} } ^{Dott. Van}
	hians	Heliosidis
	Holochæa	hypoleuca
	haustellata ^{Valsa?}	hypoxantha ^{Lesp. Sacc.}

12.	juglandicola	irregularis
	Juniperi	infaricens
	juglandis ^{Notr?}	inusta
	impressa	insidens
	inverta	

K. Kalmiarum

L	lignicola	lineata
	Lini ^{Cryptog. pl.} _{ovendi}	lavata ^{Hoffm. u. Dum.?}
	lecythea	leucopis
	lixura	lavata
	lichenicola	leucopica
	leucopis	liquidambaris

M.	mucida	municella
	microscopica	mycophila
	molliscula	Melaudhgia ^{in Dea}
	mezelopora ^{DM.}	
	(Amply. sp.)	
	mezelopora ^{DM.}	
	(Tremetoph.)	

2

N. notha nemoseque
 nebulosa nemoseque
 Nidula ^{Phorolea Adgnelle.}
 Phyl? Noth?

O. oppitata Orthogramma
 obtusissima ^{B. S.?} operta
 oppansa oblecta
 obturata Olerum

P. pannaosa purpurascens
 Potentille = Valpari
 petiolorum pyramidei
 profuga panny
 potita Pedicularia
 Panacij ^{of. Botany.} potiota
 palina pyrina
 punctata ^{polygone, Dudy, pan} protusa
 personata = masaria
 porphyrestoma proboscide
 pilulifera ^{Dymetoph.} pactula
 platygone (Xetypse) pentagona
 phellogene patellarij
 prominens Platan.
 pericarpis platanicola
 Puilly pruinosa
 Personae Waller. = Thymen, palmarum
 Palmerum Dudy Panacij

R. Rhodis polygramma
 reptans = phorella
 redimita rhodome
 Robinia = Melanoma
 Radula rimosa
 Ranunculacearum rufescens

S. Sordida ^{= Heligramm?} Selen.
 at P. Crataeg. ^{Valbraria}
 Sarporum Subulata
 sphaerophela = Rosellina
 Sarculi ^{Sargella Dr. S. V.} Selerchum
 scutellata ^{2015. anis?} Strometia
 syncephala ^{Sept?} Sphaerocae
 signans socialij
 sanguinolenta Subscripta
 Thiblyene Dem. Sarcularum

<i>Sigmatella</i> (= <i>Pyrenopeziza</i>)	<i>Solidaginea</i> (<i>Hypoclema</i>)
<i>Otheuograpta</i>	<i>Sipate</i> (<i>Doth.</i>)
<i>Scutiformis</i> (<i>Doth. epid. var.</i>)	<i>Smilacina</i> (<i>Doth.?</i>)
<i>Sarmentorum</i> (<i>Doth. microtheca</i>)	<i>Subusta</i>
<i>Seriata</i>	<i>Smilacina</i> (<i>Doth.?</i>)
<i>Solidaginum</i>	<i>Specklii</i>
<i>Saccalis</i>	<i>Seppana</i>
<i>Socia</i> (= <i>Torellia</i>)	<i>Sulcata</i>
<i>Systoma</i>	<i>Soriacea</i> (<i>Doth. anth.?</i>)

T. <i>truncata</i>	<i>Tubercularia</i>
<i>Tuna</i>	<i>Tenuella</i>
<i>tuberculosa</i>	<i>transversalis</i>
<i>Typha</i>	<i>torrata</i>
<i>testacea</i> (<i>Hypoclema</i>)	<i>torulosa</i> <i>Doth. sub.</i>

U. <i>umbellata</i>	<i>umbellata</i>
<i>urceolata</i>	<i>urceolata</i> = <i>alligata</i> = <i>in orph?</i>
<i>ulmacea</i> (<i>Melanconia</i>)	<i>uliginosa</i>

V. <i>Verrucella</i>	<i>virgultorum</i>
<i>varia</i>	<i>verbenicida</i>
<i>vacciniicola</i>	<i>varia</i>
<i>vasculosa</i>	<i>Verrucaria</i>
<i>ventricosa</i>	<i>Viburni</i>
	<i>viticola</i> <i>Sz.</i> = <i>Verrucaria</i>
	- <i>Doth. viticola</i>

X. <i>xantholeuca</i>	<i>Zanthoxyl. lev.</i>
<i>xestotele</i>	<i>placida</i>

U
 V
 W
 X
 Y
 Z

~~Sclerotium glaucum-albidum Pers. I 20~~

~~Sclerotium Durum Pers. p. 6~~

~~|| ~~Sclerotium~~
Sclerotium tuberosa~~

~~Septocylindrium Penicillium San. I p. 89~~

~~Septocylindrium muscorum San. II 52~~

~~Septoria Falx B. et C. II 436~~

~~Septoria flexuosa II 437~~

~~Septoria Psidii Pers. San. II 438~~

~~Septoria Bunelidae San. I p. 100~~

~~Septoria atlepnadea Lacc. I p. 193~~

~~Septoria carnabina West. II 249~~

~~Septoria Hydrangeae G.~~

~~Septoria Lemnifera San. II 164~~

~~Septonia chalybeata Pers.~~

~~Solenia anomala Zuck. II 244~~

~~Solenia exigua Lau. I p 117~~

~~Sporodopium polymorphum Corda II 289~~

~~Sporea punctulata C. Ell. p~~

~~Sphaella Schoenoprag Auct. II 247~~

~~Sphaeropsis Sabina~~

~~Stachyidium bicolor Lk 195~~

~~Stenocarpus foveolatus~~

~~Stenem hirsutum (W.) Pers.~~

~~Stictis nigra Pers. III I p 60~~

~~Stigmella Viparicia Lau. I 352~~

U

V




T

U

V

X



T

U

V

X

T. obduracy de Tul (= / miskibuty, 9116)
in pariter! sp. 25-30 = 10-13 8-9 lozeta - muerper
T. Notariz Tul. Cap. II. 266. = S. obdury 9116
in alio est sp. 13-16 e 6 1/2

6. *Thalictroly tenax*, A.S. (in terra u. calid.)

g *Trichophaeni exasperoides* (Desm.) f. Car. et Aug
non ~~est~~ *Venturia* *Chaetomium*
^{Vent. 250p.}

8. g i *T. pilosa* (Pers.) f. ram. arb.
uc. Cooke sp. 88 7 1/2 to hyal.

g ii *T. erythrella* (Waltr.) f. c. Bress. cl.
Co. Anst. circumat ex fcl

g *T. tarda* fcl fo. Caryl. Avell.
cum parm.

a *T. caesia* (Carm.) lign. pu.

f a *T. superficialis* (Cuv.) in lign. abiet.

f. *T. rhodochlora* (Mlyn) cont. Alm. glut.
sp. cont. 12-17 g ^{subchalcata} *Pentis* intus saug.
~~a. nebrisana~~

Gay. *T. acanthostoma* M. 226 cont arb.

f *T. perexigua* (Lecan) ram Caryl. Cuet
Cfr. in sec 5. *perex*, cont. *lythacella*

J.C.R. *Trichopora ignavis* (D.M.) H. M.F. br. ra Xylort
~~Caecybat~~ ^{sub} *ignavis*
Trichopora Northieri fcl ra Lonic. caor

i *T. Mesarium* (D.M.) lau. in dru. Vitz

iv g *T. obducens* (f.) f. ram lig. Praxii, ^{pu}
a a f. ~~va~~ ^{va} *obducens* ^{par} et al. sec K ^{plagata}
g *T. obtusa* fcl lign. pineo ^{lin.}

g *T. beurostris* (f.) f. li. Pineo.
^{Pycn} *Phoma ovipinna* fcl.
Ampelophaeus sec. C. D. ex *Scleromyx*.

g *T. dura* fcl. li. pu. Querc.

f. *T. globularioides* Cr. Sp. 27 ram. abiet.

ig *T. trabicola* fcl lign. querc.
Co. Torula ambigua Cda

Pyc. *Kendermannia* nst.

a *T. Pirei* (Wart Hedw. v. 173) in lignis

R. g *T. praeformis* (Nyl.) K. cot. Popul. et Sal. T

g *T. ampullacea* Pahn An

R. *T. Chevalierii* Karst. lig. Bot. Sal. abiet. U

Swan *T. pulvinulus* (B.K.)
? *breve pilosa* in lignis

T. rhodochlora

ex re. Mart. A. Cuv.

V
W
X

- R. *T. deflexa* Karst li. bet. et abn.
 i. *T. Vitalbae* (Dillb.) +
 R. i. *T. pomiformis* Karst cort. cesp. Aln. N. H.
 R. - v. *Populi* K. cort. Popul.
 i. *T. seminuda* (Pers.) Dillb. in ram. de joct.
 R. *T. lunda* (Fr.) Karst li. v. salis fragil.
 & Kalmuni
 R. *T. (sec. 2) obliqua* (Fr.) Karst ad axer. lini
T. angulata (Wtr.) var. Lonic. pyren.
 sp. oblong. olivac. murif. Hab. Kalmuni
 R. *T. (sec. 2) perpendicula* Karst li. sic. N. H. affi.
 g. *T. hippida* Fekl cort. Brn. demest.
 hab. Lanoph. h. p. p.
 g. *T. macrospora* Fekl cort. Pyri comm.
 cort. cum T. moravica
 i. g. *T. taphrina* (Fr.) Fekl ram. decort. N. H. dem.
 Pycn. = *Spodopri polyneopha* Dillb. ?
 + i. *T. circumdop* (Dillb. Spl.) ra Lonic. nig.
 notus melanoma 14. 185
 i. *T. moerocunda* (Dillb. Spl.) cort. Quercus
 an *Neopora*? iniv. de. II

5

- R. *T. frons* *Transtophæria portosa* (Pers.) F. li. cesp. etc.
 g. *T. porphyrotoma* (Kze) Fekl brn. frag. spl.
 g. *T. picta* (Fr.)
 i. *T. pertusella* Sau. ram. dec. P. C.
 g. *T. Morhierii* Fekl in li. pineo.
 a. *T. rhododaphne* N. H. ram. decort.
 sp. fusca 25 multicaud. hyg. - sev. 185
 g. *T. appianata* (Fr.) li. querc.
 an *Anguliphæria*
 g. *T. lichenata* (Pers.) Rkm. An 285 ra dec. Pin. lumb.
 g. *T. seminuda* (Pers.) F. li. frag.
 in Dillb. 94 T. c. h. p. na N. H. h. l. p. h. p. h. p.
 g. *T.*
 g. *T. corticola* Fekl. cort. Ubr. camp.
 g. *T. exaltata* Rkm. An 286 lign. p. p.
 g. *T. subferruginea* Fekl. ra dec. Querc.
 g. *T. cryptanum* Fekl li. querc.
 g. *T. lakricollis* (Fr.) Fekl lign. p. Pop. nig.
 inf. Plumbeo
 T. *callispora* (Dillb.) +
 T. *negalopora* (Dillb.) +
 i. *T. decipiens* (Dillb. sub Lonicia) + lign. novi
 an = *T. portosa*

266] *Tortricia militaris* (Shrk.) Tul. in larv. vif.
Co. Maria farinosa Fr.

T. Gunnii (Bk.) +
Sp. (Cordog.) Gunnii Bk. Carr.

G.R. I *T. capitata* (Holmsk.) Tul. in Staph. granul.

G.R. I *T. ophiocloa* (Shrk.) Tul. in Staph. granul.

R.A. I *T. myrmecophila* (Cs.) Tul. in form. nufa
et Technum.

A.S. *T. eulomographa* (Dicks.) Tul. in larv. et chrys. infer.

A.S. Hg. *T. grauitij* (Bk.) Tul. in larv.

I *T. fuliginosa* (Cs.) + in chrys. Bombyc.
Cordog. f. Cs. Commun. Githy. I 68

U
V
W
X

661.
R.A.

- Thyridium vestitum (Fr.) Mke ram. var. arbor.
- 9 T. tumidum (Bon.) Mke ram. Quercy
- 9 T. rostratum Fekl ram. Quercy
- Chit. T? ^{parva} v. sellinum (Mk. 218) in culm; Colligue
- 9.0 T. Frit (Fr.) ram. de Negundo. T. Frit
ex sporid a Schulz. pict. an Thyralii.
Whadites Perooni Schulz. Sp. Perooni Wall.
- 9 T. Betulae Kehn asc

- 9.00 Thaumomys, hippokaleidos ()
An ex hanc gen. Thy. adnate Fekl? S.M. 297
- Cay. T. rostratum Mke trunc. prostr
- Ord. T. annulipes Mke ad cortice,
acrophacia annulipes Cda
T. Chamissonis Ehrbg (Ful.)
- i Trichothecium erraticum Mess. Th. Lecanora
Chalybeae

i Thyridium microstium Sau. ram. var.
v. Kalmusii

i Thymectia pedalis Sau. ra. cot. Jugl. reg.

U
V
W
X

T. tuberosum pygmaeum Duf. - ram. Brock.
Linn. *T. nupulum* (Spr.) Druy. ram. arbor.

T. shojulacum Jacq. lye m.
(ia) *T. caliciforme* Reb. ram. Tit. et Querc.
= *Blechnum cal.* (Dr.) Mitr. in l. dicom. ^{et lye}

New York, *dealbata* Gerard Heide ⁷⁶ / ₁₂₇ Va. Syn. n.
Miss. *T. plumigenum* Coker (Mpt.) 2. Arn.



U

A

N

X

~~— Fung. ven. Bixx. mix. ⁴⁸ 48
Tortulina terrestris Nigg. 1~~

~~Tortula dimidiata II p. 466~~

~~Tortula protes Sau. II 292~~

~~Tortula hyalina Sau. I 265~~

~~Trichosporium obovatum Sau. II 294~~

~~Tubaria purpuracea Jill. p. 33~~

~~Tuber Borchii Vitt. I 544~~

~~Tuber brunneum Vitt., Sau. II 534~~

~~Tricholoma sordidum Trich. p 11~~

~~Trichi. sord. v. jonidiforme Vogl. p 12~~

~~Tricholoma argyrocum Bull.~~

~~Tricholoma Algeriens melaleucum Pers. II 242~~

~~Trametes fraxoleus~~

~~Trametes phaeocephala~~

~~Trametes nigricans~~

~~Tubercularia granulata~~

~~" outgroup~~

~~Trochila craterum~~

U

V

X

Utricularia spiralis B. & C. f. Vitis Laticornis
subfusa B. & C. f. Angelops.
intermedia B. & C. f. Ulu.
maxima Peck in fol. Ulu.
S.H. { *parva* C. & P. (f. Celtis)
flexuosa Peck (f. Alal. Hipp.)
Clintonii Peck (f. Nassau)
Angelopsidis Peck (f. Angel)


- 664 *Urtica* *Bivonae* Lév. (f. Ulm.)
 664 *adunca* (Lk) Lév. (f. Salic. et Popul)
 664 *Walbrothii* Lév. (f. Prun. spin.)
 664 *cornis* (Léuk) Lév. (f. Acerum)
 4 *Tulasnei* Fekl. (f. Al. platanoid)
 664 *aromata* Co. et Pe. fol. Acer. spicat
 664 *polychaeta* B. et C. fol. Celtis)
 664 *geniculata* Gr. = ^{redicata} f. Mon. rubra

- 664 *Urtica* *vulgaris* Tul. frum. pag.
 - ^{Sph.} *deusta* Stollm.
 Conid.
 664 *Coenocorys* (Moz. Hyp.)

U

V

XIX




~~Uredo Terebinthi DC.~~

4 ~~Uredo Terebinthi DC.~~

~~Uromyces Rumicis (DC.) Fuck.~~

2
A
NIX





2
A
X





ANX



3
A
N
X



- 6 *Venturia subtilis* (Fekl sub Sigm.) f. Pot. cinas.
 6 V. " *cirsianus* (Fr.?) f. Geran. rot.
 6 I A O V. " *Potentillae* (Sow.) f. Potentillae
 " *pot. contin. pyrae. f. Pot. Dng.*
 " " *sp. m. leptothyr. Dryadearum Desm.*
 G. I. A. V. " *Alchemillae* (Grev.) B. Br. f. alb. v. lq.
 G. I. a V. " *Kunzei* Sacc. f. Rubor. caes.
 " " *Conid Exosporium Rub. Nees*
 G V. " *Petasitidis* (Fekl Sigm.) f. Pot. v. lq.
 G V. " *Alni* (Fekl Sigm.) f. Aln. glut.
 G. R. a V. " *ditricha* (Fr.) K. f. Bot. alb.
 a r V. *Dickiei* (B. B.) D. M. f. Linnaea
 V. *eres* (B. B.) D. M. f. Carex
 V. ~~*Chalcanium* (Ad) D. M. f. Carex v. lq.~~
 a r V. *Myrtilli* Cooke f. Vacc. Myrt.
 i V. *Rosae* D. M. *
 a V. *ibifolia* Cooke f. Ric. Aquif.
 - B. Salig. capreae C.
 i V. *Santhi* D. M. * caul. Diak. abomb.
 a V. *integra* Cooke (? sp. cont.) f. Conyl. avell.
 i V. *montellia* Sacc. fol. pub. Cer. v. lq.
 a V. *Barbula* (B. B.) C. cort. pin.
 i V. *alpina* Sacc. f. Arctob. alpine
 V. *reticulariformis* (Fk Sphaeria) f. Xylot. et ^{Cony.} ^{avell.}
 Conid. *Stipium sphaeriformis* Fekl.
 a V. *glomerata* Cooke f. Geranii dissect.
 V. *Lonicerae* (Fekl Sphaeria) f. Xylot.
 sp. m. *Ascom. laevigata* Dng.
 a V. *atramentaria* Cooke f. Vacc. uligin.
 r V. *chloropora* (Ces.) Karst. f. Sal. Pyr. Bryae.
 f. V. *bryophila* (Sacc.) ^{non Sacc. quod Hypoc.} ^{Thymel. (Colorado) bryophila Fekl fol. Muscor.}
 (Cooke)
 g V. *inaequalis* Wint. in f. Arisa (heb.)
 s. a. g. V. *Chaetaniun* (Cda.) D. M. f. ^{Chaetaniun} ^{non Fickl. exornat.} ^{Nicola Chaetaniun Awd. sp. f. 10 x 1}
 f. g. V. *exosporioides* (Dng.) S. sp. ^{f. Anis. pendulae} ^{7 1/2 g.}
 g. V. *Grossulariae* (Awd. et Fickl.) f. Grossul.
^{Heidob. p. 89}
 g. V. *tarda* (Fekl.) Fickl. u. fol. Conyl.
^{non Fickl. sphaeria}
 V. *Johnstonii* (B. & Br.) S. J. Aug.

(*) Spec. typicae Hokaido ad alia
 deservant et sunt quae *Drynopharia*
hirsuta, nisi *Pyrangia* *hirsuta*

V
 1
 2
 X



[Faint, illegible handwriting on lined paper, likely bleed-through from the reverse side of the page.]

Valsa (Eutypella)

i V. grandis Mke co. querc.

i V. Alibanthi Sacc. ram. cork. Art. gl.

ra i V. stellulata Fr. ra Ulm. caryp. et off.

^{cum sperm.}
V. malabarica Fr. p.p. C.D.

^{in f. h. n. 254 bit = stellulata.}

i V. extensa Fr. ra Rham. cath.

i V. confluent Mke ra querc.

i V. Sorbi (Schm.) Fr. r. Sorb. auc. et Anin.

Sperm. Cythospora rubescens Fr.

o a i V. Prunastri (P.) Fr. ra Pr. spruce.

^{an cad? Coras. (Ditt. Sacc.)}

i V. alutifraga (Wahlb.) Karst

= V. similis Mke ra Abn. glut.

^{an huc V. Syngonium Fr. sec Cooke 822?}

V. similis Karst ^{specimen}

= V. alutifraga ~~Wahlb. Fr.~~ r. Abn. glut

V. Padii Karst

= V. padia Mke ra Pr. pad.

i V. angulosa Mke r. Bet. alba

= Sph. Prunastri. Petulae Sacc.

i V. auriculata Fr. ra Ab. Carp. Bet

Sperm.

V. rhizophora Mke rad. Jug. sgl.

V. ventricosa Fickl cost. Ulm. et Querc.

i V. Aurantii (Mks) C.D. ad ram. c. Aurant

V. [?] Tosgenata (Wesh) C.D.

^{padia viki ignota}

Valsa (Ruvalsa)

- V. horda Mke ra Pet. abze
spem.
- i V. Vermicula Mke ra Salix frag. ut
spem.
- i V. conobstrica Cei. Mts. ra Querc.
spem. var. Pet. et alia
- Abij V. Stephanica Pass. ra Acaas
- gaif V. Ceratophora Tul. ra Querc.
spem.
- a V. concaerata Can ra Querc.
spem.
- fai V. Rosarum Mts ra Rosar.
spem. Glyceron Rosae Fiehl
- i V. Rubi Fiehl R. put.
- a 30 V. tetraspora P. Br ra putr.
spem.
- V. cristata Mke r. Tit. cur
- r. V. vesicia Karst ra R. alpin
- f i V. Pini (A.S.) Fr. r. Pin. sylv. et
spem. Glyceron Pin. Desm. var. comm.
- g V. oxystoma Behn ex. 180 r. cot. abe unid
- i V. Cenopii Mts ra Junip. comm.
spem.
- V. invalida Karst ra Junip. comm.
- fai V. Abietis Fr. ra Abet. sxc.
spem.
- General V. Dubyi Mke ra Junip. comm.
Mant. spem. V. coronata Duby
- V. insignis Mke f. et r. Coryl. tub.
- i V. fallax Mke ra Corn. lang.
spem. Glyceron Corn.
- i V. Spongiae Mke ra Lyring. unig.
spem.
- V. perforans Mke ra Libani sent.
spem.
- i V. Vitis (Schw.) Fiehl. ra Vit. unig.
spem.
- V. Schweinzi Mke ra Sap. frag. et Cap.
spem. f. conicula, et Sabiana A.S.
Glyceron Caprea Fiehl
- i V. Fucali Mke ra Coryl. Avell.
spem.
- V. affinis Mke ra Cor. Avell.
spem.
- ai V. micromoma (P.) Fr. ra Corn. spin.
spem.
- f i V. Stenopora Tul. ra Abn. glut
spem.
- f i V. delobrata (Fr. p.p.) Mke ra Jun. sp.
spem. Carp. Pet.
- i V. Hoffmanni Mke ra Crad. oxyc.
spem.
- g a V. coronata (Hoffm.) Fr. ra Corn. alb.
spem.
- fr. - p. melanosticta Mts. 291 - Cort. Fiehl
- V. Lobbia Mke ra Lob. Aure.

V. exigua Mke ra Auer. camp.

V. tenuis Mke ra Carp. Bet.

V. decumbens (Schm.) Mke red. Pin sylv.

V. intermedia Mke ram. Auer. sperm.

V. dolosa (Fr.) Mke ra Salix capr.

i V. ^{sperm.} pogoniana Pau. ram. Dwygn. camp.

i V. Curryi Mke ra Laric. et Pin sylv. sph. J. (Valb.) abutz Curr. ^{sperm.} Cytisum Pin fide

V. friefii (Duby) fide ra Abiet. post.

g V. ^{sperm.} taki Fide ^{Cytisum Pinashii Fr.} ram. Tax. bac

i V. ^{sperm.} torrida Mke ra. Popul. nig. ab- sp. Cytispora chrysojana (P.) Fr.

V. pseudoplatana (Fr.) Mke ra A. Platan.

i V. ^{sperm.} mediana Mke ram. Olas camp.

soja V. ^{sperm.} cypri Tul = V. ^{sperm.} hystrix Scher. ? ram. Ly. vulg. sp. Cytisum pruinosa Fr.

g V. ^{sperm.} olivacea fide ram. Linu. Xylot

i V. ^{sperm.} aulicus Fr. ram. Pyr. Mal.

i V. cecidens Pau. ram. cort. Querc.

V. incrustata (Kze) Mke ra. Aln.

a V. ^{sperm.} quercea Curr. ra Querc.

g a V. ^{sperm.} rhodophila B. & Br. ? Mke. R. com. ^{foliis coloriphacensis}

V. betulina Mke ra. Bet alba

a V. ^{sperm.} platani B. Br. ra Plat. Dep. ?

i V. ^{sperm.} pustulata Awd. Mke r. Fag sylv.

g V. ^{sperm.} repanda fide roncola et umbicola fide

ra 60 V. ^{sperm.} salicina (P.) Fr. ram. Salicam sperm. Cytispor. var. cf Mke 212.

r V. ^{sperm.} tetrasporu (Curr.) = capstone D M 3

r V. ^{sperm.} borealis Karst ram. Sal. capr. etc

ra 60 V. ^{sperm.} amblyu (P.) Fr. ram arb var. sperm. Cytispor. var. cf Mke 214.

g V. ^{sperm.} populina fide app I. 27 ram. Pop. nig.

r V. ^{sperm.} germanica Mke ra. Sal. Bet. Pop.

ra V. ^{sperm.} munda B. C. Grav. ^{3/100} ram. Carr.

MIX

alg. V. mendax M. cant. Adsp. Helmi.
alg. V. exanthemoides M. cont. Anag. foedi.
Philipp. V. Campsopora M. cont. Querc. sub.
alg. V. crocina M. cont. ran. oleae
alg. V. leucostroma M. rari. Inuit mauri.
alg. V. ^{leucostroma} praecleara M. cant. Cirsii gigant.
alg. V. ^{leucostroma} alpestris R. m. 223 r. Sals. n. oppositif.

g. V. macrostoma Rehn. etc.

α V. ^{leucostroma} syngenera Co. no. Alis. Samb. Rab.
q. F. Pr.

Valse invertee ob sec! v ob gen?

N^o V! aurum Schu. Robine

N^o V! ^{S. allant. 8-10 y.} hauskellote Jr. Alp. seroul. et bonya vng.

N^o V! Leaiand B (BHS) m. Carpius
p allant.

- a i Valn (Leucostoma)
- V. Mepariana Mbs. ra Sorb. aucup.
- Ph R. v. ^{sp. n.} ~~Leucostoma~~ Karst ra Sorb. aucup.
- Arab V. leucostoma Fr. ra Fran. Arm. Cray. ^{sp. n.}
- a ^{sp. n.} Cythron ruberum Fr. d. p. p.
- a rai V. nivea (L.) Fr. ra Popul. nigra, ^{sp. n.}
- l ^{sp. n.} Cythron chrysop. Fr. p. p.
- r V. Auerswaldii Mbs ra. ^{sp. n.} ^{Popul. nigra}
- ^{sp. n.} Cythron persicaria Fr. p. p.
- r V. Dahypa Fr. ran. Alb. ^{sp. n.}
- r i V. translucens Mbs ran. Sab. ^{sp. n.}
- V. cineta Fr. ra Fran. Arm. Cray. ^{sp. n.} Cythron ruberum Fr. p. p.
- ig V. Laurocrasi Tul. ran. Laur. ^{sp. n.} Cythron laurocrasi Fr. p. p.
- ga V. Kunzei Fr. cort. Ab. pectin.
- Kantichat V. ^{sp. n.} Colliculus (Wormsk.) C. D. cort. ran. Pin. p.
- ku V. Aquifolii Mbs ra Thi. Aquif. ^{sp. n.}
- V. superficialis Mbs ra. Pin. Shot. ^{sp. n.}
- V. Dumuscula Othk cort. Fagin. ^{sp. n.}
- V. Viburni Feld ra. Vib. Laut.
- alg V. kucubroma Mbs ra. Smit maunt
- Mosk V. ^{= Eulyce} Abopae Mbs cort. Ab. p. p.

~~Valpa ludibunda Lacc. ell. I p 15~~

~~Valpa leucostroma Ellg. ell. I p 18~~

~~" salicina (tetraspora)~~

~~" (octospora)~~

~~Valtaria incitosa~~

~~Venturia ilicifolia Cke. I 382~~

~~Vermicularia ambigua Lau. II 271~~

~~" Denatum~~

~~Volvaria gloiocephala DC.~~

~~Volvaria parvula Zmes. p 25~~

g Vabolla Lachii (Mk) ra Corn
bij V. ^{spem} myriotheca Pass. (Vilsn) ran av. Mass
g V. amphoranii (Mk) ra Jag. sp.

r f g V. ^{ex c. 2175 s. mel. p. 1-1. 228} malastona (Fr.) ra Purg. Mal
r. * furva Karst ra Abn. vic.

ag V. polypora Mk ran Bot. ab.
= S. (Vall) huce Cur var. polypora
spem.

g V. adhaerens Fekl. ran. Bot. ab.

g V. feretii (Mk) ra Sol. capr.

g V. Sabini Fekl ra Sab. auste
spem.

g V. dyptera Fekl xerm. Rab. fut.
spem.

V. ? clopina (Fr.) Karst. 138 in. v. ch. Pring
? ob. u. b. Euvsay v. v. s. t. "

g V. Rosae Fekl ra Ros. rubr.
spem.

g V. nigromaculata Fekl ran. Sol. capr.

g V. leptostroma Fekl ran. Sol. capr.

Valsaria insitiva C. Dth. v. var.

Pyen. et myrm. et spum.

ag - serdida (Nabige serdida N. Dr.).

NA V. viticola Schu. Grav. 31/96) ra vitis

sp. 1-sept. ellipt. 15 g

V. rubicosa (Fr.) S. cort abiet.

Myrm. abiepinum Nessel

Ob. Sec. Gies, teste Felt, app. II. 11, 3 ph, rubige Fr. est verum Hypoxylon -

V. durissima (an Fr.?) Felt hum. cort abiet.

V. anthele (Schw.) Sacc. lign. decub. querc.

V. donacina (Fr.) C. D. cultm. Donac.

V. coccinea (Fr.) Sacc. lign. Betulae

alg. V. Pimplariae Dth. sarn Pimpl. gr.

ph. Notarii Dth. (Rob. of Fledt. Sec. Bk. (S.))

NA V. carpinigera B. et C. ra Carpin.

sp. 1-sept. 15-15 g

V. asterina (Fr.) + lign. Pimpl. et Pici Car.

V. caries Sacc. lign. pinex.

V. anthostomoides Sacc. lign. det. querc.

V. apiculata (Curt.) + anth. habem. Not.

V. Nesselii (Wint.) + ram. cort Betule

V. foedans (Karst.) ram. Abn. an = Nesselii

V. micropura (Karst.) + cort. Abn. et Bet.

V. tophostoma (Hess. Hedw. 76-112) ram. sicc.

V. fenicea (Karst.) lign. vet. Bet.

V. exasperans (Fr.) + lign. Pici Car.

V. decolorans (Fr.) C. D.

sp. 15 x 7-9

conf. a Melanconis

V. dolosa (Fr.) Dth. = Melanconis

- B. Mattarae Dth.

V. Kunzeana Dth. Recl. ram. Prax.

sp. 1-sept. decolorans Kynan Fr.

varim = insitivae forma

V. Dopyri (Schw.) Dth. Recl. ram. J. Loti

V. cinerea (Curt.) ram. Robri, Querc.

Myrm. acin. Nessel Hedw. 75

V. parmutana (Fr.) ram. querc.

sp. 35 g.

V. fulvo-pumata (Bk.)

V. rhizogena Bk. in rad. Fledt. h. tria.

V. phylloides (M. 216) v. Sabi. pedicell.

V. complexa (Dth. 220) cort. popul.

V. purpurascens (DC.) ram. et lign.

V. prophyta (Schw.) ram. Pici Car.

var. ~~mutata~~ 18-25 x 7-9.

NA V. gregalis (Schw.)

Hypoxylon gr. Schw.

sp. oct. 1-sept. 12 g.

111

N.A. V. *Baumontii* (B.C.)
Hypox. B.C. n. 846 1p. 1 sept. 109.
N.A. V. *nudicollis* (B.C. Hypox. 848)
N.A. ¹¹ *oblonga* 1-1097
N.A. ¹¹ *quadrata* Schw.
1p. 1 sept, 19p. cont. 13-14

G. V. *claspera* (Tud. Cay. II 197 sub *Valis*)
in Popul. - *sporda* *brata* *crassa*, *Diagn.*
brata in *Wey* *albr.*, *seris* *fose*

G. *Walbrothella* *congrata* (Walt. Mlyn) *legi* *car.*
G. W. *Corallinarum* Cr. Spl. 26 - in *Coallinis* et
in *Jenia* *congrata*

G. *Wintersi* *pulchra* (Wint.) H *pau* *pau*


Zasmidium cellare Z. var. var. I. G. Ga A.
b. p. g. i

g. Zoppia d'Agostini Rehb, Bedi $\frac{74}{44}$ radi. Aspar of
exhib.

Zygnocella pulchella









016 Xylaria Hypoxylon (L.) Geov. in tr. ad rad.
Com. X. cornuta Schaerk. sp. var. arb.
OB - β cucurbitiformis Fr.

017 X. carpophila (P.) Fr. caps. frag. sylv.
Com.

X. Fockelii Mke (X. ^{nona} ~~macrantho~~ ^{macrantho} Tul.) in
Com. fruct. Oxyc. et Carp. Pet.

018 X. pedunculata (Dicks.) Fr. terr. stercov.
Com.

AG X. Tolasnes Mke terr. stercov.
X. pedunc. f. pusilla Tul.
Com.

019 X. stipitata (Wallr.) Mke (1868) lign. putr.
020 X. digitata (L.) Geov. lign. putr.
Com.

021 X. bulbosa (P.) B. Br. terr. et fol. comp.
X. vaporaria BK in sterco.

Rio X. pliformis (A.S.) Fr. fol. ^{com.} et ramul. putr.
an huc S. Aphrota Sw. X. subularis Fr. S.Y.
See K.

022 X. uriformis Fr. in fragm lign. putr.
5th Mar 17, Dec. VI

023 X. longipes Mke lign. putr. Ala. New
Com. frag. Carp. Pet.

Abiss. X. Beauviana Pass. fragm. lign.

Rfiab X. polymorpha (P.) Geov. trunc.
Com. sequit.

024 X. ^{an = X. guianensis West.} ~~cornuta~~ West. in rad. putresc.
i X. ^{an = X. eufiliacea Cop.} ~~suspensa~~ Fr. in terr. stercovata

C.B.S. X. capensis Lev (Sph. Cord.)
i X. ^{an fr. que var. X. Yponyxi} ~~eufiliiformis~~ Rees. Ev. c. 1278 tr. papat.

Parana X. ^{an = X. guianensis West.} ~~areolata~~ Lev (Sph. Cord.) ad trunc.

X! pileiformis (BK)
Guyan X! guianensis (Moz) tr. putr.

X! involuta (Kl.)

Chili X! portentosa Mke lign. amat
= Sph. antioquia Lev.

Guyan X. granulata Mke tr. putr.

Sinnam X. hyperythra Mke tr. putr.

Cuba X. cubensis Mke tr. putr.


Sinnam X? embryosa Mke tr. putr.

Guyan X. rhizocola Mke in sylv.
X. oscharoidea (BK.)
Cfr. Hypox.


- Caye. X. *aenea* Mlyz lign. emot.
 Caye. X. *columnifera* Mlyz lign.
 Caye. X. *rhytidophylla* Mlyz lign den.
 Guyan. X. *anisopleura* Mlyz li emot.
 Guyan. X. *vaginosa* Mlyz lign?
 Guyan. X. *janthino-velutina* Mlyz in fruct.
 Guya X. *Apeibae* M. fruct Apeibae
 Cuba X. *Dichotoma* M. lign dej.
 Chili X. *microphylla* M. cort emot.
 Cayen. X. *aristata* M. fol. fultifera
 Cayen. X. *axifera* M. san arbor.
 Siam X. *conosa* M. lign emot.
 Guyan. X. *collabens* M.
 = *acrostachya collabens*, Cha cort arb.
 Cayen. X. *Phyllocharis* M. fol. de je
 Cayen. X. *coccophora* M. lign. fruct.
 Cayen. X. *Myosarus* M. lign denud.
 Na X. *Titan* B. et C. lign
 Na X. *Cudana* B. et C. lign. fruct.
 Na X. *Clavly* B. et C. culm arm.
 Na X. *stipitaculata* B. et C. lign. fruct. ^{emot.} _{consp.}
 Na X. *Cornu Damasc* Scher lign. fruct.
 Na X. *stelliformis* Scher.
 Na X. *persiana* Scher in fruct. Persia
 Na X. *rhopalodes* Mlyz Hyp. rh. Cor.
 Ceyl. X. *β acicularis* B. Br.
 Ceyl. X. *pyramidata* B. Br.
 Ceyl. X. *haemorrhoidalij* B. Br.
 Ceyl. X. *pyramidata* B. Br.
 Ceyl. X. *spathulata* B. Br.
 Ceyl. X. *exalbata* B. Br.
 Ceyl. X. *Culleniae* B. Br. in C. exalb.
 Card. X. *mucronata* (Schw.) ^{SM. in Siam.} ₃₂₆ ^{phana}


Xylaria Hypoxylon (L.) Tul.









































preesistenti 282
trovate 73
Somma Delle Specie = 355

Li 4 aprile 1889



